

## Cloud Native Unica V12.1.7 Implementation Guide for Oracle WebLogic Server



# Contents

<b>Chapter 1. Helm chart configuration.....</b>	<b>1</b>
<b>Chapter 2. FAQs and troubleshooting.....</b>	<b>2</b>
Frequently Asked Questions.....	2
Question 1.....	2
Question 2.....	2
Question 3.....	2
Question 4.....	3
Question 5.....	3
Question 6.....	3
Question 7.....	4
Troubleshooting Issues.....	4
Question 1.....	4
Question 2.....	4
Question 3.....	5
<b>Chapter 3. Appendix: Description of Helm chart parameters.....</b>	<b>6</b>
Common configurations.....	6
Audience Central configurations.....	11
Campaign configurations.....	13
Centralized Offer Management configurations.....	18
Collaborate configurations.....	19
Contact Central configurations.....	21
Content Integration configurations.....	23
Director configurations.....	24
Insights Reports configurations.....	25
Interact configurations.....	27
InteractDT configurations.....	35
Journey configurations.....	37
Journey web configurations.....	38
Kafka configurations.....	41
Plan configurations.....	42
Platform configurations.....	45
Segment Central configurations.....	48
Sub-chart configuration in Helm charts.....	52
values.yaml driven configurations.....	52

# Chapter 1. Helm chart configuration

Before you start the installation or upgrade of Cloud Native Unica, you should configure the appropriate configMap YAML files.

To access the configMap YAML files, navigate to `/unica/templates/` in the Unica charts folder. Open one of the following files and modify the parameters in that file:

- `common-configMap.yaml`. For more information, see [Common configurations on page 6](#).
- `audiencecentral-configMap.yaml`. For more information, see [Audience Central configurations on page 11](#).
- `campaign-configMap.yaml`. For more information, see [Campaign configurations on page 13](#).
- `offer-configMap.yaml`. For more information, see [Centralized Offer Management configurations on page 18](#).
- `collaborate-configMap.yaml`. For more information, see [Collaborate configurations on page 19](#).
- `contactcentral-configMap.yaml`. For more information, see [Contact Central configurations on page 21](#).
- `assetpicker-configMap.yaml`. For more information, see [Content Integration configurations on page 23](#).
- `director-configMap.yaml`. For more information, see [Director configurations on page 24](#).
- `birt-configMap.yaml`. For more information, see [Insights Reports configurations on page 25](#).
- `interact-configMap.yaml`. For more information, see [Interact configurations on page 27](#).
- `interactdt-configMap.yaml`. For more information, see [InteractDT configurations on page 35](#).
- `journey-configMap.yaml`. For more information, see [Journey configurations on page 37](#).
- `journeyweb-configMap.yaml`. For more information, see [Journey web configurations on page 38](#).
- `kafka-configMap.yaml`. For more information, see [Kafka configurations on page 41](#).
- `plan-configMap.yaml`. For more information, see [Plan configurations on page 42](#).
- `platform-configMap.yaml`. For more information, see [Platform configurations on page 45](#).
- `segmentcentral-configMap.yaml`. For more information, see [Segment Central configurations on page 48](#).

## Chapter 2. FAQs and troubleshooting

This section covers the frequently asked questions and troubleshooting issues.

To view the list of FAQs, see [Frequently Asked Questions on page 2](#)

For information related to Troubleshooting, see [Troubleshooting Issues on page 4](#)

### Frequently Asked Questions

This topic contains the list of FAQs related to Cloud Native Unica release.

The list of FAQs are as follows:

- [Question 1 on page 2](#)
- [Question 2 on page 2](#)
- [Question 3 on page 2](#)
- [Question 4 on page 3](#)
- [Question 5 on page 3](#)
- [Question 6 on page 3](#)
- [Question 7 on page 4](#)

#### Question 1

How do I configure Campaign Docker image to support non-ASCII data?

To configure non-ASCII data support for the Campaign Docker image, execute the same steps used for configuring non-ASCII data support on on-premises Campaign. For more details, see the topic **Non-ASCII data in Campaign** in the *Unica Campaign Administrator's Guide*.

#### Question 2

How to install products on locations other than default location mentioned in the `common-configMap.yaml` file?

##### About this task

To install products on location other than the default location configured in the `common-configMap.yaml` file, complete the following steps.

1. Mount the directory.
2. Open the `common-configMap.yaml` file and update the default path to the required path.
3. Ensure that the `JDBCDrivers` folder exists in the provided path.

#### Question 3

Why has Cloud Native Unica installed `JRE9` and `JDK8` on my system?

Cloud Native Unica is bundled with `JRE9` and `JRE8`. In the `common-configMap.yaml` file:

- Provide the path of `JRE9` for the parameter **DOCKER\_JAVA\_HOME**. Cloud Native Unica uses `JRE9` for installation tasks.
- Provide the path of `JDK8` for the parameter **JAVA\_HOME**. The products of Unica uses `JDK8`.

## Question 4

Should the passwords in the `jdbc.properties` file be encrypted?

Yes. The passwords in the `jdbc.properties` file should be encrypted. Configure the passwords using the helm commands similar to configuring the host name. You do not have to store the passwords anywhere for reuse. Once you configure the passwords, it will be set in the application.

For Cloud Native Unica, the `jdbc.properties` file is available in the following locations:

- `/Interact/PatternStateETL/bin/jdbc.properties`
- `/Interact/tools/bin/jdbc.properties`
- `/ContactOptimization/install/jdbc.properties`
- `/Platform/tools/bin/jdbc.properties`
- `/install/jdbc.properties`
- `/Campaign/bin/jdbc.properties`
- `/Campaign/eMessage/conf/jdbc.properties`
- `/Campaign/install/jdbc.properties`

## Question 5

List the default `JDBC` drivers provided with the Listener container.

On the Listener container, the `JDBC` drivers exist in the following path: `Docker_Home/JdbcDrivers/`. The list of default `JDBC` drivers available with the Listener container are as follows:

- `db2jcc4.jar`
- `mariadb-java-client-2.4.1.jar`
- `ojdbc8_docker.jar`

## Question 6

What should I do to make `/ACOOptAdmin.sh` work?

For `/ACOOptAdmin.sh` to work, update the following parameters in the `/ACOOptAdmin.sh` file:

- `JAVA_HOME`
- `OPTIMIZE_HOME`
- `JDBCDRIVER_CLASSPATH`

Use the `-async` option while running `ACOOptAdmin` utility on docker environments.

Using the `-async` utility triggers the desired operation on an Optimize session in the background before exiting.

**Example:** `./ACOOptAdmin.sh -u "user_name" -p "password" -sn "OptimizeSessionName" -async`



**Note:** Not using `-async` may trigger an Optimize session run, but the polling, related to the session run progress, will fail.

## Question 7

How are the Security Vulnerabilities are fixed?

### Answer

- Unica fixes security vulnerabilities with the every new release.
- Upon request, interim fixes are also provided with new set of docker images.

## Troubleshooting Issues

This topic contains the list of Troubleshooting issues related to Cloud Native Unica release.

The list of troubleshooting issues are as follows:

- [Question 1 on page 4](#)
- [Question 2 on page 4](#)
- [Question 3 on page 5](#)

## Question 1

Stopping and Restarting an Application Server

### About this task

Sometimes, you might have to stop and restart the application server. For example, if you have modified some settings and these modified settings require restarting the application server.

Before stopping and restarting WebLogic, complete the following steps:

1. Save your work and confirm that all users have logged off.
2. Locate the running docker container using the command `kubectl get pods`.
3. Access the container using the command `kubectl exec -it <name of the container> bash`.
4. Go to the bin directory of the domain as specified in the `configMap.yaml` file for the **WLS\_DOMAIN\_LOCATION** parameter. For more information, see [Configuring WebLogic for Cloud Native Unica](#).
5. Stop the domain by running the command `stopWebLogic.sh`.
6. To restart the domain, run the command `startWebLogic.sh` in the background.
7. To exit the docker container, press CTRL+D.

## Question 2

Cannot select supported locales for Plan.

When installing Plan using Cloud Native Unica, you cannot select specific supported locales from the available list of supported locales. The system will automatically accept all available locales as the supported locales.

### Question 3

ActiveMQ URL does not work.

The ActiveMQ URL `http://unica-omnix-unica-activemq:8161/admin/queues.jsp`, which provides information about the `flowchartInfo-campaign` events count, will not work. This is a Known Issue and will be fixed in the next release.

# Chapter 3. Appendix: Description of Helm chart parameters

The following topics contain description of the parameters present in the `configMap` YAML files:

## Common configurations

To configure the common configurations, make the necessary modifications to the `common-configMap.yaml` file.

To access the `common-configMap.yaml` file, navigate to `/unica/templates/` in the Unica charts folder. Open the file and make modifications to the following parameters:

**Table 1. Data Parameters**

Parameter name	Parameter description
<code>WAIT_TIME</code>	Idle wait time in minutes.
<code>VERSION</code>	Version number of Unica.
<code>HOME_DIR</code>	Home directory of Docker.
<code>JAVA_HOME</code>	The location of Java Development Kit on the system.
<code>CERTIFICATE_IMPORT_DIR</code>	The location of the Unica certificates.
<code>TYPE</code>	Specify if it is a new installation or an upgrade. Valid values are <code>INSTALL</code> or <code>UPGRADE</code> .
<code>APPLICATION_DOMAIN</code>	The application domain.
<code>HOST</code>	Host ID of the Docker host.
<code>HOST_NAME</code>	Host name of the Docker host.
<code>DEFAULT_LOCALE</code>	The default locale to be used.
<code>DOCKER_JAVA_HOME</code>	The path of the Docker Java Home.
<code>DIRECTOR_JAVA_HOME</code>	The path of JDK1.8.
<code>JRE_HOME</code>	The path of the Docker Java Runtime Environment.
<code>MODE</code>	Specify the products that you will install on the Docker environment. The abbreviated values for each product are as follows: <ul style="list-style-type: none"><li>• Platform – <code>PLT</code></li><li>• Campaign – <code>CMP</code></li><li>• Optimize – <code>OPT</code></li><li>• Director – <code>DIR</code></li><li>• Plan – <code>PLN</code></li><li>• Interact – <code>INT</code></li></ul>



Table 1. Data Parameters (continued)

Parameter name	Parameter description
	<ul style="list-style-type: none"> <li>• Centralized Offer Management - <code>OFFER</code></li> <li>• Insights Reports - <code>BIRT</code></li> </ul> <p>If you want to install all products you should provide the value as follows:</p> <p><code>PLT_CMP_INT_PLN_OPT_DIR</code></p> <p>If your database is MariaDB, Director will not work on MariaDB. In this case, you must provide the following value:</p> <p><code>PLT_CMP_INT_PLN_OPT</code></p>
<code>SERVER_TYPE</code>	The application server installed.
<code>IS_UNICODE</code>	Set <code>TRUE</code> if Unica is installed to support Unicode. Set <code>FALSE</code> if Unica is installed without support for Unicode
<code>PROTOCOL</code>	The protocol used. For example, <code>HTTP</code> or <code>HTTPS</code> .
<code>UPGRADE_FROM_TO</code>	<code>11.1+To12.1</code>
<code>AC_VERSION</code>	<code>"12.1.x"</code>
<code>ACI_UNICODE</code>	<code>"No"</code>
<code>CONFIGURE_ON_ERROR_PROMPT</code>	<code>"Yes"</code>

Table 2. Miscellaneous Parameters

Parameter name	Parameter description
<code>SOURCE_SCHEMA</code>	<code>"CAMP86"</code>
<code>TARGET_SCHEMA</code>	<code>"DBO"</code>
<code>DB_DRIVER_CLASS</code>	<code>com.microsoft.sqlserver.jdbc.SQLServerDriver</code>
<code>DB_HOST_NAME</code>	The host name of the database system.
<code>DB_PORT</code>	The port number of the database system.
<code>DB_PLAN_HOST</code>	The host details of the database in the Plan system.
<code>DB_PLAN_PORT</code>	The database port number of the Plan system.
<code>DB_PLAN_HOST_NAME</code>	The database host name of the Plan system.
<code>DB_DRIVER</code>	The database driver file name.
<code>DB_ROOT_USER</code>	The database root username.

**Table 2. Miscellaneous Parameters (continued)**

Parameter name	Parameter description
<b>DB_ROOT_PASSWORD</b>	The database root password.
<b>WLS_DB_USER_NAME</b>	WebLogic database username.
<b>WLS_DB_PASSWORD</b>	WebLogic database password.
<b>DB_TYPE</b>	The name of the database used in the system. For example, <code>Oracle</code> .
<b>DB_TYPE_UTILS</b>	The name of the database utilities used in the system. For example, <code>Oracle</code> .
<b>REPLACE_CONNECTION_URL_PREFIX</b>	The prefix used when forming a URL to the database. Each database has a different prefix. For example, the Oracle database prefix is <code>jdbc:oracle:thin</code> .
<b>DIALECT</b>	The Hibernate dialect. Each database has a different dialect. For example, the Oracle database dialect is <code>org.hibernate.dialect.Oracle10gDialect</code> .
<b>DB_DRIVER_CLASS</b>	The class name of the database drivers.
<b>REPLACE_CONNECTION_URL_PREFIX</b>	The prefix used when forming a URL to the database. Each database has a different prefix. For example, the Oracle database prefix is <code>jdbc:oracle:thin</code> .
<b>JDBC_DRIVER_JAR_LOCATION</b>	The location of the <code>JDBC</code> driver <code>JAR</code> file.
<b>DB_DRIVER_JAR</b>	The location of the database driver <code>JAR</code> file.
<b>MYSQL_ROOT_PASSWORD</b>	The root password for <code>MYSQL</code> .
<b>ORACLE_OWNER</b>	Oracle owner details.
<b>ORACLE_SID</b>	Oracle SID details.
<b>REPLACE_JDBC_DRIVER_JAR</b>	Name of the <code>JDBC</code> driver <code>JAR</code> file. This name is also used in replacements in <code>modules/jdbcmodule/main/module.xml</code> (name of the <code>JDBC</code> jar).
<b>MDB_ENCODING</b>	The encoding format used for MariaDB.
<b>MDB_COLLATION</b>	Valid values are <code>utf8_general_ci</code> and <code>utf8_unicode_ci</code> .
<b>MAX_CONNECTIONS</b>	The maximum concurrent connections supported.

If the JDBC URL contains additional properties, please use the parameters mentioned in the [Table 3: JDBC Parameters on page 9](#) table using the format provided in the following example:

```
jdbc:sqlserver://localhost;databaseName=AdventureWorks;MultiSubnetFailover=true;
```

**Table 3. JDBC Parameters**

Parameter name	Parameter description
<b>JDBC_URL_PROD</b>	JDBC URL of the Prod datasource of Interact.You can provide custom JDBC URL with JDBC properties.
<b>JDBC_URL_TEST</b>	JDBC URL of the Prod datasource of Test.You can provide custom JDBC URL with JDBC properties.
<b>JDBC_URL_LRN</b>	JDBC URL of the Prod datasource of learning.You can provide custom JDBC URL with JDBC properties.
<b>JDBC_URL_INT05</b>	JDBC URL of the Prod datasource of Interact.You can provide custom JDBC URL with JDBC properties.
<b>JDBC_URL_INT</b>	JDBC URL of the Prod datasource of Interact runtime.You can provide custom JDBC URL with JDBC properties.
<b>JDBC_URL_PLATFORM</b>	JDBC URL of the Prod datasource of platfrom.You can provide custom JDBC URL with JDBC properties.
<b>JDBC_URL_CAMPAIN</b>	JDBC URL of the Prod datasource of Campaign.You can provide custom JDBC URL with JDBC properties.
<b>JDBC_URL_PLAN</b>	JDBC URL of the Prod datasource of Plan.You can provide custom JDBC URL with JDBC properties.
<b>JDBC_URL_CONTACTCENTRAL</b>	JDBC URL of the Prod datasource of Contact Central.You can provide custom JDBC URL with JDBC properties.
<b>JDBC_URL_JOURNEY</b>	JDBC URL of the Prod datasource of Journey.You can provide custom JDBC URL with JDBC properties.
<b>JDBC_URL_JOURNEYREPORT</b>	JDBC URL of the Prod datasource of Journey Report.You can provide custom JDBC URL with JDBC properties.

**Table 4. Parameters when Installing 12.1.4 or Upgrading to 12.1.4**

Parameter name	Parameter description
<b>Details</b>	<code>removeAbandoned</code> is a Flag to remove abandoned connections if they exceed the <code>removeAbandonedTimeout</code> .
<b>testOnBorrow</b>	Indicates whether objects are validated before being borrowed from the pool. For an efficient validation, if

Table 4. Parameters when Installing 12.1.4 or Upgrading to 12.1.4

(continued)

Parameter name	Parameter description
	objects fail validation, they are dropped from the pool and the system attempts to borrow another object.
<b>PLATFORM_DATA_SOURCE_PARAMETERS</b>	<code>removeAbandonedTimeout='300';removeAbandoned='true';testOnBorrow='true'</code>
<b>PLAN_DATA_SOURCE_PARAMETERS</b>	<code>removeAbandonedTimeout='300';removeAbandoned='true';testOnBorrow='true'</code>
<b>JOURNEYWEB_DATA_SOURCE_PARAMETERS</b>	<code>removeAbandonedTimeout='300';removeAbandoned='true';testOnBorrow='true'</code>
<b>JOURNEYREPORT_DATA_SOURCE_PARAMETERS</b>	<code>removeAbandonedTimeout='300';removeAbandoned='true';testOnBorrow='true'</code>
<b>CAMPAIGN_DATA_SOURCE_PARAMETERS</b>	
<b>INTERACT_DATA_SOURCE_PARAMETERS</b>	<code>removeAbandonedTimeout='300';removeAbandoned='true';testOnBorrow='true'</code>
<b>INTERACT_PROD_DATA_SOURCE_PARAMETERS</b>	<code>removeAbandonedTimeout='300';removeAbandoned='true';testOnBorrow='true'</code>
<b>INTERACT_TEST_DATA_SOURCE_PARAMETERS</b>	<code>removeAbandonedTimeout='300';removeAbandoned='true';testOnBorrow='true'</code>
<b>INTERACT_LEARNING_DATA_SOURCE_PARAMETERS</b>	<code>removeAbandonedTimeout='300';removeAbandoned='true';testOnBorrow='true'</code>
<b>INTERACT_CHRH_DATA_SOURCE_PARAMETERS</b>	<code>removeAbandonedTimeout='300';removeAbandoned='true';testOnBorrow='true'</code>
<b>COLLABORATE_DATA_SOURCE_PARAMETERS</b>	<code>removeAbandonedTimeout='300';removeAbandoned='true';testOnBorrow='true'</code>
<b>CONTACTCENTRAL_DATA_SOURCE_PARAMETERS</b>	<code>removeAbandonedTimeout='300';removeAbandoned='true';testOnBorrow='true'</code>

Table 5. JRE-related Parameters

Parameter name	Parameter description
<b>INSTALL_COMMAND1</b>	<code>"yum install java-n.n.n-openjdk -y".</code> where <i>n.n.n</i> is the JRE version. For example, if your JRE version is 1.8.0, replace <i>n.n.n</i> by 1.8.0.

**Table 5. JRE-related Parameters (continued)**

Parameter name	Parameter description
<b>INSTALL_COMMAND2</b>	<pre>"cp -Lrf &lt;jre-default-install-location&gt; / docker/unica/JdbcDrivers"</pre> <p>where <i>&lt;jre-default-install-location&gt;</i> is the default install location of JRE. For example, if your default JRE installation location is <code>/usr/lib/jvm/jre</code>, replace <i>&lt;jre-default-install-location&gt;</i> by <code>/usr/lib/jvm/jre</code>.</p>
<b>DIRECTOR_JAVA_HOME</b>	<pre>"&lt;Target-JRE-Path&gt;"</pre> <p>For example, if your target path of JRE is <code>/docker/unica/JdbcDrivers/jre</code>, replace <i>&lt;Target-JRE-Path&gt;</i> by <code>/docker/unica/JdbcDrivers/jre</code>.</p>

## Audience Central configurations

To configure Audience Central for Cloud Native Unica, make the necessary modifications to the `audiencecentral-configMap.yaml` file.

To access the `audiencecentral-configMap.yaml` file, navigate to `/unica/templates/` in the Unica charts folder. Open the file and make modifications to the following parameters:

**Table 6. Common parameters for Audience Central**

Parameter name	Parameter description
<b>AUDIENCECENTRAL_PRODUCT_NAME</b>	Audiencecentral
<b>AUDIENCECENTRAL_WAR_NAME</b>	AudienceCentral.war
<b>AUDIENCECENTRAL_APPLICATION_NAME</b>	audiencecentral
<b>AUDIENCECENTRAL_DOMAIN_USERNAME</b>	root
<b>AUDIENCECENTRAL_DOMAIN_PASSWORD</b>	unica*03

**Table 7. Application Server-related parameters for Audience Central**

Parameter name	Parameter description
<b>AUDIENCECENTRAL_HOST_NAME</b>	{{ .Release.Name }}-unica-audiencecentral
<b>AUDIENCECENTRAL_MANAGEMENT_PORT</b>	9065
<b>AUDIENCECENTRAL_MANAGEMENT_HTTPS_PORT</b>	9994
<b>AUDIENCECENTRAL_AJP_PORT</b>	8009

**Table 7. Application Server-related parameters for Audience Central (continued)**

Parameter name	Parameter description
AUDIENCECENTRAL_HTTP_PORT	9139
AUDIENCECENTRAL_HTTPS_PORT	9445
AUDIENCECENTRAL_RECOVERY_ENV_PORT	4713
AUDIENCECENTRAL_STATUS_MANAGER_PORT	4714
AUDIENCECENTRAL_MIN_HEAP	1024m
AUDIENCECENTRAL_MAX_HEAP	2048m
AUDIENCECENTRAL_URL	{{ include ip.protocol . }}://{{ .Values.service.hostname }}/AudienceCentral
AUDIENCECENTRAL_INTERNAL_URL	http://{{ .Release.Name }}-unica-audiencecentral:9139/AudienceCentral
PRODUCT_OPTS_AUDIENCECENTRAL	-DAUDIENCE_CENTRAL_HOME=/docker/unica/AudienceCentral/ -DENABLE_NON_PROD_MODE=true

**Table 8. Database-related parameters for Audience Central**

Parameter name	Parameter description
AUDIENCECENTRAL_USER_JNDI_NAME	{{ .Values.audiencecentralData.audiencecentralConfigMapData.AUDIENCECENTRAL_USER_JNDI_NAME }}
AUDIENCECENTRAL_USER_POOL_NAME	{{ .Values.audiencecentralData.audiencecentralConfigMapData.AUDIENCECENTRAL_USER_POOL_NAME }}
AUDIENCECENTRAL_USER_DATABASE_HOST	{{ .Values.audiencecentralData.audiencecentralConfigMapData.AUDIENCECENTRAL_USER_DATABASE_HOST }}
AUDIENCECENTRAL_USER_DATABASE_PORT	{{ .Values.audiencecentralData.audiencecentralConfigMapData.AUDIENCECENTRAL_USER_DATABASE_PORT }}
AUDIENCECENTRAL_USER_DATABASE_NAME	{{ .Values.audiencecentralData.audiencecentralConfigMapData.AUDIENCECENTRAL_USER_DATABASE_NAME }}
AUDIENCECENTRAL_USER_DATABASE_USERNAME	{{ .Values.audiencecentralData.audiencecentralConfigMapData.AUDIENCECENTRAL_USER_DATABASE_USERNAME }}
AUDIENCECENTRAL_USER_DATABASE_PASSWORD	{{ .Values.audiencecentralData.audiencecentralConfigMapData.AUDIENCECENTRAL_USER_DATABASE_PASSWORD }}
AUDIENCECENTRAL_USER_DS_INITIAL_SIZE	{{ .Values.audiencecentralData.audiencecentralDSMData.AUDIENCECENTRAL_USER_DS_INITIAL_SIZE }}

**Table 8. Database-related parameters for Audience Central (continued)**

Parameter name	Parameter description
<b>AUDIENCECENTRAL_USER_DS_MIN_IDLE</b>	{{ .Values.audiencecentralData.audiencecentralDSMData.AUDIENCECENTRAL_USER_DS_MIN_IDLE }}
<b>AUDIENCECENTRAL_USER_DS_MAX_IDLE</b>	{{ .Values.audiencecentralData.audiencecentralDSMData.AUDIENCECENTRAL_USER_DS_MAX_IDLE }}
<b>AUDIENCECENTRAL_USER_DS_MAX_TOTAL</b>	{{ .Values.audiencecentralData.audiencecentralDSMData.AUDIENCECENTRAL_USER_DS_MAX_TOTAL }}
<b>AUDIENCECENTRAL_USER_DS_STATEMENT_CACHE_SIZE</b>	{{ .Values.audiencecentralData.audiencecentralDSMData.AUDIENCECENTRAL_USER_DS_STATEMENT_CACHE_SIZE }}
<b>AUDIENCECENTRAL_USER_DATA_SOURCE_PARAMETERS</b>	{{ .Values.audiencecentralData.audiencecentralDSMData.AUDIENCECENTRAL_USER_DATA_SOURCE_PARAMETERS }}

## Campaign configurations

To configure Campaign for Cloud Native Unica, make the necessary modifications to the `campaign-configMap.yaml` file.

To access the `campaign-configMap.yaml` file, navigate to `/unica/templates/` in the Unica charts folder. Open the file and make modifications to the following parameters:

**Table 9. Common Campaign parameters**

Parameter name	Parameter description
<b>CAMPAIGN_JNDI_NAME</b>	JNDI name for Campaign.
<b>CAMPAIGN_POOL_NAME</b>	Pool name for Campaign.
<b>PRODUCT_OPTS_CAMPAIGN</b>	Product specific options for Campaign.
<b>TERM</b>	The database host name.
<b>USER_DATABASES</b>	Helps in setting up user database. Plug in installations scripts for a seamless startup of an instance. For example, a scaled listener instance.
<b>USER_ORA_HOST_NAME</b>	The host name of the Oracle user.

**Table 10. Database-related parameters for Campaign**

Parameter name	Parameter description
<b>CAMPAIGN_DATABASE_HOST</b>	Host system details of the system hosting the Campaign database.
<b>CAMPAIGN_DATABASE_PORT</b>	Port number of the Campaign database.

**Table 10. Database-related parameters for Campaign (continued)**




Parameter name	Parameter description
<b>CAMPAIGN_DATABASE_NAME</b>	Username to access the Campaign database.
<b>CAMPAIGN_DATABASE_USERNAME</b>	Password to access the Campaign database.
<b>CAMPAIGN_DATABASE_PASSWORD</b>	Name of the Campaign database.
<b>CAMPAIGN_DS_INITIAL_SIZE</b>	The initial size of the Campaign datasource connection pool.
<b>CAMPAIGN_DS_MIN_IDLE</b>	The minimum number of idle connections (not connected to a database) in the Campaign datasource connection pool.
<b>CAMPAIGN_DS_MAX_IDLE</b>	The maximum number of idle connections (not connected to a database) in the Campaign datasource connection pool. Any idle connections, which exceeds the configured value, will be removed from the pool.
<b>CAMPAIGN_DS_MAX_TOTAL</b>	The maximum number of connections that the Campaign datasource can hold. If the number of connection requests exceed the configured value, the connection will be refused.
<b>CAMPAIGN_DS_STATEMENT_CACHE_SIZE</b>	Maximum number of statements that can be cached in the Campaign datasource. Statement caching improves performance by caching executable statements that are used repeatedly.
<b>DB2_CLIENT_INSTALL_COMMAND_SCRIPT</b>	 <b>Note:</b> Use the scripts configured on Unica helm charts to install any other database clients automatically and seamlessly.  Path of the test scripts to install client on listener pod (/bin/sh/db2.sh).
<b>ORACLE_CLIENT_SETUP_FILE</b>	Path of the <code>tar/gz</code> file of client.
<b>ORACLE_CLIENT_RESPONSE_FILE</b>	Path of response file to install client.
<b>ORACLE_CLIENT_INSTALL_COMMAND</b>	Command to install the Oracle client on the listener pod.



Table 10. Database-related parameters for Campaign (continued)

Parameter name	Parameter description
ORACLE_CLIENT_INSTALL_SCRIPT	<p> <b>Note:</b> Use the scripts configured on Unica helm charts to install any other database clients automatically and seamlessly.</p> <p>Path of the test scripts to install database client on the listener pod (<code>/docker/unica/oracle.sh</code>). You can write the set of command in this file to install the client and it is executed during the startup of the listener pod.</p> <p><b>Example</b></p> <pre>yum install -y libaio cp /usr/lib64/libnsl.so.2.0.0 / usr/lib64/libnsl.so.1</pre>
ORACLE_HOME	Path of the oracle home.
NLS_LANG	American_America. <code>UTF8</code>
PATH	Define the <code>PATH</code> variable
SQLPATH	Define the <code>SQLPATH</code> variable
TNS_ADMIN	Path of the Oracle admin folder.
LD_LIB_PATH	Path to the required shared libraries in the environment configuration script, <code>setenv.sh</code> , for Campaign..
SETENV_COMMAND1	Setting the variables for <code>setenv.sh</code> in the listener you can provide the command.
SETENV_COMMAND2	Setting the variables for <code>setenv.sh</code> in the listener you can provide the command.
MARIADB_CLIENT_INSTALL_COMMAND	Command to install the MariaDB client on the listener pod.
MARIADB_CLIENT_INSTALL_SCRIPT	<p> <b>Note:</b> Use the scripts configured on Unica helm charts to install any other database clients automatically and seamlessly.</p> <p>Path of the test scripts to install database client on the listener pod (<code>/docker/unica/mariadb.sh</code>). You can write the set of command in this file to install the client and it is executed during the startup of the listener pod.</p> <p><b>Example</b></p>

**Table 10. Database-related parameters for Campaign (continued)**


Parameter name	Parameter description
	<pre>install /docker/unica/libmaodbc.so /usr/lib64/ yum install -y unixODBC yum install -y compat-openssl10</pre>
SQLSERVER_CLIENT_INSTALL_SCRIPT	<p> <b>Note:</b> Use the scripts configured on Unica helm charts to install any other database clients automatically and seamlessly.</p> <p>Path of the test scripts to install client on listener pod (/bin/sh/sqlserver.sh).</p>
USER_DB2_PORT	The port number to access the DB2 database.
USER_DB2_DB_NAME	The name of the DB2 database user.
USER_DB2_DB_USER	The username of the DB2 database user.
USER_DB2_DB_USER_PASSWORD	The password for the DB2 database user.
ASM_User_For_DB2_Credentials	The <code>asm_admin</code> credentials for DB2 datasource.
ASM_User_NZ_Data_Source_Name	The <code>asm_admin</code> user configured for the NZ datasource.
ASM_User_For_SQLSERVER_Credentials	The <code>asm_admin</code> credentials for SQL Server datasource.
ASM_User_SQLSERVER_Data_Source_Name	The <code>asm_admin</code> user configured for the SQL Server datasource.
ASM_User_DB2_Data_Source_Name	The <code>asm_admin</code> user configured for the DB2 datasource.
ASM_User_ORA_Data_Source_Name	The <code>asm_admin</code> user configured for the Oracle datasource.
ASM_User_For_ORA_Credentials	The <code>asm_admin</code> credentials for the Oracle datasource.
USER_ORA_DB_USERNAME	The username of the Oracle database user.
USER_ORA_DB_USER_PASSWORD	The password of the Oracle database user.
USER_ORA_PORT	The port number of the of the configured database user.
USER_ORA_SID	The <code>SID</code> details of the Oracle user.
ASM_User_NZ_Data_Source_Name	The <code>asm_admin</code> user configured for the NZ datasource.
ASM_User_For_NZ_Credentials	The <code>asm_admin</code> credentials for the NZ datasource.
USER_NZ_DB_USERNAME	The username of the NZ database user.
USER_NZ_DB_USER_PASSWORD	The password for the NZ database user.
USER_NZ_HOST_NAME	The host name of the NZ database user.

Table 10. Database-related parameters for Campaign (continued)

Parameter name	Parameter description
USER_NZ_PORT	The port number to access the NZ database.
USER_NZ_DB_NAME	The database name of the NZ database user.
USER_MARIA_HOST_NAME	The host name of the MariaDB database user.
USER_SQLSERVER_DB_NAME	The database name of the SQL Server database user.
USER_SQLSERVER_HOST_NAME	The host name of the SQL Server database user.
USER_SQLSERVER_PORT	The port number to access the SQL Server database.
USER_SQLSERVER_NAME	The host name of the SQL Server database user.
USER_SQLSERVER_USER	The username of the SQL Server database user.
CAMPAIGN_DSN_NAME	The <code>dbaname</code> value of the respective database.
ORACLE_ODBC_DRIVER	The path or the location of the Oracle ODBC driver on your system.
DB_TEMPLATE	The name of the database template used. This is used for configuring ODBC connection in Oracle.

Table 11. Application Server-related parameters for Campaign

Parameter name	Parameter description
CAMPAIGN_URL	The URL to access Campaign.
CAMP_HOST_NAME	The system host name of Campaign.
CAMP_MANAGEMENT_PORT	The management port number for the Campaign system.
CAMP_MANAGEMENT_HTTPS_PORT	The management <code>HTTPS</code> port number for the Campaign system.
CAMP_AJP_PORT	The <code>AJP</code> port number for the Campaign system.
CAMP_HTTP_PORT	The <code>HTTP</code> port number for the Campaign system.
CAMP_HTTPS_PORT	The <code>HTTPS</code> port number for the Campaign system.
CAMP_RECOVERY_ENV_PORT	The recovery environment port number of the Campaign system.
CAMP_STATUS_MANAGER_PORT	The status manager port number of the Campaign system.

**Table 12. Listener-related parameters for Campaign**

Parameter name	Parameter description
LISTENER_HOST_NAME	The hostname of the Listener.
LISTENER_PORT	The port number of the Listener.
LISTENER_TYPE	Specify the type of Listener.
CLUSTER_DOMAIN	Define the cluster domain. For example, <code>listener.default.svc.cluster.local</code> .
SSL_FOR_PORT2	SSL server port 2.
SERVER_PORT2	Server port 2.
MASTER_LISTENER_PRIORITY	Define the Listener priority.
LOAD_BALANCE_WEIGHT	The load balance weight of the Listener.
CAMP_HOSTNAME	The host name of the Campaign system.
CAMPPORT	The deployment port for Campaign.
CLUSTER_DEPLOYMENT	Set <code>TRUE</code> if clustered deployment is supported or <code>FALSE</code> if clustered deployment is not supported.
ORACLE_CLIENT_SETUP_FILE_EXTRACT_COMMAND	The command to extract the Oracle <code>tar/gz</code> client setup file
DB2_CLIENT_SETUP_FILE_EXTRACT_COMMAND	The command to extract the DB2 <code>tar/gz</code> client setup file

## Centralized Offer Management configurations

To configure Centralized Offer Management for Cloud Native Unica, make the necessary modifications to the `offer-configMap.yaml` file.

To access the `offer-configMap.yaml` file, navigate to `/unica/templates/` in the Unica charts folder. Open the file and make modifications to the following parameters:

**Table 13. Application server-related parameters of Centralized Offer Management**

Parameter name	Parameter description
COM_HOST_NAME	The system host name of Centralized Offer Management.
COM_MANAGEMENT_PORT	The management port number for the Centralized Offer Management.

**Table 13. Application server-related parameters of Centralized Offer Management (continued)**

Parameter name	Parameter description
<b>COM_MANAGEMENT_HTTPS_PORT</b>	The management <code>HTTPS</code> port number for the Centralized Offer Management system.
<b>COM_AJP_PORT</b>	The <code>AJP</code> port number for the Centralized Offer Management system.
<b>COM_HTTP_PORT</b>	The <code>HTTP</code> port number for the Centralized Offer Management system.
<b>COM_HTTPS_PORT</b>	The <code>HTTPS</code> port number for the Centralized Offer Management system.
<b>COM_RECOVERY_ENV_PORT</b>	The recovery environment port number of the Centralized Offer Management system.
<b>COM_STATUS_MANAGER_PORT</b>	The status manager port number of the Centralized Offer Management system.
<b>COM_MIN_HEAP</b>	The minimum heap size allocated for Centralized Offer Management.
<b>COM_MAX_HEAP</b>	The maximum heap size allocated for Centralized Offer Management.

**Table 14. Common parameters of Centralized Offer Management**

Parameter name	Parameter description
<b>PRODUCT_OPTS_COM</b>	Product specific options for Centralized Offer Management.
<b>COM_PRODUCT_NAME</b>	The name assigned for Centralized Offer Management.
<b>CENTRALIZED_OFFERS_WAR_NAME</b>	The name of the <code>WAR</code> file.
<b>COM_APPLICATION_NAME</b>	The name of the main application. For example, <code>Unica</code> .
<b>COM_DOMAIN_USERNAME</b>	The domain username for Centralized Offer Management.
<b>COM_DOMAIN_PASSWORD</b>	The domain password for Centralized Offer Management.

## Collaborate configurations

To configure the Collaborate for Cloud Native Unica, make the necessary modifications to the `collaborate-configMap.yaml` file.

To access the `collaborate-configMap.yaml` file, navigate to `/unica/templates/` in the Unica charts folder. Open the file and make modifications to the following parameters:

**Table 15. Common parameters of Collaborate configuration**

Parameter name	Parameter description
<b>COLLABORATE_HOST</b>	The name of the Collaborate host system.
<b>COLLABORATE_PORT</b>	The port number of the Collaborate host system.
<b>COLLABORATE_JNDI_NAME</b>	JNDI name for Collaborate.
<b>COLLABORATE_POOL_NAME</b>	Pool name for Collaborate.
<b>PRODUCT_OPTS_COLLABORATE</b>	Product-specific options for Collaborate.
<b>COLLABORATE_PRODUCT_NAME</b>	The name assigned for Collaborate.
<b>COLLABORATE_WAR_NAME</b>	The name of the <code>WAR</code> file.
<b>COLLABORATE_APPLICATION_NAME</b>	The name of the main application. For example, <code>Unica</code> .
<b>COLLABORATE_DOMAIN_USERNAME</b>	The domain username for Collaborate.
<b>COLLABORATE_DOMAIN_PASSWORD</b>	The domain password for Collaborate.

**Table 16. Database parameters of Collaborate configuration**

Parameter name	Parameter description
<b>COLLABORATE_DATABASE_HOST</b>	Host system details of the system hosting the Collaborate database.
<b>COLLABORATE_DATABASE_PORT</b>	Port number of the Collaborate database.
<b>COLLABORATE_DATABASE_USERNAME</b>	Username to access the Collaborate database.
<b>COLLABORATE_DATABASE_PASSWORD</b>	Password to access the Collaborate database.
<b>COLLABORATE_DATABASE_NAME</b>	Name of the Collaborate database.
<b>COLLABORATE_DS_INITIAL_SIZE</b>	The initial size of the Collaborate datasource connection pool.
<b>COLLABORATE_DS_MIN_IDLE</b>	The minimum number of idle connections (not connected to a database) in the Collaborate datasource connection pool.
<b>COLLABORATE_DS_MAX_IDLE</b>	The maximum number of idle connections (not connected to a database) in the Collaborate datasource connection pool. Any idle connections, which exceeds the configured value, will be removed from the pool.
<b>COLLABORATE_DS_MAX_TOTAL</b>	The maximum number of connections that the Collaborate datasource can hold. If the number of connection requests exceed the configured value, the connection will be refused.

**Table 16. Database parameters of Collaborate configuration (continued)**

Parameter name	Parameter description
<b>COLLABORATE_DS_STATEMENT_CACHE_SIZE</b>	Maximum number of statements that can be cached in the Collaborate datasource. Statement caching improves performance by caching executable statements that are used repeatedly.

**Table 17. Application server parameters of Collaborate configuration**

Parameter name	Parameter description
<b>COLLABORATE_URL</b>	The URL to access Collaborate.
<b>COLLABORATE_HOST_NAME</b>	The system host name of Collaborate.
<b>COLLABORATE_MANAGEMENT_PORT</b>	The management port number for the Collaborate system.
<b>COLLABORATE_MANAGEMENT_HTTPS_PORT</b>	The management <b>HTTPS</b> port number for the Collaborate system.
<b>COLLABORATE_AJP_PORT</b>	The <b>AJP</b> port number for the Collaborate system.
<b>COLLABORATE_HTTP_PORT</b>	The <b>HTTP</b> port number for the Collaborate system.
<b>COLLABORATE_HTTPS_PORT</b>	The <b>HTTPS</b> port number for the Collaborate system.
<b>COLLABORATE_RECOVERY_ENV_PORT</b>	The recovery environment port number of the Collaborate system.
<b>COLLABORATE_STATUS_MANAGER_PORT</b>	The status manager port number of the Collaborate system.
<b>COLLABORATE_MIN_HEAP</b>	The maximum heap size allocated for Collaborate.
<b>COLLABORATE_MAX_HEAP</b>	The maximum heap size allocated for Collaborate.

## Contact Central configurations

To configure Contact Central for Cloud Native Unica, make the necessary modifications to the `contactcentral-configMap.yaml` file.

To access the `contactcentral-configMap.yaml` file, navigate to `/unica/templates/` in the Unica charts folder. Open the file and make modifications to the following parameters:

**Table 18. Common Contact Central parameters**

Parameter name	Parameter description
<b>CONTACTCENTRAL_JNDI_NAME</b>	<b>JNDI</b> name for Contact Central.
<b>CONTACTCENTRAL_POOL_NAME</b>	Pool name for Contact Central.
<b>CONTACTCENTRAL_URL</b>	The URL to access Contact Central.

**Table 18. Common Contact Central parameters (continued)**

Parameter name	Parameter description
CONTACTCENTRAL_INTERNAL_URL	The internal URL to access/link Contact Central from other applications.
PRODUCT_OPTS_CONTACTCENTRAL	Product specific options for Contact Central.
CONTACTCENTRAL_PRODUCT_NAME	The name assigned for Contact Central.
CONTACT_CENTRAL_WAR_NAME	The name of the <code>WAR</code> file.
CONTACTCENTRAL_APPLICATION_NAME	The name of the main application. For example, <code>Unica</code> .
CONTACTCENTRAL_DOMAIN_USERNAME	The domain username for Contact Central.
CONTACTCENTRAL_DOMAIN_PASSWORD	The domain password for Contact Central.

**Table 19. Database-related parameters for Contact Central**

Parameter name	Parameter description
CONTACTCENTRAL_DATABASE_HOST	Host system details of the system hosting the Contact Central database.
CONTACTCENTRAL_DATABASE_PORT	Port number of the Contact Central database.
CONTACTCENTRAL_DATABASE_USERNAME	Username to access the Contact Central database.
CONTACTCENTRAL_DATABASE_PASSWORD	Password to access the Contact Central database.
CONTACTCENTRAL_DATABASE_NAME	Name of the Contact Central database.
CONTACTCENTRAL_DS_INITIAL_SIZE	The initial size of the Contact Central datasource connection pool.
CONTACTCENTRAL_DS_MIN_IDLE	The minimum number of idle connections (not connected to a database) in the Contact Central datasource connection pool.
CONTACTCENTRAL_DS_MAX_IDLE	The maximum number of idle connections (not connected to a database) in the Contact Central datasource connection pool. Any idle connections, which exceeds the configured value, will be removed from the pool.
CONTACTCENTRAL_DS_MAX_TOTAL	The maximum number of connections that the Contact Central datasource can hold. If the number of connection requests exceed the configured value, the connection will be refused.
CONTACTCENTRAL_DS_STATEMENT_CACHE_SIZE	Maximum number of statements that can be cached in the Contact Central datasource. Statement caching



**Table 19. Database-related parameters for Contact Central (continued)**

Parameter name	Parameter description
	improves performance by caching executable statements that are used repeatedly.

**Table 20. Application Server-related parameters for Contact Central**

Parameter name	Parameter description
<b>CONTACTCENTRAL_HOST_NAME</b>	The system host name of Contact Central.
<b>CONTACTCENTRAL_MANAGEMENT_PORT</b>	The management port number for the Contact Central system.
<b>CONTACTCENTRAL_MANAGEMENT_HTTPS_PORT</b>	The management HTTPS port number for the Contact Central system.
<b>CONTACTCENTRAL_AJP_PORT</b>	The AJP port number for the Contact Central system.
<b>CONTACTCENTRAL_HTTP_PORT</b>	The HTTP port number for the Contact Central system.
<b>CONTACTCENTRAL_HTTPS_PORT</b>	The HTTPS port number for the Contact Central system.
<b>CONTACTCENTRAL_RECOVERY_ENV_PORT</b>	The recovery environment port number of the Contact Central system.
<b>CONTACTCENTRAL_STATUS_MANAGER_PORT</b>	The status manager port number of the Contact Central system.
<b>CONTACTCENTRAL_MIN_HEAP</b>	The maximum heap size allocated for Contact Central.
<b>CONTACTCENTRAL_MAX_HEAP</b>	The maximum heap size allocated for Contact Central.

## Content Integration configurations

To configure Content Integration for Cloud Native Unica, make the necessary modifications to the `assetpicker-configMap.yaml` file.

To access the `assetpicker-configMap.yaml` file, navigate to `/unica/templates/` in the Unica charts folder. Open the file and make modifications to the following parameters:

**Table 21. Application server-related parameters of Content Integration**

Parameter name	Parameter description
<b>ASSET_HOST_NAME</b>	The system host name of Content Integration.
<b>ASSET_MANAGEMENT_PORT</b>	The management port number for the Content Integration system.

**Table 21. Application server-related parameters of Content Integration (continued)**

Parameter name	Parameter description
ASSET_MANAGEMENT_HTTPS_PORT	The management HTTPS port number for the Content Integration system.
ASSET_AJP_PORT	The AJP port number for the Content Integration system.
ASSET_HTTP_PORT	The HTTP port number for the Content Integration system.
ASSET_HTTPS_PORT	The HTTPS port number for the Content Integration system.
ASSET_RECOVERY_ENV_PORT	The recovery environment port number of the Content Integration system.
ASSET_STATUS_MANAGER_PORT	The status manager port number of the Content Integration system.
PRODUCT_OPTS_ASSET	Product specific options for Content Integration.
ASSET_PRODUCT_NAME	The name assigned ofr the Content Integration
ASSET_WAR_NAME	The name of the <code>WAR</code> file.
ASSET_APPLICATION_NAME	The name of the main application. For example, <code>Unica</code> .
ASSET_DOMAIN_USERNAME	The domain username for Content Integration.
ASSET_DOMAIN_PASSWORD	The domain password for Content Integration.

## Director configurations

To configure Director for Cloud Native Unica, make the necessary modifications to the `director-configMap.yaml` file.

To access the `director-configMap.yaml` file, navigate to `/unica/templates/` in the Unica charts folder. Open the file and make modifications to the following parameters:

**Table 22. Common parameters of Director**

Parameter name	Parameter description
<code>activemq_enableEvents</code>	Valid values are <code>Yes</code> or <code>No</code> .
<code>activemq_url</code>	Active MQ URL. For example, <code>tcp://unica-omnix-unica-activemq:61616</code> .
<code>Data_Source_For_ActiveMQ_message_broker_credentials</code>	Data source for ACTIVEMQ. For example, <code>ACTIVEMQ_CRED_DS</code> .
<code>data_sources_for_activemq</code>	Platform username.

Table 22. Common parameters of Director (continued)

Parameter name	Parameter description
<code>activemq_queueName</code>	Flowchart information. For example, <code>campaign</code> .

Table 23. Configuration parameters of Director

Parameter name	Parameter description
<code>director_http_port</code>	Director server port. The default port is <code>9128</code> .
<code>director_file_down</code>	The download path used to store the downloaded log files from the Campaign server. For example, <code>/docker/unica/Director/Server/Downloads</code> .
<code>director_show_sql</code>	Valid values are <code>TRUE</code> or <code>FALSE</code> .
<code>director_accesstoken_validityseconds</code>	Director application session timed out token. For example, <code>10800</code> seconds.
<code>director_listener_profile_data_days</code>	Campaign listener CPU and Memory consumption data retention to <code>7</code> Days.

Table 24. Database-related parameters of Director

Parameter name	Parameter description
<code>director_db_name</code>	Director DB name.
<code>director_datasource_username</code>	Director database name or username.
<code>director_datasource_password</code>	Director database password.
<code>director_db_host_ip</code>	Director database machine host IP address.
<code>director_host_name</code>	Director database machine host name.
<code>director_db_port</code>	Director database machine port number.
<code>director_datasource_driverClassName</code>	Database driver class name.
<code>director_jpa_hibernate</code>	Database driver dialect name.
<code>director_ddl_auto</code>	Director database mode like create, update, or validate.
<code>director_db_url</code>	Director database URL.

## Insights Reports configurations

To configure Insights Reports reports for Cloud Native Unica, make the necessary modifications to the `birt-configMap.yaml` file.

To access the `birt-configMap.yaml` file, navigate to `/unica/templates/` in the Unica charts folder. Open the file and make modifications to the following parameters:

Update the following configurations:

- configurations at Affinium | Plan | `umoConfiguration` | reports.
- `reportsAnalysisSectionHome` -> Plan/Affinium Plan
- `reportsAnalysisTabHome` -> Plan/Affinium Plan - Object Specific Reports

After updating the configurations, restart the pods for Plan and Insights Reports.

**Table 25. Common Insights Reports parameters**

Parameter name	Parameter description
<code>INSIGHTS_PRODUCT_NAME</code>	The name assigned for Insights Reports.
<code>INSIGHTS_WAR_NAME</code>	The name of the <code>WAR</code> file.
<code>INSIGHTS_APPLICATION_NAME</code>	The name of the main application. For example, <code>Unica</code> .
<code>INSIGHTS_DOMAIN_USERNAME</code>	The domain username for Insights Reports.
<code>INSIGHTS_DOMAIN_PASSWORD</code>	The domain password for Insights Reports.
<code>PRODUCT_OPTS_INSIGHTS</code>	Product specific options for Insights Reports.

**Table 26. Application server-related Insights Reports parameters**

Parameter name	Parameter description
<code>INSIGHTS_HOST_NAME</code>	The system host name of Insights Reports.
<code>INSIGHTS_MANAGEMENT_PORT</code>	The management port number for the Insights Reports system.
<code>INSIGHTS_MANAGEMENT_HTTPS_PORT</code>	The management <code>HTTPS</code> port number for the Insights Reports system.
<code>INSIGHTS_AJP_PORT</code>	The <code>AJP</code> port number for the Insights Reports system.
<code>INSIGHTS_HTTP_PORT</code>	The <code>HTTP</code> port number for the Insights Reports system.
<code>INSIGHTS_HTTPS_PORT</code>	The <code>HTTPS</code> port number for the Insights Reports system.
<code>INSIGHTS_RECOVERY_ENV_PORT</code>	The recovery environment port number of the Insights Reports system.
<code>INSIGHTS_STATUS_MANAGER_PORT</code>	The status manager port number of the Insights Reports system.
<code>INSIGHTS_MIN_HEAP</code>	The minimum heap size allocated for Insights Reports.
<code>INSIGHTS_MAX_HEAP</code>	The maximum heap size allocated for Insights Reports.

## Interact configurations

To configure Interact for Cloud Native Unica, make the necessary modifications to the `interact-configMap.yaml` file.

To access the `interact-configMap.yaml` file, navigate to `/unica/templates/` in the Unica charts folder. Open the file and make modifications to the following parameters:

**Table 27. Common parameters for Interact**

Parameter name	Parameter description
<b>CONTEXT_ROOTS</b>	To enable multiple server groups in Interact. Ensure that the context root and deployment name are in sync. If you change the deployment name, remember to change the context root as well. For example, if server groups are named atm, callcenter, and web, define the deployment and services with similar names like <code>interactatm</code> , <code>interactcallcenter</code> , and <code>interactweb</code> and ensure that the <b>CONTEXT_ROOT</b> parameter contains the following values: <code>INTERACTATM; INTERACTCALLCENTER; INTERACTWEB.</code>
<b>INTERACT_PROD_JNDI_NAME</b>	<code>JNDI</code> name for Interact production.
<b>INTERACT_PROD_POOL_NAME</b>	Pool name for Interact production.
<b>INTERACT_TEST_JNDI_NAME</b>	<code>JNDI</code> name for Interact test.
<b>INTERACT_TEST_POOL_NAME</b>	Pool name for Interact test.
<b>INTERACT_LEARNING_JNDI_NAME</b>	<code>JNDI</code> name for Interact learning.
<b>INTERACT_LEARNING_POOL_NAME</b>	Pool name for Interact learning.
<b>INTERACT_CHRH_JNDI_NAME</b>	<code>JNDI</code> name for Interact CHRH.
<b>INTERACT_CHRH_POOL_NAME</b>	Pool name for Interact CHRH.
<b>INTERACT05_JNDI_NAME</b>	<code>JNDI</code> name for Interact05.
<b>INTERACT05_POOL_NAME</b>	Pool name for Interact05.
<b>INTERACTATM_JNDI_NAME</b>	<code>JNDI</code> name for Interact ATM.
<b>INTERACTATM_POOL_NAME</b>	Pool name for Interact ATM.
<b>INTERACTCALLCNTR_JNDI_NAME</b>	<code>JNDI</code> name for Interact Call Center.
<b>INTERACTCALLCNTR_POOL_NAME</b>	Pool name for Interact Call Center.
<b>INTERACTWEB_JNDI_NAME</b>	<code>JNDI</code> name for Interact Web.
<b>INTERACTWEB_POOL_NAME</b>	Pool name for Interact Web.
<b>PRODUCT_OPTS_INTERACT</b>	Product specific options for Interact.

**Table 27. Common parameters for Interact (continued)**

Parameter name	Parameter description
<b>TERM</b>	The database host name.
<b>INTERACT_PRODUCT_NAME</b>	The name assigned for Interact.
<b>INTERACT_WAR_NAME</b>	The name of the <code>WAR</code> file.
<b>INTERACT_APPLICATION_NAME</b>	The name of the main application. For example, <code>Unica</code> .
<b>INTERACT_DOMAIN_USERNAME</b>	The domain username for Interact.
<b>INTERACT_DOMAIN_PASSWORD</b>	The domain password for Interact.

**Table 28. Platform server-related parameters of Interact**

Parameter name	Parameter description
<b>INTERACTATM_PLATFORM_DATABASE_HOST</b>	Host system details of the system hosting the Platform-Interact ATM database.
<b>INTERACTATM_PLATFORM_DATABASE_PORT</b>	Port number of the Platform-Interact ATM database.
<b>INTERACTATM_PLATFORM_DATABASE_USERNAME</b>	Username to access the Platform-Interact ATM database.
<b>INTERACTATM_PLATFORM_DATABASE_PASSWORD</b>	Password to access the Platform-Interact ATM database.
<b>INTERACTATM_PLATFORM_DATABASE_NAME</b>	Name of the Interact Platform-Interact database.
<b>INTERACTATM_PLATFORM_DS_INITIAL_SIZE</b>	The initial size of the Platform-Interact ATM datasource connection pool.
<b>INTERACTATM_PLATFORM_DS_MIN_IDLE</b>	The minimum number of idle connections (not connected to a database) in the Platform-Interact ATM datasource connection pool.
<b>INTERACTATM_PLATFORM_DS_MAX_IDLE</b>	The maximum number of idle connections (not connected to a database) in the Platform-Interact ATM datasource connection pool. Any idle connections, which exceeds the configured value, will be removed from the pool.
<b>INTERACTATM_PLATFORM_DS_MAX_TOTAL</b>	The maximum number of connections that the Platform-Interact ATM datasource

**Table 28. Platform server-related parameters of Interact (continued)**

Parameter name	Parameter description
	can hold. If the number of connection requests exceed the configured value, the connection will be refused.
<b>INTERACTATM_PLATFORM_DS_STATEMENT_CACHE_SIZE</b>	Maximum number of statements that can be cached in the Platform-Interact ATM datasource. Statement caching improves performance by caching executable statements that are used repeatedly.

**Table 29. Server group-related database parameters of Interact**

Parameter name	Parameter description
<b>INTERACTATM_DATABASE_HOST</b>	Host system details of the system hosting the Interact ATM database.
<b>INTERACTATM_DATABASE_PORT</b>	Port number of the Interact ATM database.
<b>INTERACTATM_DATABASE_USERNAME</b>	Username to access the Interact ATM database.
<b>INTERACTATM_DATABASE_PASSWORD</b>	Password to access the Interact ATM database.
<b>INTERACTATM_DATABASE_NAME</b>	Name of the Interact ATM database.
<b>INTERACTATM_DS_INITIAL_SIZE</b>	The initial size of the Interact ATM datasource connection pool.
<b>INTERACTATM_DS_MIN_IDLE</b>	The minimum number of idle connections (not connected to a database) in the Interact ATM datasource connection pool.
<b>INTERACTATM_DS_MAX_IDLE</b>	The maximum number of idle connections (not connected to a database) in the Interact ATM datasource connection pool. Any idle connections, which exceeds the configured value, will be removed from the pool.
<b>INTERACTATM_DS_MAX_TOTAL</b>	The maximum number of connections that the Interact ATM datasource can hold. If the number of connection requests exceed the configured value, the connection will be refused.
<b>INTERACTATM_DS_STATEMENT_CACHE_SIZE</b>	Maximum number of statements that can be cached in the Interact ATM datasource. Statement caching improves performance by caching executable statements that are used repeatedly.

**Table 29. Server group-related database parameters of Interact (continued)**

<b>Parameter name</b>	<b>Parameter description</b>
<b>INTERACTWEB_DATABASE_HOST</b>	Host system details of the system hosting the Interact Web database.
<b>INTERACTWEB_DATABASE_PORT</b>	Port number of the Interact Web database.
<b>INTERACTWEB_DATABASE_USERNAME</b>	Username to access the Interact Web database.
<b>INTERACTWEB_DATABASE_PASSWORD</b>	Password to access the Interact Web database.
<b>INTERACTWEB_DATABASE_NAME</b>	Name of the Interact Web database.
<b>INTERACTWEB_DS_INITIAL_SIZE</b>	The initial size of the Interact Web datasource connection pool.
<b>INTERACTWEB_DS_MIN_IDLE</b>	The minimum number of idle connections (not connected to a database) in the Interact Web datasource connection pool.
<b>INTERACTWEB_DS_MAX_IDLE</b>	The maximum number of idle connections (not connected to a database) in the Interact Web datasource connection pool. Any idle connections, which exceeds the configured value, will be removed from the pool.
<b>INTERACTWEB_DS_MAX_TOTAL</b>	The maximum number of connections that the Interact Web datasource can hold. If the number of connection requests exceed the configured value, the connection will be refused.
<b>INTERACTWEB_DS_STATEMENT_CACHE_SIZE</b>	Maximum number of statements that can be cached in the Interact Web datasource. Statement caching improves performance by caching executable statements that are used repeatedly.
<b>INTERACTCALLCNTR_DATABASE_HOST</b>	Host system details of the system hosting the Interact Call Center database.
<b>INTERACTCALLCNTR_DATABASE_PORT</b>	Port number of the Interact Call Center database.
<b>INTERACTCALLCNTR_DATABASE_USERNAME</b>	Username to access the Interact Call Center database.
<b>INTERACTCALLCNTR_DATABASE_PASSWORD</b>	Password to access the Interact Call Center database.
<b>INTERACTCALLCNTR_DATABASE_NAME</b>	Name of the Interact Call Center database.
<b>INTERACTCALLCNTR_DS_INITIAL_SIZE</b>	The initial size of the Interact Call Center datasource connection pool.



**Table 29. Server group-related database parameters of Interact (continued)**

Parameter name	Parameter description
<b>INTERACTCALLCNTR_DS_MIN_IDLE</b>	The minimum number of idle connections (not connected to a database) in the Interact Call Center datasource connection pool.
<b>INTERACTCALLCNTR_DS_MAX_IDLE</b>	The maximum number of idle connections (not connected to a database) in the Interact Call Center datasource connection pool. Any idle connections, which exceeds the configured value, will be removed from the pool.
<b>INTERACTCALLCNTR_DS_MAX_TOTAL</b>	The maximum number of connections that the Interact Call Center datasource can hold. If the number of connection requests exceed the configured value, the connection will be refused.
<b>INTERACTCALLCNTR_DS_STATEMENT_CACHE_SIZE</b>	Maximum number of statements that can be cached in the Interact Call Center datasource. Statement caching improves performance by caching executable statements that are used repeatedly.

**Table 30. Server-related database parameters of Interact**

Parameter name	Parameter description
<b>INTERACT_PROD_DATABASE_HOST</b>	Host system details of the system hosting the Interact Production database.
<b>INTERACT_PROD_DATABASE_PORT</b>	Port number of the Interact Production database.
<b>INTERACT_PROD_DATABASE_NAME</b>	Username to access the Interact Production database.
<b>INTERACT_PROD_DATABASE_USERNAME</b>	Password to access the Interact Production database.
<b>INTERACT_PROD_DATABASE_PASSWORD</b>	Name of the Interact Production database.
<b>INTERACT_PROD_DS_INITIAL_SIZE</b>	The initial size of the Interact Production datasource connection pool.
<b>INTERACT_PROD_DS_MIN_IDLE</b>	The minimum number of idle connections (not connected to a database) in the Interact Production datasource connection pool.
<b>INTERACT_PROD_DS_MAX_IDLE</b>	The maximum number of idle connections (not connected to a database) in the Interact Production datasource connection pool. Any idle connections, which exceeds the configured value, will be removed from the pool.

**Table 30. Server-related database parameters of Interact (continued)**

Parameter name	Parameter description
<b>INTERACT_PROD_DS_MAX_TOTAL</b>	The maximum number of connections that the Interact Production datasource can hold. If the number of connection requests exceed the configured value, the connection will be refused.
<b>INTERACT_PROD_DS_STATEMENT_CACHE_SIZE</b>	Maximum number of statements that can be cached in the Interact Production datasource. Statement caching improves performance by caching executable statements that are used repeatedly.
<b>INTERACT_PROD_DSN_NAME</b>	The <code>dbname</code> of the respective database.
<b>INTERACT_TEST_DATABASE_HOST</b>	Host system details of the system hosting the Interact Test database.
<b>INTERACT_TEST_DATABASE_PORT</b>	Port number of the Interact Test database.
<b>INTERACT_TEST_DATABASE_NAME</b>	Username to access the Interact Test database.
<b>INTERACT_TEST_DATABASE_USERNAME</b>	Password to access the Interact Test database.
<b>INTERACT_TEST_DATABASE_PASSWORD</b>	Name of the Interact Test database.
<b>INTERACT_TEST_DS_INITIAL_SIZE</b>	The initial size of the Interact Test datasource connection pool.
<b>INTERACT_TEST_DS_MIN_IDLE</b>	The minimum number of idle connections (not connected to a database) in the Interact Test datasource connection pool.
<b>INTERACT_TEST_DS_MAX_IDLE</b>	The maximum number of idle connections (not connected to a database) in the Interact Test datasource connection pool. Any idle connections, which exceeds the configured value, will be removed from the pool.
<b>INTERACT_TEST_DS_MAX_TOTAL</b>	The maximum number of connections that the Interact Test datasource can hold. If the number of connection requests exceed the configured value, the connection will be refused.
<b>INTERACT_TEST_DS_STATEMENT_CACHE_SIZE</b>	Maximum number of statements that can be cached in the Interact Test datasource. Statement caching improves performance by caching executable statements that are used repeatedly.
<b>INTERACT_TEST_DSN_NAME</b>	The <code>dbname</code> of the respective database.

Table 30. Server-related database parameters of Interact (continued)

Parameter name	Parameter description
<b>INTERACT_LEARNING_DATABASE_HOST</b>	Host system details of the system hosting the Interact Learning database.
<b>INTERACT_LEARNING_DATABASE_PORT</b>	Port number of the Interact Learning database.
<b>INTERACT_LEARNING_DATABASE_NAME</b>	Username to access the Interact Learning database.
<b>INTERACT_LEARNING_DATABASE_USERNAME</b>	Password to access the Interact Learning database.
<b>INTERACT_LEARNING_DATABASE_PASSWORD</b>	Name of the Interact Learning database.
<b>INTERACT_LEARNING_DS_INITIAL_SIZE</b>	The initial size of the Interact Learning datasource connection pool.
<b>INTERACT_LEARNING_DS_MIN_IDLE</b>	The minimum number of idle connections (not connected to a database) in the Interact Learning datasource connection pool.
<b>INTERACT_LEARNING_DS_MAX_IDLE</b>	The maximum number of idle connections (not connected to a database) in the Interact Learning datasource connection pool. Any idle connections, which exceeds the configured value, will be removed from the pool.
<b>INTERACT_LEARNING_DS_MAX_TOTAL</b>	The maximum number of connections that the Interact Learning datasource can hold. If the number of connection requests exceed the configured value, the connection will be refused.
<b>INTERACT_LEARNING_DS_STATEMENT_CACHE_SIZE</b>	Maximum number of statements that can be cached in the Interact Learning datasource. Statement caching improves performance by caching executable statements that are used repeatedly.
<b>INTERACT_CHRH_DATABASE_HOST</b>	Host system details of the system hosting the Interact CHRH database.
<b>INTERACT_CHRH_DATABASE_PORT</b>	Port number of the Interact CHRH database.
<b>INTERACT_CHRH_DATABASE_NAME</b>	Username to access the Interact CHRH database.
<b>INTERACT_CHRH_DATABASE_USERNAME</b>	Password to access the Interact CHRH database.
<b>INTERACT_CHRH_DATABASE_PASSWORD</b>	Name of the Interact CHRH database.
<b>INTERACT_CHRH_DS_INITIAL_SIZE</b>	The initial size of the Interact CHRH datasource connection pool.

**Table 30. Server-related database parameters of Interact (continued)**

<b>Parameter name</b>	<b>Parameter description</b>
<b>INTERACT_CHRH_DS_MIN_IDLE</b>	The minimum number of idle connections (not connected to a database) in the Interact CHRH datasource connection pool.
<b>INTERACT_CHRH_DS_MAX_IDLE</b>	The maximum number of idle connections (not connected to a database) in the Interact CHRH datasource connection pool. Any idle connections, which exceeds the configured value, will be removed from the pool.
<b>INTERACT_CHRH_DS_MAX_TOTAL</b>	The maximum number of connections that the Interact CHRH datasource can hold. If the number of connection requests exceed the configured value, the connection will be refused.
<b>INTERACT_CHRH_DS_STATEMENT_CACHE_SIZE</b>	Maximum number of statements that can be cached in the Interact CHRH datasource. Statement caching improves performance by caching executable statements that are used repeatedly.
<b>INTERACT05_DATABASE_HOST</b>	Host system details of the system hosting the Interact05 database.
<b>INTERACT05_DATABASE_PORT</b>	Port number of the Interact05 database.
<b>INTERACT05_DATABASE_NAME</b>	Username to access the Interact05 database.
<b>INTERACT05_DATABASE_USERNAME</b>	Password to access the Interact05 database.
<b>INTERACT05_DATABASE_PASSWORD</b>	Name of the Interact05 database.
<b>INTERACT05_DS_INITIAL_SIZE</b>	The initial size of the Interact 05 datasource connection pool.
<b>INTERACT05_DS_MIN_IDLE</b>	The minimum number of idle connections (not connected to a database) in the Interact 05 datasource connection pool.
<b>INTERACT05_DS_MAX_IDLE</b>	The maximum number of idle connections (not connected to a database) in the Interact 05 datasource connection pool. Any idle connections, which exceeds the configured value, will be removed from the pool.
<b>INTERACT05_DS_MAX_TOTAL</b>	The maximum number of connections that the Interact 05 datasource can hold. If the number of connection requests exceed the configured value, the connection will be refused.

**Table 30. Server-related database parameters of Interact (continued)**

Parameter name	Parameter description
<b>INTERACT05_DS_STATEMENT_CACHE_SIZE</b>	Maximum number of statements that can be cached in the Interact 05 datasource. Statement caching improves performance by caching executable statements that are used repeatedly.

**Table 31. Application server-related parameters of Interact**

Parameter name	Parameter description
<b>INT_HOST_NAME</b>	The system host name of Interact.
<b>INT_MANAGEMENT_PORT</b>	The management port number for the Interact system.
<b>INT_MANAGEMENT_HTTPS_PORT</b>	The management <code>HTTPS</code> port number for the Interact system.
<b>INT_AJP_PORT</b>	The <code>AJP</code> port number for the Interact system.
<b>INT_HTTP_PORT</b>	The <code>HTTP</code> port number for the Interact system.
<b>INT_HTTPS_PORT</b>	The <code>HTTPS</code> port number for the Interact system.
<b>INT_RECOVERY_ENV_PORT</b>	The recovery environment port number of the Interact system.
<b>INT_STATUS_MANAGER_PORT</b>	The status manager port number of the Interact system.
<b>INT_MIN_HEAP</b>	The maximum heap size allocated for Interact.
<b>INT_MAX_HEAP</b>	The maximum heap size allocated for Interact.

## InteractDT configurations

To configure Interact DT for Cloud Native Unica, make the necessary modifications to the `interactDT-configMap.yaml` file.

To access the `interactDT-configMap.yaml` file, navigate to `/unica/templates/` in the Unica charts folder. Open the file and make modifications to the following parameters:

**Table 32. Common parameters of InteractDT configuration**

Parameter name	Parameter description
<b>INTERACTDT_PRODUCT_NAME</b>	The name assigned for InteractDT.
<b>INTERACTDT_WAR_NAME</b>	The name of the <code>WAR</code> file.
<b>INTERACTDT_APPLICATION_NAME</b>	The name of the main application. For example, <code>Unica</code> .

**Table 32. Common parameters of InteractDT configuration (continued)**

Parameter name	Parameter description
<b>INTERACTDT_DOMAIN_USERNAME</b>	The domain username for InteractDT.
<b>INTERACTDT_DOMAIN_PASSWORD</b>	The domain password for InteractDT.
<b>WAR_SCRIPT_INTERACTDT</b>	The path where the <code>WAR</code> execution script exists.
<b>PRODUCT_OPTS_INTERACTDT</b>	Product-specific options for InteractDT.

**Table 33. Database-related parameters of Campaign**

Parameter name	Parameter description
<b>CAMPAIGN_JNDI_NAME</b>	<code>JNDI</code> name for Campaign.
<b>CAMPAIGN_POOL_NAME</b>	Pool name for Campaign.
<b>CAMPAIGN_DATA_SOURCE_PARAMETERS</b>	Parameters related to Campaign Data Source. Add multiple parameters using <code>;</code> as the delimiter between parameters.
<b>CAMPAIGN_DATABASE_HOST</b>	Host system details of the system hosting the Campaign database.
<b>CAMPAIGN_DATABASE_PORT</b>	Port number of the Campaign database.
<b>CAMPAIGN_DATABASE_NAME</b>	Name of the Campaign database.
<b>CAMPAIGN_DATABASE_USERNAME</b>	Username to access the Campaign database.
<b>CAMPAIGN_DATABASE_PASSWORD</b>	Password to access the Campaign database.
<b>CAMPAIGN_DSN_NAME</b>	Name of the Campaign DSN.
<b>CAMPAIGN_DS_INITIAL_SIZE</b>	The initial size of the Campaign datasource connection pool.
<b>CAMPAIGN_DS_MIN_IDLE</b>	The minimum number of idle connections (not connected to a database) in the Campaign datasource connection pool.
<b>CAMPAIGN_DS_MAX_IDLE</b>	The maximum number of idle connections (not connected to a database) in the Campaign datasource connection pool. Any idle connections, which exceeds the configured value, will be removed from the pool.
<b>CAMPAIGN_DS_MAX_TOTAL</b>	The maximum number of connections that the Campaign datasource can hold. If the number of connection requests exceed the configured value, the connection will be refused.

**Table 33. Database-related parameters of Campaign (continued)**

Parameter name	Parameter description
<b>CAMPAIGN_DS_STATEMENT_CACHE_SIZE</b>	Maximum number of statements that can be cached in the Campaign datasource. Statement caching improves performance by caching executable statements that are used repeatedly.

**Table 34. Application Server-related parameters for InteractDT**

Parameter name	Parameter description
<b>INTERACTDT_URL</b>	The URL to access InteractDT.
<b>INTERACTDT_HOST_NAME</b>	The system host name of InteractDT.
<b>INTERACTDT_MANAGEMENT_PORT</b>	The management port number for the InteractDT system.
<b>INTERACTDT_MANAGEMENT_HTTPS_PORT</b>	The management HTTPS port number for the InteractDT system.
<b>INTERACTDT_AJP_PORT</b>	The AJP port number for the InteractDT system.
<b>INTERACTDT_HTTP_PORT</b>	The HTTP port number for the InteractDT system.
<b>INTERACTDT_HTTPS_PORT</b>	The HTTPS port number for the InteractDT system.
<b>INTERACTDT_RECOVERY_ENV_PORT</b>	The recovery environment port number of the InteractDT system.
<b>INTERACTDT_STATUS_MANAGER_PORT</b>	The status manager port number of the InteractDT system.
<b>INTERACTDT_MIN_HEAP</b>	The maximum heap size allocated for InteractDT.
<b>INTERACTDT_MAX_HEAP</b>	The maximum heap size allocated for InteractDT.

**Table 35. Interact DT upgrade-related parameters**

<b>IS_INTERACTDT_DDLS_EXECUTED</b>	Parameter to indicate if Interact DDLS is executed. Valid values are <code>TRUE</code> or <code>FALSE</code> .
------------------------------------	--

## Journey configurations

To configure the Journey server for Cloud Native Unica, make the necessary modifications to the `journey-configMap.yaml` file.

To access the `journey-configMap.yaml` file, navigate to `/unica/templates/` in the Unica charts folder. Open the file and make modifications to the following parameters:

**Table 36. Parameters of Journey**

Parameter name	Parameter description
JOURNEY_HOST_NAME	The system host name of Journey.
JOURNEY_MANAGEMENT_PORT	The management port number for the Journey system.
JOURNEY_MANAGEMENT_HTTPS_PORT	The management <code>HTTPS</code> port number for the Journey system.
JOURNEY_AJP_PORT	The <code>AJP</code> port number for the Journey system.
JOURNEY_HTTP_PORT	The <code>HTTP</code> port number for the Journey system.
JOURNEY_HTTPS_PORT	The <code>HTTPS</code> port number for the Journey system.
JOURNEY_RECOVERY_ENV_PORT	The recovery environment port number of the Journey system.
JOURNEY_STATUS_MANAGER_PORT	The status manager port number of the Journey system.
JOURNEY_MIN_HEAP	The maximum heap size allocated for Journey. For example, <code>1024m</code> .
JOURNEY_MAX_HEAP	The maximum heap size allocated for Journey. For example, <code>6614m</code> .
DB_TYPE_JOURNEY	The name of the database used by the Journey system. For example, <code>Oracle</code> .
DB_DRIVER_CLASS_JOURNEY	The class name of the Journey Database drivers. For example <code>oracle.jdbc.OracleDriver</code> .
JOURNEYREPORT_DB_NAME	The database name of the server hosting the Journey Reports. For example, <code>journeyuser</code> .

## Journey web configurations

To configure the Journey web server for Journey, make the necessary modifications to the `journeyweb-configMap.yaml` file.

To access the `journeyweb-configMap.yaml` file, navigate to `/unica/templates/` in the Unica charts folder. Open the file and make modifications to the following parameters:

**Table 37. Common parameters of Journey web configuration**

Parameter name	Parameter description
JOURNEYWEB_JNDI_NAME	JNDI name for Journey web.
JOURNEYWEB_POOL_NAME	Pool name for Journey web.
PRODUCT_OPTS_PLATFORM	Product-specific options for Journey web.
JOURNEYWEB_PRODUCT_NAME	The name assigned for Journey web.



**Table 37. Common parameters of Journey web configuration (continued)**

Parameter name	Parameter description
<b>JOURNEYWEB_WAR_NAME</b>	The name of the <code>WAR</code> file.
<b>JOURNEYWEB_APPLICATION_NAME</b>	The name of the main application. For example, <code>Unica</code> .
<b>JOURNEYWEB_DOMAIN_USERNAME</b>	The domain username for Journey web.
<b>JOURNEYWEB_DOMAIN_PASSWORD</b>	The domain password for Journey web.

**Table 38. Database parameters of Journey web configuration**

Parameter name	Parameter description
<b>JOURNEYWEB_DATABASE_HOST</b>	Host system details of the system hosting the Journey web database.
<b>JOURNEYWEB_DATABASE_PORT</b>	Port number of the Journey web database.
<b>JOURNEYWEB_DATABASE_USERNAME</b>	Username to access the Journey web database.
<b>JOURNEYWEB_DATABASE_PASSWORD</b>	Password to access the Journey web database.
<b>JOURNEYWEB_DATABASE_NAME</b>	Name of the Journey web database.
<b>JOURNEYWEB_DS_INITIAL_SIZE</b>	The initial size of the Journey web datasource connection pool.
<b>JOURNEYWEB_DS_MIN_IDLE</b>	The minimum number of idle connections (not connected to a database) in the Journey web datasource connection pool.
<b>JOURNEYWEB_DS_MAX_IDLE</b>	The maximum number of idle connections (not connected to a database) in the Journey web datasource connection pool. Any idle connections, which exceeds the configured value, will be removed from the pool.
<b>JOURNEYWEB_DS_MAX_TOTAL</b>	The maximum number of connections that the Journey web datasource can hold. If the number of connection requests exceed the configured value, the connection will be refused.
<b>JOURNEYWEB_DS_STATEMENT_CACHE_SIZE</b>	Maximum number of statements that can be cached in the Journey web datasource. Statement caching improves performance by caching executable statements that are used repeatedly.

**Table 39. Application server parameters of Journey web configuration**

Parameter name	Parameter description
<b>JOURNEYWEB_URL</b>	The URL to access Journey web.
<b>JOURNEYWEB_HOST_NAME</b>	The system host name of Journey web.
<b>JOURNEYWEB_MANAGEMENT_PORT</b>	The management port number for the Journey web system.

**Table 39. Application server parameters of Journey web configuration (continued)**

Parameter name	Parameter description
JOURNEYWEB_MANAGEMENT_HTTPS_PORT	The management <code>HTTPS</code> port number for the Journey web system.
JOURNEYWEB_AJP_PORT	The <code>AJP</code> port number for the Journey web system.
JOURNEYWEB_HTTP_PORT	The <code>HTTP</code> port number for the Journey web system.
JOURNEYWEB_HTTPS_PORT	The <code>HTTPS</code> port number for the Journey web system.
JOURNEYWEB_RECOVERY_ENV_PORT	The recovery environment port number of the Journey web system.
JOURNEYWEB_STATUS_MANAGER_PORT	The status manager port number of the Journey web system.
JOURNEYWEB_MIN_HEAP	The maximum heap size allocated for Journey web.
JOURNEYWEB_MAX_HEAP	The maximum heap size allocated for Journey web.

**Table 40. Other parameters of Journey web configuration**

Parameter name	Parameter description
JOURNEYWEB_IP_FINDER_LIST	
JOURNEYWEB_MULTICAST_GROUP	
JOURNEYWEB_MULTICAST_PORT	
JOURNEYWEB_MULTICASE_ENABLED	
JOURNEYWEB_DEFAULT_DATA_REGION_MAX_SIZE	
JOURNEYWEB_GOAL_MAX_SIZE_ALLOWED	

**Table 41. Configuration of Journey report parameters**

Parameter name	Parameter description
JOURNEYREPORT_DATABASE_NAME	Name of the Journey report database.
JOURNEY_REPORT_DATABASE_USERNAME	Username to access the Journey report database.
JOURNEY_REPORT_DATABASE_PASSWORD	Password to access the Journey report database.
JOURNEYREPORT_DS_INITIAL_SIZE	The initial size of the Journey report datasource connection pool.

**Table 41. Configuration of Journey report parameters (continued)**

Parameter name	Parameter description
<b>JOURNEYREPORT_DS_MIN_IDLE</b>	The minimum number of idle connections (not connected to a database) in the Journey report datasource connection pool.
<b>JOURNEYREPORT_DS_MAX_IDLE</b>	The maximum number of idle connections (not connected to a database) in the Journey report datasource connection pool. Any idle connections, which exceeds the configured value, will be removed from the pool.
<b>JOURNEYREPORT_DS_MAX_TOTAL</b>	The maximum number of connections that the Journey report datasource can hold. If the number of connection requests exceed the configured value, the connection will be refused.
<b>JOURNEYREPORT_DS_STATEMENT_CACHE_SIZE</b>	Maximum number of statements that can be cached in the Journey report datasource. Statement caching improves performance by caching executable statements that are used repeatedly.
<b>JOURNEYREPORT_JNDI_NAME</b>	JNDI name for Journey report.
<b>JOURNEYREPORT_POOL_NAME</b>	Pool name for Journey report.
<b>JOURNEYREPORT_DB_NAME</b>	The database name of the server hosting the Journey Reports. For example, <code>journeyuser</code> .

## Kafka configurations

To configure the Kafka server for Journey, make the necessary modifications to the `kafka-configMap.yaml` file.

To access the `kafka-configMap.yaml` file, navigate to `/unica/templates/` in the Unica charts folder. Open the file and make modifications to the following parameters:

**Table 42. Database-parameters of Kafka configuration**

Parameter name	Parameter description
<b>JOURNEY_DATABASE_HOST</b>	Host system details of the system hosting the Journey database.
<b>JOURNEY_DATABASE_PORT</b>	Port number of the Journey database.
<b>JOURNEY_DATABASE_USERNAME</b>	Username to access the Journey database.
<b>JOURNEY_DATABASE_PASSWORD</b>	Password to access the Journey database.
<b>JOURNEY_DATABASE_NAME</b>	Name of the Journey database.

**Table 43. Common parameters of Kafka configuration**

Parameter name	Parameter description
<b>KAFKA_SERVER</b>	The details of the system hosting the Kafka server.

**Table 43. Common parameters of Kafka configuration (continued)**

Parameter name	Parameter description
KAFKA_HOST_NAME	The host name of the Kafka server.
KAFKA_PORT	The port number to access the Kafka server.
JOURNEY_HOST_NAME	The host name of the Journey server.
JOURNEY_PORT	The port number to access the Journey server.
ZOOKEEPER_PORT	

## Plan configurations

To configure Plan for Cloud Native Unica, make the necessary modifications to the `plan-configMap.yaml` file.

To access the `plan-configMap.yaml` file, navigate to `/unica/templates/` in the Unica charts folder. Open the file and make modifications to the following parameters:

**Table 44. Common parameters of Plan**

Parameter name	Parameter description
PLAN_HOME	The home directory for the Plan system.
PRODUCT_OPTS_PLAN	Product specific options for Plan.
PLAN_JNDI_NAME	JNDI name for Plan.
PLAN_POOL_NAME	Pool name for Plan.
PLAN_PRODUCT_NAME	The name assigned for Plan.
PLAN_WAR_NAME	The name of the <code>WAR</code> file.
PLAN_APPLICATION_NAME	The name of the main application. For example, <code>Unica</code> .
PLAN_DOMAIN_USERNAME	The domain username for Plan.
PLAN_DOMAIN_PASSWORD	The domain password for Plan.

**Table 45. Application server-related parameters of Plan**

Parameter name	Parameter description
PLAN_HOST_NAME	The system host name of Plan.
PLAN_MANAGEMENT_PORT	The management port number for the Plan system.

Table 45. Application server-related parameters of Plan (continued)

Parameter name	Parameter description
PLAN_MANAGEMENT_HTTPS_PORT	The management <code>HTTPS</code> port number for the Plan system.
PLAN_AJP_PORT	The <code>AJP</code> port number for the Plan system.
PLAN_HTTP_PORT	The <code>HTTP</code> port number for the Plan system.
PLAN_HTTPS_PORT	The <code>HTTPS</code> port number for the Plan system.
PLAN_RECOVERY_ENV_PORT	The recovery environment port number of the Plan system.
PLAN_STATUS_MANAGER_PORT	The status manager port number of the Plan system.
PLAN_URL	The URL to access Plan.

Table 46. Database-related parameters for Plan

Parameter name	Parameter description
PLAN_PORT	The port number to access the Plan system.
PLAN_HOST	The host name of the Plan system.
DB_PLAN	The database name for Plan.
DB_PLAN_HOST	The host details of the database in the Plan system.
DB_PLAN_PORT	The database port number of the Plan system.
DB_PLAN_HOST_NAME	Host name of the system hosting the Plan database.
PLAN_DATABASE_HOST	Host system details of the system hosting the Plan database.

**Table 46. Database-related parameters for Plan (continued)**

<b>Parameter name</b>	<b>Parameter description</b>
<b>PLAN_DATABASE_PORT</b>	Port number of the Plan database.
<b>PLAN_DATABASE_NAME</b>	Name of the Plan database.
<b>PLAN_DATABASE_USERNAME</b>	Plan
<b>PLAN_DATABASE_PASSWORD</b>	Password to access the Plan database.
<b>PLAN_DS_INITIAL_SIZE</b>	The initial size of the Plan datasource connection pool.
<b>PLAN_DS_MIN_IDLE</b>	The minimum number of idle connections (not connected to a database) in the Plan datasource connection pool.
<b>PLAN_DS_MAX_IDLE</b>	The maximum number of idle connections (not connected to a database) in the Plan datasource connection pool. Any idle connections, which exceeds the configured value, will be removed from the pool.
<b>PLAN_DS_MAX_TOTAL</b>	The maximum number of connections that the Plan datasource can hold. If the number of connection requests exceed the configured value, the connection will be refused.
<b>PLAN_DS_STATEMENT_CACHE_SIZE</b>	Maximum number of statements that can be cached in the Plan datasource. Statement

**Table 46. Database-related parameters for Plan (continued)**

Parameter name	Parameter description
	caching improves performance by caching executable statements that are used repeatedly.

## Platform configurations

To configure Platform for Cloud Native Unica, make the necessary modifications to the `platform-configMap.yaml` file.

To access the `platform-configMap.yaml` file, navigate to `/unica/templates/` in the Unica charts folder. Open the file and make modifications to the following parameters:

**Table 47. Common parameters of Platform**

Parameter name	Parameter description
<b>PLATFORM_JNDI_NAME</b>	JNDI name for Platform.
<b>PLATFORM_POOL_NAME</b>	Pool name for Platform.
<b>PRODUCT_OPTS_BASE</b>	Unica
<b>PRODUCT_OPTS_PLATFORM</b>	Product specific options for Platform.
<b>FORCE_INIT_WEBLOGIC</b>	Set whether you want to force initialize WebLogic. <code>TRUE</code> to activate for initialization and <code>FALSE</code> to deactivate force initialization.
<b>JAVA_HOME_WEBLOGIC</b>	Location of Java Home on your system.
<b>PLATFORM_PRODUCT_NAME</b>	The name assigned for Platform.
<b>PLATFORM_WAR_NAME</b>	The name of the <code>WAR</code> file.
<b>PLATFORM_APPLICATION_NAME</b>	The name of the main application. For example, Unica.
<b>PLATFORM_DOMAIN_USERNAME</b>	The domain username for Platform.

**Table 47. Common parameters of Platform (continued)**

Parameter name	Parameter description
PLATFORM_DOMAIN_PASSWORD	The domain password for Platform.
REPLACE_ADMIN_USR_NAME	
REPLACE_ADMIN_USR_PASSWORD	

**Table 48. Database-related parameters of Platform**

Parameter name	Parameter description
PLATFORM_DATABASE_HOST	Host system details of the system hosting the Platform database.
PLATFORM_DATABASE_PORT	Port number of the Platform database.
PLATFORM_DATABASE_USERNAME	Username to access the Platform database.
PLATFORM_DATABASE_PASSWORD	Password to access the Platform database.
PLATFORM_DATABASE_NAME	Name of the Platform database.
DB_PLAT	The database name for Platform.
PLATFORM_DS_INITIAL_SIZE	The initial size of the Platform datasource connection pool.
PLATFORM_DS_MIN_IDLE	The minimum number of idle connections (not connected to a database) in the Platform datasource connection pool.
PLATFORM_DS_MAX_IDLE	The maximum number of idle connections (not connected to a database) in the Platform datasource connection pool. Any idle connections, which exceeds the configured value, will be removed from the pool.
PLATFORM_DS_MAX_TOTAL	The maximum number of connections that the Platform datasource can hold. If the number of connection requests exceed the



Table 48. Database-related parameters of Platform (continued)

Parameter name	Parameter description
	configured value, the connection will be refused.
<b>PLATFORM_DS_STATEMENT_CACHE_SIZE</b>	Maximum number of statements that can be cached in the Platform datasource. Statement caching improves performance by caching executable statements that are used repeatedly.

Table 49. Application server-related parameters of Platform

Parameter name	Parameter description
<b>MANAGER_URL</b>	The URL to access Manager.
<b>PLAT_HOST_NAME</b>	The system host name of Platform.
<b>PLAT_MANAGEMENT_PORT</b>	The management port number for the Platform system.
<b>PLAT_MANAGEMENT_HTTPS_PORT</b>	The management <b>HTTPS</b> port number for the Platform system.
<b>PLAT_AJP_PORT</b>	The <b>AJP</b> port number for the Platform system.
<b>PLAT_HTTP_PORT</b>	The <b>HTTP</b> port number for the Platform system.
<b>PLAT_HTTPS_PORT</b>	The <b>HTTPS</b> port number for the Platform system.
<b>PLAT_RECOVERY_ENV_PORT</b>	The recovery environment port number of the Platform system.
<b>PLAT_STATUS_MANAGER_PORT</b>	The status manager port number of the Platform system.
<b>PLAT_MIN_HEAP</b>	The minimum heap size allocated for Platform.
<b>PLAT_MAX_HEAP</b>	The maximum heap size allocated for Platform.

**Table 50. Apache Tomcat-specific parameters**

Parameter name	Parameter description
<b>TOMCAT_INSTALLER_TARGZ</b>	The name of the Apache Tomcat installer <code>TARGZ</code> file.
<b>TOMCAT_INSTALLER_UNZIP_DIRNAME</b>	The location to extract the Apache Tomcat installer <code>TARGZ</code> file.
<b>TOMCAT_INSTALL_LOCATION</b>	The location to install Apache Tomcat.
<b>FORCE_INIT_TOMCAT</b>	Set whether you want to force initialize Apache Tomcat. <code>TRUE</code> to activate for initialization and <code>FALSE</code> to deactivate force initialization.
<b>TOMCAT_SHUTDOWN_PORT</b>	The <code>TCP/IP</code> port number of the Apache Tomcat server waiting for a shutdown command.
<b>TOMCAT_MAX_EXECUTOR_THREADS</b>	The maximum number of threads (based on the <code>maxThreads</code> property of Apache Tomcat) used for <code>HTTP</code> connections.
<b>TOMCAT_MIN_EXECUTOR_THREADS</b>	The minimum number of threads (based on the <code>minSpareThreads</code> property of Apache Tomcat) that is always present in the thread pool.
<b>TOMCAT_REDIRECT_PORT</b>	The redirect port number ( <code>redirectPort</code> property) of the Apache Tomcat server handling SSL connections.

## Segment Central configurations

To configure Segment Central for Cloud Native Unica, make the necessary modifications to the `segmentcentral-configMap.yaml` file.

To access the `segmentcentral-configMap.yaml` file, navigate to `/unica/templates/` in the Unica charts folder. Open the file and make modifications to the following parameters:

**Table 51. Common parameters for Segment Central**

Parameter name	Parameter description
<b>SEGMENTCENTRAL_PRODUCT_NAME</b>	<code>Segmentcentral</code>
<b>SEGMENT_CENTRAL_WAR_NAME</b>	<code>SegmentCentral.war</code>
<b>SEGMENTCENTRAL_APPLICATION_NAME</b>	<code>segmentcentral</code>
<b>SEGMENTCENTRAL_DOMAIN_USERNAME</b>	<code>root</code>
<b>SEGMENTCENTRAL_DOMAIN_PASSWORD</b>	<code>unica*03</code>
<b>SEGMENTATIONENGINE_PRODUCT_NAME</b>	<code>Segmentationengine</code>
<b>SEGMENTATION_ENGINE_WAR_NAME</b>	<code>SegmentationEngine.war</code>

Table 51. Common parameters for Segment Central (continued)

Parameter name	Parameter description
SEGMENTATIONENGINE_APPLICATION_NAME	segmentationengine
SEGMENTATIONENGINE_DOMAIN_USERNAME	root
SEGMENTATIONENGINE_DOMAIN_PASSWORD	unica*03

Table 52. Application Server-related parameters for Segment Central

Parameter name	Parameter description
SEGMENTCENTRAL_HOST_NAME	{{ .Release.Name }}-unica-segmentcentral
SEGMENTCENTRAL_MANAGEMENT_PORT	9066
SEGMENTCENTRAL_MANAGEMENT_HTTPS_PORT	9995
SEGMENTCENTRAL_AJP_PORT	8010
SEGMENTCENTRAL_HTTP_PORT	9140
SEGMENTCENTRAL_HTTPS_PORT	9446
SEGMENTCENTRAL_RECOVERY_ENV_PORT	4714
SEGMENTCENTRAL_STATUS_MANAGER_PORT	4715
SEGMENTCENTRAL_MIN_HEAP	1024m
SEGMENTCENTRAL_MAX_HEAP	2048m
SEGMENTCENTRAL_URL	{{ include ip.protocol . }}://{{ .Values.service.hostname }}/SegmentCentral
SEGMENTCENTRAL_INTERNAL_URL	http://{{ .Release.Name }}-unica-segmentcentral:9140/SegmentCentral
PRODUCT_OPTS_SEGMENTCENTRAL	-DSEGMENT_CENTRAL_HOME=/docker/unica/SegmentCentral/ -DENABLE_NON_PROD_MODE=true

Table 53. Application Server-related parameters for Segment Central Engine

Parameter name	Parameter description
SEGMENTATIONENGINE_HOST_NAME	{{ .Release.Name }}-unica-segmentationengine
SEGMENTATIONENGINE_MANAGEMENT_PORT	9067
SEGMENTATIONENGINE_MANAGEMENT_HTTPS_PORT	9996
SEGMENTATIONENGINE_AJP_PORT	8011

**Table 53. Application Server-related parameters for Segment Central Engine (continued)**

Parameter name	Parameter description
SEGMENTATIONENGINE_HTTP_PORT	9141
SEGMENTATIONENGINE_HTTPS_PORT	9447
SEGMENTATIONENGINE_RECOVERY_ENV_PORT	4715
SEGMENTATIONENGINE_STATUS_MANAGER_PORT	4716
SEGMENTATIONENGINE_MIN_HEAP	1024m
SEGMENTATIONENGINE_MAX_HEAP	2048m
SEGMENTATIONENGINE_INTERNAL_URL	http://{{ .Release.Name }}-unica-segmentationengine:9141/SegmentationEngine
PRODUCT_OPTS_SEGMENTATIONENGINE	-DSEGMENT_CENTRAL_HOME=/docker/unica/SegmentCentral/ -DENABLE_NON_PROD_MODE=true

**Table 54. Database-related parameters for Segment Central**

Parameter name	Parameter description
SEGMENTCENTRAL_USER_JNDI_NAME	{{ .Values.segmentcentralData.segmentcentralConfigMapData.SEGMENTCENTRAL_USER_JNDI_NAME }}
SEGMENTCENTRAL_USER_POOL_NAME	{{ .Values.segmentcentralData.segmentcentralConfigMapData.SEGMENTCENTRAL_USER_POOL_NAME }}
SEGMENTCENTRAL_USER_DATABASE_HOST	{{ .Values.segmentcentralData.segmentcentralConfigMapData.SEGMENTCENTRAL_USER_DATABASE_HOST }}
SEGMENTCENTRAL_USER_DATABASE_PORT	{{ .Values.segmentcentralData.segmentcentralConfigMapData.SEGMENTCENTRAL_USER_DATABASE_PORT }}
SEGMENTCENTRAL_USER_DATABASE_NAME	{{ .Values.segmentcentralData.segmentcentralConfigMapData.SEGMENTCENTRAL_USER_DATABASE_NAME }}
SEGMENTCENTRAL_USER_DATABASE_USERNAME	{{ .Values.segmentcentralData.segmentcentralConfigMapData.SEGMENTCENTRAL_USER_DATABASE_USERNAME }}
SEGMENTCENTRAL_USER_DATABASE_PASSWORD	{{ .Values.segmentcentralData.segmentcentralConfigMapData.SEGMENTCENTRAL_USER_DATABASE_PASSWORD }}
SEGMENTCENTRAL_USER_DS_INITIAL_SIZE	{{ .Values.segmentcentralData.segmentcentralDSMData.SEGMENTCENTRAL_USER_DS_INITIAL_SIZE }}
SEGMENTCENTRAL_USER_DS_MIN_IDLE	{{ .Values.segmentcentralData.segmentcentralDSMData.SEGMENTCENTRAL_USER_DS_MIN_IDLE }}

Table 54. Database-related parameters for Segment Central (continued)

Parameter name	Parameter description
SEGMENTCENTRAL_USER_DS_MAX_IDLE	{{ .Values.segmentcentralData.segmentcentralDSMData.SEGMENTCENTRAL_USER_DS_MAX_IDLE }}
SEGMENTCENTRAL_USER_DS_MAX_TOTAL	{{ .Values.segmentcentralData.segmentcentralDSMData.SEGMENTCENTRAL_USER_DS_MAX_TOTAL }}
SEGMENTCENTRAL_USER_DS_STATEMENT_CACHE_SIZE	{{ .Values.segmentcentralData.segmentcentralDSMData.SEGMENTCENTRAL_USER_DS_STATEMENT_CACHE_SIZE }}
SEGMENTCENTRAL_USER_DATA_SOURCE_PARAMETERS	{{ .Values.segmentcentralData.segmentcentralDSMData.SEGMENTCENTRAL_USER_DATA_SOURCE_PARAMETERS }}

Table 55. Database-related parameters for Segment Central Engine

Parameter name	Parameter description
SEGMENTATIONENGINE_USER_POOL_NAME	{{ .Values.segmentationengineData.segmentationengineConfigMapData.SEGMENTATIONENGINE_USER_POOL_NAME }}
SEGMENTATIONENGINE_USER_DATABASE_HOST	{{ .Values.segmentationengineData.segmentationengineConfigMapData.SEGMENTATIONENGINE_USER_DATABASE_HOST }}
SEGMENTATIONENGINE_USER_DATABASE_PORT	{{ .Values.segmentationengineData.segmentationengineConfigMapData.SEGMENTATIONENGINE_USER_DATABASE_PORT }}
SEGMENTATIONENGINE_USER_DATABASE_NAME	{{ .Values.segmentationengineData.segmentationengineConfigMapData.SEGMENTATIONENGINE_USER_DATABASE_NAME }}
SEGMENTATIONENGINE_USER_DATABASE_USERNAME	{{ .Values.segmentationengineData.segmentationengineConfigMapData.SEGMENTATIONENGINE_USER_DATABASE_USERNAME }}
SEGMENTATIONENGINE_USER_DATABASE_PASSWORD	{{ .Values.segmentationengineData.segmentationengineConfigMapData.SEGMENTATIONENGINE_USER_DATABASE_PASSWORD }}
SEGMENTATIONENGINE_USER_DS_INITIAL_SIZE	{{ .Values.segmentationengineData.segmentationengineDSMData.SEGMENTATIONENGINE_USER_DS_INITIAL_SIZE }}
SEGMENTATIONENGINE_USER_DS_MIN_IDLE	{{ .Values.segmentationengineData.segmentationengineDSMData.SEGMENTATIONENGINE_USER_DS_MIN_IDLE }}
SEGMENTATIONENGINE_USER_DS_MAX_IDLE	{{ .Values.segmentationengineData.segmentationengineDSMData.SEGMENTATIONENGINE_USER_DS_MAX_IDLE }}
SEGMENTATIONENGINE_USER_DS_MAX_TOTAL	{{ .Values.segmentationengineData.segmentationengineDSMData.SEGMENTATIONENGINE_USER_DS_MAX_TOTAL }}
SEGMENTATIONENGINE_USER_DS_STATEMENT_CACHE_SIZE	{{ .Values.segmentationengineData.segmentationengineDSMData.SEGMENTATIONENGINE_USER_DS_STATEMENT_CACHE_SIZE }}

**Table 55. Database-related parameters for Segment Central Engine (continued)**

Parameter name	Parameter description
<b>SEGMENTATIONENGINE_USER_DATA_SOURCE_PARAMETERS</b>	{{ .Values.segmentationengineData.segmentationengineDSMData.SEGMENTATIONENGINE_USER_DATA_SOURCE_PARAMETERS }}

## Sub-chart configuration in Helm charts

To run a database container as a sub-chart, the database must reside within the cluster. Sub-charts have their own `configMap` for configurations.



**Note:** Cloud Native Unica does not own the database.

## values.yaml driven configurations

1. Database and Data source memory related parameters can be configured in `values.yaml` and Product `configmap.yaml` files as shown in the following examples:

- **Values file example:**

```
campaignData:
  campaignConfigMapData:
    CAMPAIGN_DATABASE_HOST: "hcl-unica-suite-database"
    CAMPAIGN_DATABASE_PORT: "9088"
    CAMPAIGN_DATABASE_NAME: "campuser:ONEDB_SERVER=onedb"
    CAMPAIGN_DATABASE_USERNAME: "onedbsa"
    CAMPAIGN_DATABASE_PASSWORD: "onedb4ever"
    CAMPAIGN_DSN_NAME: "campuser"
  campaignDSMData:
    CAMPAIGN_DS_INITIAL_SIZE: "1"
    CAMPAIGN_DS_MIN_IDLE: "1"
    CAMPAIGN_DS_MAX_IDLE: "1"
    CAMPAIGN_DS_MAX_TOTAL: "80"
    CAMPAIGN_DS_STATEMENT_CACHE_SIZE: "180"
    CAMPAIGN_DATA_SOURCE_PARAMETERS:
      "removeAbandonedTimeout='300';removeAbandoned='true';testOnBorrow='true'"
```

- **Reflected in Campaign configmap file:**

```
CAMPAIGN_DATABASE_HOST:
  "{{ .Values.campaignData.campaignConfigMapData.CAMPAIGN_DATABASE_HOST }}"
CAMPAIGN_DATABASE_PORT:
  "{{ .Values.campaignData.campaignConfigMapData.CAMPAIGN_DATABASE_PORT }}"
CAMPAIGN_DATABASE_NAME:
  "{{ .Values.campaignData.campaignConfigMapData.CAMPAIGN_DATABASE_NAME }}"
CAMPAIGN_DATABASE_USERNAME:
  "{{ .Values.campaignData.campaignConfigMapData.CAMPAIGN_DATABASE_USERNAME }}"
CAMPAIGN_DATABASE_PASSWORD:
  "{{ .Values.campaignData.campaignConfigMapData.CAMPAIGN_DATABASE_PASSWORD }}"
CAMPAIGN_DSN_NAME: "{{ .Values.campaignData.campaignConfigMapData.CAMPAIGN_DSN_NAME }}"
```

```

CAMPAIGN_DS_INITIAL_SIZE:
"{{ .Values.campaignData.campaignDSMData.CAMPAIGN_DS_INITIAL_SIZE }}"
CAMPAIGN_DS_MIN_IDLE: "{{ .Values.campaignData.campaignDSMData.CAMPAIGN_DS_MIN_IDLE }}"
CAMPAIGN_DS_MAX_IDLE: "{{ .Values.campaignData.campaignDSMData.CAMPAIGN_DS_MAX_IDLE }}"
CAMPAIGN_DS_MAX_TOTAL: "{{ .Values.campaignData.campaignDSMData.CAMPAIGN_DS_MAX_TOTAL }}"
CAMPAIGN_DS_STATEMENT_CACHE_SIZE:
"{{ .Values.campaignData.campaignDSMData.CAMPAIGN_DS_STATEMENT_CACHE_SIZE }}"

```

2. Parameters categorization: Each product is separately defined by a tag in the `values.yaml` file and subtag is provided for Data type: database or data source memory.

- **Example: Data type categorisation (Database and Data source memory)**

```

campaignData:
  campaignConfigMapData:
    CAMPAIGN_DATABASE_HOST: "hcl-unica-suite-database"
    CAMPAIGN_DATABASE_PORT: "9088"
    CAMPAIGN_DATABASE_NAME: "campuser:ONEDB_SERVER=onedb"
    CAMPAIGN_DATABASE_USERNAME: "onedbsa"
    CAMPAIGN_DATABASE_PASSWORD: "onedb4ever"
    CAMPAIGN_DSN_NAME: "campuser"
  campaignDSMData:
    CAMPAIGN_DS_INITIAL_SIZE: "1"
    CAMPAIGN_DS_MIN_IDLE: "1"
    CAMPAIGN_DS_MAX_IDLE: "1"
    CAMPAIGN_DS_MAX_TOTAL: "80"
    CAMPAIGN_DS_STATEMENT_CACHE_SIZE: "180"
    CAMPAIGN_DATA_SOURCE_PARAMETERS:
      "removeAbandonedTimeout='300';removeAbandoned='true';testOnBorrow='true'"

```

- **Example: Product wise categorisation**

```

collaborateData:
  collaborateConfigMapData:
    COLLABORATE_DATABASE_HOST: "hcl-unica-suite-database"
    COLLABORATE_DATABASE_PORT: "9088"
    COLLABORATE_DATABASE_NAME: "platuser"
    COLLABORATE_DATABASE_USERNAME: "informix"
    COLLABORATE_DATABASE_PASSWORD: "in4mix"

  collaborateDSMData:
    COLLABORATE_DS_INITIAL_SIZE: "1"
    COLLABORATE_DS_MIN_IDLE: "1"
    COLLABORATE_DS_MAX_IDLE: "1"
    COLLABORATE_DS_MAX_TOTAL: "80"
    COLLABORATE_DS_STATEMENT_CACHE_SIZE: "180"
    COLLABORATE_DATA_SOURCE_PARAMETERS:
      "removeAbandonedTimeout='300';removeAbandoned='true';testOnBorrow='true'"

contactcentralData:
  contactcentralConfigMapData:
    CONTACTCENTRAL_DATABASE_HOST: "hcl-unica-suite-database"
    CONTACTCENTRAL_DATABASE_PORT: "9088"
    CONTACTCENTRAL_DATABASE_USERNAME: "onedbsa"
    CONTACTCENTRAL_DATABASE_PASSWORD: "onedb4ever"
    CONTACTCENTRAL_DATABASE_NAME: "platuser:ONEDB_SERVER=onedb"
  contactcentralDSMData:
    CONTACTCENTRAL_DS_INITIAL_SIZE: "1"
    CONTACTCENTRAL_DS_MIN_IDLE: "1"
    CONTACTCENTRAL_DS_MAX_IDLE: "1"

```

```
CONTACTCENTRAL_DS_MAX_TOTAL: "80"
CONTACTCENTRAL_DS_STATEMENT_CACHE_SIZE: "180"
CONTACTCENTRAL_DATA_SOURCE_PARAMETERS:
  "removeAbandonedTimeout='300';removeAbandoned='true';testOnBorrow='true'"
```

3. `JAVA_HOME` is set in `values.yaml`.

- `JAVA_HOME`, `DOCKER_HOME`, `JRE_HOME`, `DIRECTOR_JAVA_HOME` parameters have same value assigned in common configmap files.

```
DOCKER_JAVA_HOME: "{{ .Values.commonConfigMapMiscData.JAVA_HOME }}"
DIRECTOR_JAVA_HOME: "{{ .Values.commonConfigMapMiscData.JAVA_HOME }}"
JRE_HOME: "{{ .Values.commonConfigMapMiscData.JAVA_HOME }}"
JavaHOME: "{{ .Values.commonConfigMapMiscData.JAVA_HOME }}"
```

- `JAVA_HOME: docker/unica/jre` is defined in values file and used in the `common_configmap.yaml` file. If you have installed JRE in a custom path, set `JAVA_HOME` to `<Custom-JRE-Path>`. For example, if the custom JRE installation path is `/docker/unica/JdbcDrivers/jre`, replace `<Custom-JRE-Path>` by `/docker/unica/JdbcDrivers/jre`.

4. Ingress updates with version 1.22:

- For k8s 1.22 version API updates have been made to RBAC and INGRESS files also ingress structure is changed as per K8S update.
- **Example old ingress:**

```
rules:
- host: {{ .Values.service.hostname }}
  http:
    paths:
    - path: /Insights
      backend:
        serviceName: {{ include "unica.fullname" . }}-insights
        servicePort: {{ .Values.service.port.insights }}
```

- **Example new ingress:**

```
rules:
- host: {{ .Values.service.hostname }}
  http:
    paths:
    - path: /Insights
      pathType: Prefix
      backend:
        service:
          name: {{ include "unica.fullname" . }}-insights
          port:
            number: {{ .Values.service.port.insights }}
```