

## HCL Unica Supported Environments



# Contents

<b>Chapter 1. Overview .....</b>	<b>3</b>
<b>Chapter 2. Environment Planning .....</b>	<b>4</b>
<b>Chapter 3. Installation Setup .....</b>	<b>5</b>
Supported Locales .....	5
<b>Chapter 4. Minimum System Requirements .....</b>	<b>6</b>
All HCL Unica Products .....	6
<b>Chapter 5. Supported Environments .....</b>	<b>7</b>
Software Support Matrix .....	7
<b>Chapter 6. Operating System and Databases supported with HCL Unica Journey .....</b>	<b>10</b>
<b>Chapter 7. HCL Unica Link Environment Support Details .....</b>	<b>12</b>
<b>Chapter 8. Operating System and Databases supported with HCL Unica Director .....</b>	<b>15</b>
<b>Chapter 9. Client Web Browser Support .....</b>	<b>20</b>
<b>Chapter 10. Adobe Acrobat Support .....</b>	<b>21</b>
<b>Chapter 11. Directory Server Support .....</b>	<b>22</b>
<b>Chapter 12. Authentication Provider Support .....</b>	<b>23</b>
<b>Chapter 13. Kafka support .....</b>	<b>24</b>
<b>Chapter 14. Redis Support for Unica Interact .....</b>	<b>25</b>
<b>Chapter 15. Reporting Server Support .....</b>	<b>26</b>
<b>Chapter 16. Supported Environments Revisions .....</b>	<b>29</b>
<b>Chapter 17. Newly Supported Software Versions .....</b>	<b>30</b>
<b>Chapter 18. Discontinued Support Software Versions .....</b>	<b>31</b>

# Chapter 1. Overview

This document lists the software environments and minimum system requirements recommended for the following HCL Unica products:

- Unica Platform
- Unica Campaign and Unica Optimize
- Unica Interact
- Unica Plan
- Unica Centralized Offer Management
- Unica Director
- Unica Journey
- Unica Deliver
- Unica Collaborate
- Unica Marketing Central
- Unica Link

## Chapter 2. Environment Planning

This section provides an overview of both software and hardware prerequisites and general environment considerations required for deploying the HCL Unica products.

### Product Dependencies

Several products in the HCL Unica suite require the installation of other products as pre-requisites. For additional information, please see the product-specific installation guide.

Installed Product	Required Companion Installation	
If you want to install this product...	...you must also install the products marked with the ✓ in the same row	
	Unica Platform	Unica Campaign
Unica Campaign (includes Optimize)	✓	
Unica Interact	✓	✓
Unica Plan	✓	
Unica Platform	✓	
Unica Centralized OfferManagement	✓	✓
Unica Journey	✓	
Unica Deliver	✓	
Unica Collaborate	✓	✓
Unica Marketing Central	✓	✓

## Chapter 3. Installation Setup

Terminal clients, SSH, or telnet clients used to connect to a UNIX command-line to run the HCL Unica installers or utilities must be set to UTF-8 character encoding. Using any other character encoding may result in information being missing or displayed incorrectly. See the 12.1.10 installation guides for additional details.

### Supported Locales

Locale	Unica Platform <sup>(a)</sup>	Unica Campaign (includes Optimize)	Unica Interact	Unica Plan	Unica Centralized Offer Management	Unica Journey	Unica Deliver	Unica Collaborate	Unica Director <sup>(b)</sup>	Unica Marketing Central
English	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
French (France)	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
German (Germany)	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Japanese	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Korean	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Portuguese (Brazil)	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Spanish (Spain)	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Chinese (Simplified)	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Chinese (Traditional)	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Italian	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Russian	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y



**Note:** Unica Platform supports only limited localization of product configuration(s)

## Chapter 4. Minimum System Requirements

The minimum system requirements are provided as guidance for hardware sizing for deployment of HCL Unica products in a non-production environment.

Production deployments with higher performance requirements or data volumes require thorough sizing to estimate suitable configuration. The minimum system requirements listed in this document for each HCL Unica product are typically for Windows-based systems; comparable hardware configurations are required for supported UNIX-based and LINUX-based systems.

### All HCL Unica Products

	Infrastructure Element			
Hardware Configuration	Browser Client	Web Application Server	Campaign Analytical (listener) Server	System Table Database Server
Processor	2 GHz	2 GHz, 2 CPUs	2 GHz, 2 CPUs	2 GHz, 2 CPUs
RAM	512 MB	2 GB per CPU	2 GB per CPU	2 GB per CPU
Disk Space	N/A	1 GB	100 GB	100 GB

## Chapter 5. Supported Environments

This section provides an overview of the supported software components for deploying the HCL Unica suite of products.

### Software Support Matrix

Application Server <sup>(a)</sup> (with embedded Web Server)	Operating System <sup>(e)</sup>	System Table Database <sup>(c)</sup>	Campaign User Table Database <sup>(c, f)</sup>
<ul style="list-style-type: none"> <li>• WebLogic<sup>(b)</sup> 12c (12.2.1.3), (12.2.1.4), <b>14.1.1</b></li> <li>• WebSphere<sup>(d)</sup> 8.5.5 FP26, <b>8.5.5 FP27</b></li> <li>• Tomcat<sup>(p)</sup> v9.0.86, v9.0.96, <b>v9.0.102</b></li> <li>• JBOSS<sup>(k)</sup> 7.1.x, 7.2, <b>7.4</b></li> </ul>	Windows Server 2016, 2012R2, <b>2019, 2022</b>	<ul style="list-style-type: none"> <li>• DB2<sup>(n)</sup> 11.1, 11.5, <b>11.5.9</b></li> <li>• Oracle 12.1.0.1, 12.1.0.2, 12.2.0.1, 19(12.2.0.3)<sup>(n)</sup>, 19.3.0.0.0, 21c (21.3.0.0.0), Oracle RAC 19c (19.0.0.0), <b>Oracle 23ai</b></li> <li>• SQL Server<sup>(e)</sup> 2014, 2016 SP1, 2017, 2019, <b>2022</b></li> <li>• MariaDB 10.4.x<sup>(q)</sup>, 10.5.9, 10.6</li> <li>• PostgreSQL 13.1, PostgreSQL 14.1<sup>(u)</sup></li> </ul>	<ul style="list-style-type: none"> <li>• DB2<sup>(n)</sup> 11.1, 11.5, <b>11.5.9 DB2 (z/OS)<sup>(l)</sup></b> 10.1, 11.0</li> <li>• Oracle 12.1.0.1, 12.1.0.2, 12.2.0.1, 19(12.2.0.3)<sup>(n)</sup>, 19.3.0.0.0, 21c (21.3.0.0.0), Oracle RAC 19c (19.0.0.0), <b>Oracle 23ai</b></li> <li>• SQL Server<sup>(e)</sup> 2014, 2016 SP1, 2017, 2019, <b>2022</b></li> <li>• Netezza NPS 7.2.x</li> <li>• Teradata<sup>(o)</sup> 15.0, 15.10, 16.10, 16.20, 17.0, <b>17.20</b></li> <li>• MariaDB 10.4.x<sup>(q)</sup>, 10.5.9, 10.6</li> <li>• Amazon Redshift</li> <li>• dashDB<sup>(m)</sup> 10.6</li> <li>• Apache Hive, Impala based Hadoop Big Data<sup>(g)</sup></li> <li>• Actian-vector-5.1.0<sup>(r)</sup></li> <li>• Singlestore 7.3</li> </ul>

Application Server <sup>(a)</sup> (with embedded Web Server)	Operating System <sup>(e)</sup>	System Table Database <sup>(c)</sup>	Campaign User Table Database <sup>(c, f)</sup>
<ul style="list-style-type: none"> <li>• WebLogic<sup>(b)</sup> 12c,(12.2.1.4), (12.2.1.3), <b>14.1.1</b></li> <li>• WebSphere<sup>(d)</sup> 8.5.5 FP26, <b>8.5.5 FP27</b></li> <li>• Tomcat<sup>p</sup> v9.0.86, v9.0.96, <b>v9.0.102</b></li> <li>• JBOSS<sup>(k)</sup> 7.1.x,7.2,<b>7.4</b></li> </ul>	<ul style="list-style-type: none"> <li>• AIX 7.2 TL4, 7.1 TL5, 7.2TL5</li> <li>• RHEL 8.x, 9.x</li> <li>• <b>SUSE 15.5</b></li> </ul>	<ul style="list-style-type: none"> <li>• DB2<sup>(h)</sup> 11.1, 11.5, <b>11.5.9</b></li> <li>• Oracle 12.1.0.1, 12.1.0.2, 12.2.0.1, 19(12.2.0.3)<sup>(n)</sup>, 19.3.0.0.0, 21c (21.3.0.0.0), Oracle RAC 19c (19.0.0.0), <b>Oracle 23ai</b></li> <li>• PostgreSQL 13.1, PostgreSQL 14.1<sup>(u)</sup></li> <li>• MariaDB 10.4.x<sup>(q)</sup>, 10.5.9, 10.6</li> </ul>	<ul style="list-style-type: none"> <li>• DB2<sup>(h)</sup> 11.1, 11.5, <b>11.5.9</b> DB2 (z/OS)<sup>(l)</sup> 10.1,11,</li> <li>• Oracle 12.1.0.1, 12.1.0.2, 12.2.0.1, 19(12.2.0.3)<sup>(n)</sup>, 19.3.0.0.0, 21c (21.3.0.0.0), Oracle RAC 19c (19.0.0.0), <b>Oracle 23ai</b></li> <li>• Netezza NPS 7.2.x</li> <li>• Teradata<sup>(o)</sup> 15.0, 15.10,16.10, 16.20, 17.0, 17.20</li> <li>• MariaDB 10.4.x, 10.5.9, 10.6</li> <li>• Amazon Redshift</li> <li>• dashDB<sup>(m)</sup> 10.6</li> <li>• Apache Hive, Impala based Hadoop Big Data<sup>(g)</sup></li> <li>• Actian-vector-5.1.0<sup>(r)</sup></li> <li>• PostgreSQL<sup>(t)(u)</sup> database 14.1-1 version</li> <li>• Google Big query<sup>(s)</sup></li> </ul> <p>(Supported only on RHEL OS and AIX OS)</p> <ul style="list-style-type: none"> <li>• HP Vertica 7.1,9.0.1<sup>(j)</sup>, 12.0.2</li> <li>• Singlestore 7.3</li> <li>• Trino Build 399</li> <li>• Hive 3.1.2 version, <b>Hive 3.1.3000.7.1.9.0-387</b></li> </ul>



<b>Application Server<sup>(a)</sup> (with embedded Web Server)</b>	<b>Operating System<sup>(e)</sup></b>	<b>System Table Database<sup>(c)</sup></b>	<b>Campaign User Table Database<sup>(c, f)</sup></b>
			<ul style="list-style-type: none"> <li>• Snowflake 9.8.1</li> </ul> <p>(Supported only on RHEL OS)</p>

It is recommended to use software versions that appear in bold in the above list. Starting with Unica 12.0, The end-of-service (EOS) date for HCL Unica products is 3 years after the initial release (official EOS dates are announced approximately 1 year prior to EOS). Products in bold have EOS dates that are on or beyond the EOS date of the HCL Unica product version, and thus will be supported throughout the full-service life of this release. If you use a product that does not appear in bold, be advised that its EOS date may be prior to the EOS of this release.

## Chapter 6. Operating System and Databases supported with HCL Unica Journey

Operating System	System Table Database <sup>(c)</sup>	Kafka Server <sup>(v)</sup>	Application Server	Java/JRE version
Windows Server 2016, 2012R2, <b>2019, 2022</b>	<ul style="list-style-type: none"> <li>• Oracle 19(12.2.0.3)<sup>(o)</sup>, 19.3.0.0.0, 21c (21.3.0.0.0), Oracle RAC 19c (19.0.0.0), <b>Oracle 23 ai</b></li> <li>• SQL Server<sup>(e)</sup> 2014, 2016 SP1, 2017, 2019</li> <li>• MariaDB 10.4.x<sup>(q)</sup>, 10.5.9, 10.6</li> <li>• DB2 11.5, <b>11.5.9</b></li> <li>• <b>PostgreSQL 13.13, 14.10</b></li> </ul>	Kafka Server 2.8.2, 3.4.0, <b>3.9.0</b>  <b>Confluent</b> <b>Kafka 7.4.1</b>	<ul style="list-style-type: none"> <li>• WebSphere 8.5.5 FP26, <b>8.5.5 FP27</b></li> <li>• Tomcat<sup>(p)</sup> v9.0.86, v9.0.96, <b>v9.0.102</b></li> <li>• JBOSS 7.1.x<sup>(l)</sup>, <b>7.2, 7.4</b></li> </ul>	Oracle JDK/JRE 1.8
RHEL <sup>(i)</sup> 7.x, 8.x, 9x	<ul style="list-style-type: none"> <li>• Oracle 19 (12.2.0.3)<sup>(o)</sup>, 21c (21.3.0.0.0), Oracle RAC 19c (19.0.0.0), <b>Oracle 23 ai</b></li> <li>• SQL Server<sup>(e)</sup> 2014, 2016 SP1, 2017, 2019, <b>2022</b></li> <li>• MariaDB 10.4.x<sup>(q)</sup>, 10.5.9, 10.6</li> <li>• DB2 11.5, <b>11.5.9</b></li> <li>• <b>PostgreSQL 13.13, 14.10</b></li> </ul>	Kafka Server 2.8.2, 3.4.0, <b>3.9.0</b>  <b>Confluent</b> <b>Kafka 7.4.1</b>	<ul style="list-style-type: none"> <li>• WebSphere 8.5.5 FP26, <b>8.5.5 FP27</b></li> <li>• Tomcat<sup>p</sup> v9.0.86, v9.0.96, <b>v9.0.102</b></li> <li>• JBOSS<sup>(k)</sup> 7.1.x, <b>7.2, 7.4</b></li> </ul>	Oracle JDK/JRE 1.8
AIX 7.2 TL5	DB2 11.5, <b>11.5.9</b>	Kafka Server 2.8.2, 3.4.0, <b>3.9.0</b>  <b>Confluent</b> <b>Kafka 7.4.1</b>	<ul style="list-style-type: none"> <li>• WebSphere 8.5.5 FP26, <b>8.5.5 FP27</b></li> <li>• Tomcat<sup>(p)</sup> v9.0.86, v9.0.96, <b>v9.0.102</b></li> <li>• JBOSS<sup>(k)</sup> 7.1.x, 7.2, <b>7.4</b></li> </ul>	Oracle JDK/JRE 1.8

It is recommended to use the latest version of the supported software versions highlighted in bold. Products appear in bold are actively supported with HCL Unica Journey.

# Chapter 7. HCL Unica Link Environment Support Details

HCL Unica Campaign and Journey v12.1.10 supports the following HCL Unica Link versions:

HCL Unica Link components	Installable packages and Version
<b>HCL UNICA Link Framework v12.1.9 Multiplatform Multilingual e-Assembly</b>	
HCL Link v1.3.0.1 for Linux	lnk_1.3.0.1_linux.tar.gz
HCL Link v1.3.0.1 for Windows	link_1.3.0.1_24_win64.exe
HCL Unica JDBC Connector v12.1.9	HCL_Unica_JDBC_connector_v12092024.zip
HCL Link Connector DevKit v7.0	LNK_Connector_DevKit_v7.0.zip
<b>HCL UNICA MailChimp Connector v12.1.9 Multiplatform Multilingual e-Assembly</b>	
HCL Unica MailChimp Connector v12.1.9	HCL_Unica_Mailchimp_connector_v30082024.zip
<b>HCL UNICA Facebook Connector v12.1.9 Multiplatform Multilingual e-Assembly</b>	
HCL Unica Facebook Connector v12.1.9	HCL_Unica_Facebook_Ads_connector_v30082024.zip
<b>HCL UNICA LinkedIn Connector v12.1.9 Multiplatform Multilingual e-Assembly</b>	
HCL Unica LinkedIn Connector v12.1.9	HCL_Unica_LinkedIn_Ads_connector_v30082024.zip
<b>HCL UNICA Mandrill Connector v12.1.9 Multiplatform Multilingual e-Assembly</b>	
HCL Unica Mandrill Connector v12.1.9	HCL_Unica_Mandrill_connector_v30082024.zip
<b>HCL UNICA Salesforce Connector v12.1.9 Multiplatform Multilingual e-Assembly</b>	
HCL Unica Salesforce Connector v12.1.9	HCL_Unica_Salesforce_connector_v30082024.zip
<b>HCL UNICA Twilio Connector v12.1.9 Multiplatform Multilingual e-Assembly</b>	
HCL Unica Twilio Connector v12.1.9	HCL_Unica_Twilio_connector_v30082024.zip
<b>HCL UNICA Google Connector v12.1.9 Multiplatform Multilingual e-Assembly</b>	
HCL Unica Google Connector v12.1.9	HCL_Unica_Google_Ads_connector_v30082024.zip
<b>HCL UNICA Twitter Connector v12.1.9 Multiplatform Multilingual e-Assembly</b>	
HCL Unica Twitter Connector v12.1.9	HCL_Unica_Twitter_connector_v30082024.zip
<b>HCL UNICA BATCH PUSH Connector v12.1.9 Multiplatform Multilingual e-Assembly</b>	
HCL Unica BATCH PUSH Connector v12.1.9	HCL_Unica_Batch_Push_Messaging_connector_24112023.zip

The following table describes all the supported version for Unica Link.

<b>Application Server</b>	<ul style="list-style-type: none"> <li>• Apache Tomcat 10.1.28 or later</li> <li>• Node.js 20.10 or later</li> <li>• Redis (Linux) 7.0.15 or later</li> <li>• Redis (Windows) 5.0.14 or later</li> <li>• MongoDB 7.0.15 or later</li> </ul>
<b>Operating System</b>	<ul style="list-style-type: none"> <li>• Windows 10 Enterprise</li> <li>• Windows 10 Pro</li> <li>• Windows 10 or later</li> <li>• Windows Server 2016 or later</li> <li>• Windows Server 2019</li> <li>• Linux Red Hat 8</li> <li>• Linux Red Hat 9</li> <li>• Ubuntu Focal 20.04</li> <li>• Ubuntu Jammy 22.04</li> <li>• Ubuntu 20x or later</li> </ul>
<b>Kafka Server</b>	Kafka Server 2.0.x and later
<b>Java/JRE Version</b>	<p>openjdk 17.0.12 2024-07-16</p> <p>OpenJDK Runtime Environment Temurin-17.0.12+7 (build 17.0.12+7)</p> <p>OpenJDK 64-Bit Server VM Temurin-17.0.12+7 (build 17.0.12+7, mixed mode, sharing)</p>
<b>Additional Information</b>	<p>Refer to the below links for all the supported versions for node.js:</p> <ul style="list-style-type: none"> <li>• <a href="https://github.com/node-source/distributions">nodesource/distributions: NodeSource Node.js Binary Distributions (github.com)</a></li> <li>• <a href="https://github.com/nodejs/node/blob/main/BUILDING.md">node/BUILDING.md at c2e4b1fa9ad0b744616c4e4c13a5017772a630c4 · nodejs/node (github.com)</a></li> </ul>

<b>Application Server</b>	<b>Operating System</b>
HCL OneDB 2.0.0	<ul style="list-style-type: none"> <li>• Windows 10 Enterprise</li> <li>• Windows 10 Pro</li> </ul>

Application Server	Operating System
	<ul style="list-style-type: none"><li>• Windows Server 2016</li><li>• Windows Server 2019</li></ul>

Application Server	Operating System
HCL OneDB 2.0.1	<ul style="list-style-type: none"><li>• Linux Red Hat 7.3 or later</li><li>• Linux Red Hat 8.x or later</li><li>• Ubuntu 18x or later</li></ul>

## Chapter 8. Operating System and Databases supported with HCL Unica Director

Operating System (e)	System Table Database (c)	Active MQ	Java/JRE version
<ul style="list-style-type: none"> <li>Windows Server<sup>(i)</sup> 2016, 2012R2</li> </ul>	<ul style="list-style-type: none"> <li>DB2<sup>(n)</sup> 11.1, 11.5</li> <li>Oracle 12.1.0.1, 12.1.0.2, 12.2.0.1, 19(12.2.0.3)<sup>(n)</sup>, 19.3.0.0.0</li> <li>SQL Server 2014, 2016 SP1, 2017</li> <li><b>MariaDB 10.6</b></li> </ul>	Apache Active MQ version 5.15.7	Oracle JDK/JRE 1.8
<ul style="list-style-type: none"> <li>AIX 7.2 TL4, 7.1 TL5</li> <li>RHEL 7.x, RHEL 8, RHEL 9</li> <li>SUSE 12 SP3</li> </ul>	<ul style="list-style-type: none"> <li>DB2<sup>(n)</sup> 11.1, 11.5</li> <li>Oracle 12.1.0.1, 12.1.0.2, 12.2.0.1, 19(12.2.0.3)<sup>(o)</sup>, 19.3.0.0.0</li> <li><b>MariaDB 10.6</b></li> </ul>	Apache Active MQ version 5.15.7	Oracle JDK/JRE 1.8 AIX - IBM JDK/JRE 1.8

It is recommended to use the latest version of the supported software versions highlighted in bold. Products appear in bold are actively supported with HCL Unica Director.



### Note:

- a. The following are the HCL Unica –JRE/JDK requirements for different application servers. Director 12.1.0.4 is supported with Unica 12.1.10.
  - Oracle WebLogic Application Server is required to be running Oracle/Java JDK 1.8 with update 112 onwards. Other JDKs are not supported (for example, JRockit JDK).
- b. Please find below considerations for WebLogic deployments.
  - Clustering of HCL Unica products is not supported on WebLogic.
  - For Plan deployment in WebLogic patch number 26923558 is required to be applied. For details, go to [https://support.oracle.com/knowledge/Middleware/2331453\\_1.html](https://support.oracle.com/knowledge/Middleware/2331453_1.html).
- c. Support for system and user databases:
  - The environment guide does not include supported environments/system requirements for installation of HCL Unica supported databases. Please refer to the vendor documentation for the respective databases.
  - Support for Oracle database includes both Standard and Enterprise editions.



- JDBC or ODBC drivers are neither bundled nor shipped with Unica products and the customers are required to procure and configure it.
- The following are the supported database drivers:

Database	Supported Driver(s)
MS SQL Server 2014 SP1, 2016 SP1, 2017, 2019, <b>2022</b>	<ul style="list-style-type: none"> <li>▪ Version 6.4 (mssql-jdbc-6.4.0.jre8.jar)</li> <li>▪ Version 7.0 (mssql-jdbc-7.0.0.jre8.jar)</li> <li>▪ Version 7.4 (mssql-jdbc-7.4.1.jre8.jar)</li> </ul>
PostgreSQL 13.1	<ul style="list-style-type: none"> <li>▪ PSQL ODBC 13.02 driver (postgresql-42.5.4.jar)</li> </ul>
Oracle 12c Release (12.1.0.1, 12.1.0.2, 12.2.0.1) Oracle 19c Release (12.2.0.3) <b>Oracle 23ai</b>	<ul style="list-style-type: none"> <li>▪ Oracle 12c Driver – 12.x (ojdbc8.jar)</li> <li>▪ Oracle 19c Driver – 19.x (ojdbc8.jar)</li> <li>▪ Oracle 23.0.0.0.0 ODBC Driver (ojdbc8.jar)</li> </ul>
IBM DB2 11.1.x, 11.5, <b>11.5.9</b>	<ul style="list-style-type: none"> <li>▪ DB2JDBC type4 driver (db2jcc4.jar)</li> </ul>
MariaDB 10.4.x, 10.5.9, 10.6	<ul style="list-style-type: none"> <li>▪ JDBC - MariaDB Connector/J is for Java 8 version 2.5.2</li> <li>▪ ODBC - MariaDB ODBC Connector 3.1.6 for RHEL 8.x and WINDOWS</li> <li>▪ ODBC - MariaDB ODBC Connector 3.2.2 (for RHEL 9.x)</li> <li>▪ ODBC - MariaDB ODBC Connector 3.1.9 for SUSE</li> </ul>
Amazon Redshift	<ul style="list-style-type: none"> <li>▪ Amazon Redshift ODBC driver (1.4.11.1000 – 64-bit)</li> <li>▪ Amazon Redshift ODBC driver version 2.0.0.3</li> <li>▪ Unix ODBC driver manager-2.3.7</li> </ul>
Action Vector 5.1.0	Linux - action-vector-client-6.0.0-129-free-linux-ingbuildx86_64.tgz Windows - same version as of linux
Google BigQuery	SIMBA ODBC Driver – Version 2.1.23, 2.5.2.1004
Cloudera Impala	ODBC Driver 2.6.13
Singlestore	Singlestore ODBC Connector Driver 1.1.1
Trino Build 399	SIMBA ODBC Driver – Version 2.1.0
Hive Database	3.x





Database	Supported Driver(s)
Hadoop	3.2.0
Hive ODBC Driver version	2.7.0.1002, 2.8.0.1000
Snowflake ODBC Driver	3.6.0

- d. Unica products are certified with WebSphere - Base, Express, and Network Deployment (ND) 64-bit editions. For WebSphere - HCL Unica product clustering support is certified with WebSphere Network Deployment (ND) 64-bit edition only. Unica product clustering support is also certified with Tomcat and JBOSS. WAS 8.5.5.26 is supported for Unica 12.1.10.
- e. SQL Server support for Unica Journey is available from version 12.1.0.3 and higher.
- f. This column is applicable for the Unica Campaign family of products. Unica Interact do not support Netezza, Teradata, Amazon Redshift, dashDB, HP Vertica, Databricks or Hadoop for customer profile tables. While using Interact, Campaign and Interact DBs must be of same type, for example, if Campaign system tables are in Oracle, all Interact DBs must also be in Oracle.
- g. Support for Unica Campaign uses data sources on Big Data platforms:
- Hive based Hadoop Big Data user data source is supported only on RHEL Operating Systems.
  - Hadoop Big Data instance running on Hive version 0.14 or higher is supported for the following vendors:
    - IBM BigInsights
    - Cloudera CDH
    - MapR
    - Apache HortonWorks
  - Connections to Hive based Hadoop Big Data instances are supported using select type of drivers and the drivers should be procured directly from the vendor. Following are the supported drivers:
    - Cloudera Hive ODBC Driver version 2.5.16 for Cloudera CDH
    - HortonWorks Hive ODBC Driver for Hadoop (Driver version compatible with Hadoop version)
    - Progress DataDirect Connect64(R) for ODBC Release 7.1.5 for other supported Big Data vendors
    - Progress DataDirect Connect64(R), ODBC Release 7.1.5 version on AIX Operating System for HortonWorks Big Data based on Hive
    - Cloudera Impala ODBC Driver 2.5.41 or higher for Cloudera Big Data based on Impala
  - The listed drivers are neither bundled nor shipped with Unica Campaign and the customer has to purchase/download and configure them.
  - Unica Campaign supports only "TextFile" format with Hive/Impala based Bigdata user data source.
  - Kerberos authentication is supported for Unica Campaign data sources on Hive/Impala based Cloudera Big Data platform and requires Campaign Analytical Server (listener) to be running on RHEL Operating system. Please refer to Unica Campaign installation guide for more details.
- h. Unica Campaign requires a 64-bit driver for DB2 on Windows. IBM DB2 11.1, 11.5, **11.5.9** is supported for system tables and for Campaign user tables only with BLU turned off.



- i. HCL Unica version 12.1.10 supports all versions of RHEL 8.x and up to RHEL 9.3. HCL Unica does not support RHEL running on IBM PowerSystems.
- j. Unica Campaign supports HP Vertica with the following caveats:
  - HP Vertica is supported only on RHEL operating system.
  - Users must install the same version of HP Vertica client as the database version.
- k. JBoss application server versions 7.1.x, 7.2.x, 7.4.x are supported with the following caveats:
  - JBOSS EAP is supported on Microsoft Windows and RHEL Operating systems only ([https://access.redhat.com/articles/2026253#EAP\\_71](https://access.redhat.com/articles/2026253#EAP_71)).
- l. IBM DB2 on z/OS is supported only as user data source with the following caveats:
  - DB2 10.1 z/OS and 11.0 z/OS with RSU1205 and PUT1205 are supported only with “New Function” mode
  - There is no out-of-the-box approach for Loaders on z/OS. Manually, the following procedure can be followed:
    - Set up USS Pipes on z/OS.
    - Write a stored procedure to invoke the DSNUTILU and a script to invoke the stored procedure.
    - Configure the loader to invoke the script.
  - When leveraging temp tables, you must set the parameter “DB2NotLoggedInitially” to “FALSE” in the datasource properties for the database.
- m. IBM dashDB for Analytics is now known as IBM DB2 Warehouse on Cloud.
- n. Oracle database connectivity is also supported with ODBC connection, refer to Campaign Install guide for more details. Oracle Database versions 12.2.x and 19c with native client connectivity are supported with following caveats:
  - On Oracle database server the following parameter needs to be added in “sqlnet.ora” file located under ORACLE\_HOME/network/admin/:
   
  
 SQLNET.ALLOWED\_LOGON\_VERSION\_SERVER
   
  
  - Consult with your DBA for configuring an appropriate value for this parameter. Please refer to below link for more details: <https://docs.oracle.com/database/121/NETRF/sqlnet.htm#NETRF2016>
  - Oracle 19c is also supported with ODBC connectivity, User would not be required to edit the sqlnet.ora parameters as mentioned above while connecting with ODBC.
- o. Teradata Database versions 16.10, 16.20, 17.0 and **17.20** are supported for Unica Campaign user data source with the following caveat:
  - The client and the database version of Teradata needs to be the same.
- p. Tomcat Application Servers 9.0.30, 9.0.45, 9.0.86 are supported with the following caveats:
  - Oracle JDK/JRE v1.8 on Windows is required for deployments on RHEL and SUSE operating systems.
  - IBM JDK / JRE v1.8 is required for deployments on AIX.
- q. MariaDB support has below considerations:
  - MariaDB is not supported as system tables or user tables on AIX operating system.
  - Unica Deliver supports MariaDB from v12.1.0.3 (FP3) onwards.
  - Unica Journey supports MariaDB from version 12.1.0.3 (FP3) onwards.



- r. Unica Campaign supports Actian vector v5.1.0 database as user database from version 12.1.0.4 onwards for RHEL and Microsoft Windows.
- s. Unica Campaign supports Google BigQuery (multiple datasets are also supported) and Trino as user database, only on RHEL OS (versions 2.1.23, 2.5.2.1004). Unica Campaign supports Singlestore as user database, only on Microsoft Windows and RHEL OS.
- t. Unica Campaign supports PostgreSQL version – 14.00.0000 as user database.
- u. PostgreSQL 13.1 and 14.1 Community PostgreSQL Edition is supported as system database for all Unica products except Insight Reports.
- v. Unica Journey is supported on Amazon-managed Kafka: MSK on AWS3. Unica Journey is supported on AMQ Kafka managed by RedShift on OpenShift.

# Chapter 9. Client Web Browser Support

Browser <sup>(a,c)</sup>	Operating System
Safari <sup>(b)</sup> Version 18.3 (20620.2.4.11.5)	MacOS: Sequoia version 15.3.1
Google Chrome for Business edition version 133.0.6943.142 (Official Build) (64-bit).	Windows7 SP1, Windows 8 SP1, Windows 10
Microsoft Edge version 134.0.3124.93 (Official build) (64-bit)	Windows 10

## Chapter 10. Adobe Acrobat Support

Annotations using the Adobe Acrobat markup feature in Unica Plan are supported only on the following browsers:

Browser <sup>(a)</sup>	Operating System	AdobeAcrobat
Internet Explorer 11 (32-bit and 64-bit)	Windows 7 SP1, Windows 8 SP1, Windows 10	Adobe Acrobat Pro 2022



**Note:** For an improved user experience, set your screen resolution to 1600 x 900 and set “Size of the text, apps, and other items” under “Display Setting” > “Scale and layout” to 100%. Lower resolutions can result in some information not being properly displayed. If you use a lower resolution, maximize the browser window to see more content.

## Chapter 11. Directory Server Support

Directory Server	Host Operating System
Microsoft Active Directory <sup>(a)</sup> 2012, 2012R2, <b>2016</b>	Windows
Oracle (Sun) ONE Directory Server Enterprise Edition 11gR2	All OS
IBM Security Directory Server (formerly known as Tivoli Directory Server) 10.0.3	All OS

**Note:**

Windows Integrated Login is available only for HCL Unica products installed on Windows systems through IIS deployment. For details, contact HCL Support.

## Chapter 12. Authentication Provider Support

Authentication Provider	Host Operating System
Windows Active Directory Server 2012, 2012R2, <b>2016</b>	Windows
CASingle Sign On (formerly known as Siteminder) <sup>(b)</sup> 12.5	All OS
IBM Security Access Manager (Formerly known as Tivoli Access Manager for eBusiness) <sup>(a)(b)</sup> <b>9.0.4</b> , 8.0.1.3	All OS
Federated Single Sign-On based on SAML 2.0 standards <sup>(c)</sup>	All OS



### Note:

1. IBM Security Access Manager (formerly known as Tivoli Access Manager for eBusiness) v8.0.1.3 is compatible with HCL Unica as authentication provider.
2. Unica Centralized Offer Management, Unica Interact, and Unica Plan work with HTTP methods such as `GET`, `PUT`, `POST`, `PATCH`, and `DELETE`. By default, these HTTP methods are not enabled on ISAM and Siteminder. For these Unica products to work with ISAM and Siteminder enable these methods.
3. Unica Journey does not support Federated Single Sign-On based on SAML 2.0.

# Chapter 13. Kafka support

## Message Queue Support

For Interact Triggered Messages and Activity orchestrator, Apache Kafka 2.2.2, Kafka 3.4.0, 3.9.0, or later is supported. If Apache Kafka is deployed in a cluster, then Apache ZooKeeper 3.5.5, 3.6.3, or higher is supported.

## Kafka Support for Unica Content Integration

Optionally, in addition to in-memory mode, the Autosync feature for Content Integration framework can work with Kafka version 2.13-2.8.1 and Kafka 3.4.0, 3.9.0.

## Kafka requirement for Deliver

Optional. For Campaign 12.1.2 and higher, Kafka version 2.13-2.8.1 is required for RCT to start and process responses. Refer *Unica Deliver Startup and Admin Guide* on how to configure Kafka for Response and Contact tracker utility.

Kafka version 3.4.0 and 3.9.0 is also supported for Deliver RCT.



## Chapter 14. Redis Support for Unica Interact

Optionally, in addition to Distributed Ignite caching mechanism, the distributed caching feature on the Cloud-native environment for Unica Interact works with Redis version 6.0.

## Chapter 15. Reporting Server Support

Product	ReportingTool	SupportedSystem tables
Unica Campaign Unica Interact Unica Plan Unica Deliver	IBM Cognos Analytics 12.0.3, <b>12.0.4</b> <sup>(a)</sup>	<ul style="list-style-type: none"> <li>• DB211.1, <b>11.5</b></li> <li>• Oracle12.1.0.1, 12.1.0.2, 12.2.0.1, 19(12.2.0.3), 19.3.0.0.0</li> <li>• SQLServer 2014, 2016 SP1, 2017, 2019</li> </ul>
Unica Campaign <sup>(b,c)</sup> , Unica Interact <sup>(b,d)</sup> , Unica Deliver <sup>(b,c)</sup> , Unica Centralized Offer Management <sup>(b,c)</sup>	Insight 4.8.0	<ul style="list-style-type: none"> <li>• DB2 11.1, 11.5</li> <li>• Oracle 12.1.0.1, 12.1.0.2, 12.2.0.1, 19(12.2.0.3), 19.3.0.0.0</li> <li>• SQL Server 2014, 2016 SP1, 2017, 2019</li> <li>• MariaDB 10.4.x, 10.5.9, 10.6</li> <li>• HCL OneDB® V1.0, <b>V2.0</b></li> </ul>
Unica Plan	Insight 4.8.0	<ul style="list-style-type: none"> <li>• DB2 11.1, <b>11.5</b></li> <li>• Oracle 12.1.0.1, 12.1.0.2, 12.2.0.1, 19(12.2.0.3), 19.3.0.0.0</li> <li>• SQL Server 2014, 2016 SP1, 2017, <b>2019</b></li> <li>• MariaDB <b>10.4.x</b><sup>(b)</sup>, 10.5.9, 10.6</li> </ul>
Unica Collaborate	Insight 4.8.0	<ul style="list-style-type: none"> <li>• DB2 11.1, <b>11.5</b></li> <li>• Oracle 12.1.0.1, 12.1.0.2, 12.2.0.1, 19(12.2.0.3), 19.3.0.0.0</li> <li>• SQLServer 2014, 2016 SP1, 2017, <b>2019</b></li> </ul>

Product	ReportingTool	SupportedSystem tables
Unica Campaign <sup>(d)</sup> UnicaDeliver <sup>(d)</sup>	Open Insights	<ul style="list-style-type: none"> <li>• DB2 11.1, <b>11.5</b></li> <li>• Oracle 12.1.0.1, 12.1.0.2, 12.2.0.1, 19(12.2.0.3), 19.3.0.0.0</li> <li>• SQL Server 2014, 2016 SP1, 2017, <b>2019</b></li> </ul>
Unica Campaign  Unica Plan  Unica Deliver  Unica Journey	Superset	Unica Campaign and Unica Deliver <ul style="list-style-type: none"> <li>• Microsoft SQL Server</li> <li>• IBM DB2</li> <li>• MariaDB</li> <li>• Oracle</li> </ul> Unica Journey and Unica Plan <ul style="list-style-type: none"> <li>• MariaDB</li> </ul>

**Note:**

- IBM Cognos Analytics 12.0.3 and 12.0.4 is supported with the following caveats:
  - IBM Cognos Analytics 12.0.3 server requires 32-bit Oracle client libraries to connect to Oracle database server (32-bit or 64-bit).
  - IBM Cognos Analytics 12.0.3 server requires 32-bit DB2 client libraries to connect to DB2 database server (32-bit or 64-bit).
  - IBM Cognos Analytics 12.0.3 server requires 32-bit SQL Server client libraries to connect to SQL Server database server (32-bit or 64-bit).
  - A separate reporting server is required and the minimum system requirements can be found in the IBM Cognos Analytics 12.0.3 and 12.0.4 Installation and Configuration Guide. IBM Cognos Analytics also requires a web server. For full compatibility information for IBM Cognos Analytics 12.0.3 and 12.0.4, see:

<http://www-01.ibm.com/support/docview.wss?uid=swg27047186>

- Unica Insights reports are supported with MariaDB for Unica Campaign, Unica Plan, Unica Deliver, Unica Interact, and Unica COM.
- Unica Insights reports is supported with PostgreSQL for Unica Plan.



4. Multilingual Unica Insights reports are supported for Unica Campaign and Unica Deliver.
5. From Unica 12.1.2 release, Google Looker on-premises version 21.4.22 is supported for Campaign and Deliver Open Insights Offering. Please note, Unica does not support Google Looker Cloud version. Unica supports Oracle, IBM DB2, and SQL Server databases Open data model for Campaign and Deliver products.

## Virtualization Software Support

With every HCL Unica release, HCL Unica products are certified for a specific set of operating systems as listed in this guide. HCL Unica also recognizes the growing presence of hardware virtual machine software and OS-level virtualization software (for example, VMWare, Microsoft Virtual Server, Solaris Containers) in customer environments. Following sections, outline our support policy on the same.

### Support of Virtualization Environments

HCL supports customers who run its products on any of the listed operating systems, irrespective of whether they are running a virtual machine in their environment. HCL supports any product-specific issues that occur while running within a virtual machine; however, HCL does not rigorously test our products inside of any virtual machine. As a result, virtual machines are supported as a compatible environment.

Virtualization software vendors support a set of certified operating systems and hardware. The customer and the virtual machine vendors are responsible for any interactions and/or issues that arise at the hardware or operating system layer as a result of their use of the virtualization software.

### Performance

The use of a virtual machine adds software overhead that may affect performance and/or scalability. Any statements on expected product performance on a hardware platform cannot be interpreted to apply to a virtual machine running on the same hardware platform.

### Troubleshooting Issues

HCL Technical Support is unable to accept virtual images from customers as troubleshooting tools due to licensing concerns with respect to third-party software products, which might be included in those images.

Should HCL customers who use its products inside a virtual machine experience issues, HCL customers will not be required to recreate and troubleshoot every issue in a non-virtualization environment. However, HCL does reserve the right to request our customers to diagnose certain issues in a supported operating system environment without the virtual image. HCL will make this request only when there is reason to believe that the virtual environment is a contributing factor to the issue.

## Chapter 16. Supported Environments Revisions

This section provides an overview of changes in the supported software for this version of HCL Unica products.

## Chapter 17. Newly Supported Software Versions

HCL Unica version 12.1.10 has added support for the following new versions of third-party software.

Supporting Software Entity	Supporting Software Version(s)
Directory Server Support	IBM Security Directory Server (formerly known as Tivoli Directory Server) 10.0.3
Application Server	Apache Tomcat 9.0.102 WebSphere 8.5.5 FP27
Reporting Server Support	IBM Cognos Analytics 12.0.4
Kafka	Apache Kafka 3.9.0

## Chapter 18. Discontinued Support Software Versions

HCL Unica version 12.1.10 has discontinued support for the following versions of third-party software:

Supporting Software Entity	Supporting Software Version(s)
Operating System	RHEL 7.x SUSE 12 SP3, SUSE 12 SP5
Database	HCL OneDB V1.0, V2.0
Application Server	Apache Tomcat v9.0.30, v9.0.45, v9.0.73 IBM WebSphere Application Server 8.5.5.21
Reporting Server Support	IBM Cognos Analytics 11.0.9, 11.2.3