

# **Unica Deliver V12.1.2 Release Notes**



# Contents

Chapter 1. Release Notes	1
Overview	1
System requirements and compatibility	1
New features	2
Fixed defects	4
Known issues	5
Known limitations	13

# Chapter 1. Release Notes

Contains information about new features, defect fixes, and known issues that HCL releases as part of a scheduled software release.

## Overview

Unica Deliver includes the following features.

- Digital Channel Coverage: Seamlessly integrate with an ever-expanding eco system of digital messaging touchpoints, including: email, SMS and more.
- Unified Omni Channel Experience: Leverage the powerful context and continuity offered by the Unica Platform's system of record, ensuring that you reach your customer over the right channel at the right time.
- Flexible Communication Automation: Provides powerful lights-out productivity tools to automate even the most complicated campaigns and the flexibility to build ad hoc campaigns quickly and efficiently.
- Powerful Email & Landing Page Analysis: Analyze with a quick and easy preview of data-driven variants and click through to your landing pages to ensure that your personalization rules are applied perfectly.
- Intuitive A/B Testing: Quickly configure and conduct A/B testing to determine the most effective email design and message content for your audience.
- Insightful Reports and Analytics: Provides accurate out-of-the-box analytics and engagement insights designed to demonstrate communication success and marketing results.

## System requirements and compatibility

For detailed system requirements, see the Recommended Software Environments and Minimum System Requirements guide. This document also describes reporting requirements, added support for third-party software, and third-party software for which support is no longer available. Unica Deliver operates with Unica Campaign. When you install Campaign, several Deliver components and tables are automatically installed as part of the Campaign installation. You cannot install Deliver software, system tables, or the Deliver report pack separately. Installing these components makes the Campaign installation ready to support hosted email. However, you cannot begin to compose, send, and track email until you subscribe to Deliver.

When you request an Deliver subscription, Unica consults with you to activate your account and establish your reputation as an email marketer with leading ISPs around the world. You can also choose other channels such as SMS, Push or Whatsapp and Unica will work with you to establish your account for respective channel. For more information about enabling and configuring Deliver after you purchase a subscription, see the Unica Deliver Startup and Administrator's Guide.

For more information about installing Deliver with Campaign, see the Unica Campaign Installation Guide and the Unica Campaign Release Notes®.

Unica Deliver also works seamlessly with Unica Journeys and Unica Interact to deliver messages on required channels. You can refer documentation of respective product for more information on how to integrate Unica Deliver.

## New features

Unica Deliver V12.1.2 includes the following features.

#### Send time optimization

Deliver allows users to send scheduled email mailings with send time optimization, which delivers emails to recipients when they are most likely to open the message.

#### In-App push notifications support added

Deliver supports In-App (rich) iOS and Android push notifications in addition to native push. Quick Builder is enhanced to design In-App push communications.

#### Landing page support in Quick builder

Quick builder allows users to design and use landing pages in Email, SMS and In-App push communications.

#### Improvements to Response and Contact tracker (RCT) utility

Response and Contact tracker (RCT) utility now uses Kafka as a queueing mechanism to distribute response processing amongst multiple consumers leading to enhanced throughput and scale to multiple nodes if needed to process large number of responses. For Campaign 12.1.2 and higher, Kafka is required for RCT to start and process responses. Refer Unica Deliver Startup and Admin guide on how to configure Kafka for Response and Contact tracker utility.

#### Unicode characters and India DLT regulations support for SMS in Quick builder

Unicode characters are supported in SMS communications allowing users to build SMS for more languages like Indian, Asian, etc. Also, SMS supports Indian customers to design SMS templates within DLT restrictions of using only approved SMS templates and passing additional identity details while sending messages to operators.

#### Thumbnails for communications in Quick builder

Users can work with Email and SMS communication listing in thumbnail view, which allows them to easily identify communications visually.

#### Personalization fields improvements in Quick builder

Email, SMS, and In-App communications now support inserting personalization fields (PF) by typing # character. The PF listing is filtered out based on the characters typed by user after pressing #, which allows them to use required PF easily.

#### Open Insights supports Unica Campaign

Unica Open Insights now supports Unica Campaign. Some features are:

- Supports default audience reports as well as custom audience reports.
- All audiences contact data and history data are stored in new tables.
- Provides historical reporting even if you purge Contact History, Detailed Contact History, or Response History data.

## **Fixed defects**

#### Version 12.1.2

This section lists fixed defects in Unica Deliver, version 12.1.2.

lssue	Issue ID	Description
Highlighted text in email communication cannot be deleted (using Quick Builder)	HMA-333350 , HMA-333299	Highlighted text in email communication cannot be deleted (using Quick Builder) when the text is selected and pressed space, Delete or backspace.
ace_op_systab_ <dbname> unicode script is incor- rect for Trigger UCC_INS RESPONSE</dbname>	HMA-330283	There was some syntax issues in ace op_systab_ <dbname> unicode script.</dbname>
Mailing instance filter is not showing for long campaign id.	HMA-333837	Mailing instance while running Deliver re- port was coming as blank.
Scrolling through Content in Quick Builder causes problems. Screen flickering continuously.	HMA-333302 , HMA-333351	With large number of images in content picker, the scrolling in Quick builder was having screen flickering issues.
Send and Cancel button was not visible on Test Send with Customer Set- tings Popup for A/B Mail- ing.	HMA-332950, HMA-332977	Send and Cancel button not visible on Test Send with Customer Settings Popup for A/B Mailing.
SQLServer script, ac- er_scripts_sqlserver.sql may have error on execu-	HMA-330749	There were some errors in executing ac- er_scripts_ <dbtype>.sql.</dbtype>

tion for fresh install or up- grade.		
Some of the labels are not localized for offer inte- gration screens in Quick Builder.	HMA-324189	Some of the labels for offer integration screens are displayed in English for non- English users in Quick Builder.
Some of the labels are not localized for Push,email, and offer integrations.	HMA-324192, HMA-324189	Some of the labels for Push, email, and offer integration screens are displayed in English for nonEnglish users in Quick Builder.
The deleted email commu- nications in Quick Builder goes to the Recycle bin of the legacy editor.	HMA-320657	Communications deleted from Quick builder goes to the Recycle bin of legacy editor.

## Known issues

#### Version 12.1.2

This section lists known issues in Unica Deliver, version 12.1.2.

Issue	Issue ID	Description
URL does not gets convert- ed to a short link if Per- sonalization Fields exist in the URL	HMA-347128	If you use Message Editor to create an SMS with URLs hav- ing Personalization Fields, the URLs will not be shortened in the delivered SMS. <b>Workaround</b> : If SMS' has URLs with Personalization Fields, create the SMS using Quick Builder.
SmartURL application not working	HMA-338237	We have disabled SmartURL due to which short URLs will not work. If you use direct links in messages it increases the length of the message resulting in the increase of number of

currently in Unica Deliv- er.		messages. The increased number of messages will impact SMS billing.
In APP Push is not getting published if you copy- and-paste TEXT with any format- ing.	HMA-335581	In APP Push is not getting published if you copy-and-paste TEXT with any formating (for example, text with color). <b>Workaround</b> : First, copy-and-paste the text to a text-based editor to re- move all formatting, and then copy-and-paste it from the text-based editor to In APP Push communication and format it as per your requirement.
Push is not received to users if it has any BUILTIN per- sonalization field used in communica- tion.	HMA-334434	Push is not received to users, if it has any BUILTIN personal- ization field used in communication. BuiltIn personalisation fields starts from BUILTIN, when you type #. Ensure that you do not use this while creating Push communication.
All the sim- ple and In App Push communica- tions creat- ed in Quick builder are listed and displayed in Message Ed- itor.	HMA-333372	All the simple and In App Push communications created in Quick builder are listed and displayed in Message Editor. You should avoid opening or updating this communications from Message Editor as this will lead to issues.

For In App Push com- munica- tion, videos browsed from Con- tent pick- er does not get added or loaded on Safari.	HMA-334105	When user creates an In App push on Safari and adds videos from Content picker, the videos do not add or get loaded. Workaround: Use chrome on Mac to create In APP Push having videos or use public videos on Safari and do not add from Content picker.
Thumbnail generated content is not clear in IE browser.	HMA-332554	It is a browser specific compatibility issue, in which IE 11 does not support image with letters or words in it when compressed. So, the images get distorted.
Some videos may not play in final In App Push no- tification in Android or iOS devices	HMA-333918	Some videos may not play in an In App Push notification re- ceived on Android or iOS devices. Workaround : Videos must be formatted according to codec required by such device so that they can play. The general requirements for videos to play on Android or Ios devices are h264 encoding. Only MP4 / H264 videos are supported for In APP Push notifications, youtube videos public links are not supported.
CTRL + Z operation changes se- lected per- sonalization	HMA-334051	On performing CRTL+Z, the selected personalization field changes to undefined in email, SMS, and Push. Do not do Ctrl + Z, otherwise you may face issues .

field to un- defined in email, SMS, and Push		
Two de- livered re- sponses for a In APP Push sent - push.deliv- ered and in- App.deliv- ered	HMA-333512	For every In App push delivered, two response events are re- ceived. For example – If "In APP Push" communication is sent to one user and it is delivered then we will get two deliv- ered responses for this one recipient, that is, push.delivered and inApp.delivered in uace_mobileevent campaign system table and also two delivered responses are displayed on Push Message Summary Report for In APP Push Mailing. Al- so, custom responses for In APP Push are not supported for Push Message Summary Report. This is not applicable to Simple Push.
User is not able to log in to Plat- form after upgrade to 12.1.1, in case Deliv- er is config- ured.	HMA-330433	Execute the following query on Platform database. select * from usm_role_role_map where role_id = (select ID from usm_role where name='Deliver_admin' and application=101 and partition_id=<>) Specify actual partition id in above query, default for parti- tion1, partition id =1, it varies for multiple partitions. If above result in more than one row, contact HCL support to help in executing the following delete query. Delete one of the duplicate record of "Deliver_admin" role by running be- low query. delete from usm_role_role_map where role_id = (se- lect ID from usm_role where name='Deliver_admin' and application=101 and partition_id=<>) and paren- t_role_id= <partition_id> For example, for partition id =1</partition_id>

	l	
		<pre>delete from usm_role_role_map where role_id = (se-</pre>
		lect ID from usm_role where name='Deliver_admin'
		and application=101 and partition_id=1) and paren-
		t_role_id=1
An error	HMA-318695	An error occurred while linking offer to the content in Google
occurred		Chrome browser due to"sameSite" security feature intro-
while link-		duced by Google for Chrome browser.
ing offer to		Workaround: Offer integration, that is, assigning Campaign
the content		offers to content (either in Quick Builder or in existing Mes-
in Google		sage Editor) will work on Chrome and Safari browsers with
Chrome		the following settings depending on the application server
browser.		where Campaign is deployed.
		<ul> <li>If Campaign is deployed in Websphere. Offer integra-</li> </ul>
		tion works only if Campaign is configured for SSL and
		WebSphere version is 8.5.5.18 or higher along with the
		following settings.
		<ul> <li>Create the following custom property on WAS</li> </ul>
		admin console at Enterprise Applications >
		Campaign war > Session management > Add
		NewCustom property.
		Custom Property Name: CookieSameSite
		Custom Property value: None
		<ul> <li>Restart WebSphere.</li> </ul>
		<ul> <li>If Campaign is deployed in Tomcat: Offer integration</li> </ul>
		works only if Campaign is configured for SSL along
		with the following settings.

		<ul> <li>Add the following sameSiteconfiguration in context.xml file for Tomcat.</li> <li><cookieprocessor_samesitecook-ies="none"></cookieprocessor_samesitecook-ies="none">?</li> <li>Restart Tomcat.</li> <li>If Campaign is deployed in JBOSS or WebLogic: Offer integration works if Campaign is configured for SSL and only in IE11 and Safari. It will not work on Chrome.</li> </ul>
Images donot dis- play in email and onlyDe- liver CMS is- supported for Offer inte- gration.	HMA-324983	In Quick Builder, the images from CMS other thanDeliver- CMS do not display in email, if link is assigned to those im- ages. Also, with offer integration, no CMS other than Deliver CMS is supported.
Unable to ac- cess Mes- sage Edi- tor or Quick Builder on Safari brows- er.	HMA-324964	Users are unable to access Message Editor or Quick Builder on Safari browser. Workaround: To access Message editor or Quick Builder in Safari browser, apply the following settings in Safari brows- er. 1. Navigate to <b>Safari&gt; Preferences &gt; Privacy</b> tab. 2. Deselect first cross site check box. 3. Relaunch Safari.
Extra rows as univer- sal link gets added inuc- c_container- URLtable,	HMA-325523	If URL conditioning is implemented in email, then some ex- tra rows gets populated in ucc_container URL table which may impact Detailed link by cell report and Detailed link re- port.

if URL con- ditioning is done in email.		
On Safari browser background screen gets distorted, when you choose im- age while creating Push com- munication in Quick Builder.	HMA-325498	On Safari browser, the background screen gets distorted, when you choose image while creating Push communica- tion in Quick Builder. This is the background screen which gets distorted hence you can ignore this.
No glob- al search for commu- nications in Quick Builder.	HMA-323184	Communications searched in Quick Builder is not global, the search is only applied on the selected folder.
Emailcom- munica- tions do not support dy- namic con- tent in Quick Builder.	HMA-321083	In Quick Builder - Content lists all type of contents (gener- ated from legacy Message Editor). New email communica- tions do not support inserting the dynamic content in email. In such cases email publish do not work.

ſ	r	F
Interoperabil- ity :Email co- munications created, edit- ed or saved in legacy Message Editor are not support- ed in Quick Builder. Interoper- ability :Drop- pable zone is not displayed for duplicat- ed block and they cannot be edited in legacy Mes- sage Editor as well.	HMA-323244	You can observe some issues if the email communications created, edited, or saved in legacy Message Editor is opened in Quick Builder. In Quick Builder while creating email communications, if a droppable zone is added and if the same email communi- cation is opened in legacy Message Editor, then droppable zone for duplicate block is not displayed and they cannot be edited as well.
Interoperabil- ity :Format- ing issues for Image tool box in legacy Mes- sage Editor.	HMA-323218, HMA-323234	If border, width, and radius is applied to an image while de- signing email in Quick Builder and if same email is opened in the legacy Message Editor, the border, width, and radius are not displayed. While designing email in Quick Builder, if a value isprovided for the width of an image and if the same email is opened in legacy Message Editor, the width is always shown as 100%, although user can edit it manually.

While designing an email in Quick Builder, if a link is provid- ed to an image and if the same email is opened in legacy Message Editor, the image is not displayed.
While designing an email in Quick Builder, if an imageis added and if the same email is opened in the legacy Mes- sage Editor, then a link with "#" as a value gets assigned to the image.
Sometimes, you may observe issues, if emails are saved and published in the legacy Message Editor which were de- signed in Quick Builder.

## **Known limitations**

This section lists known limitations in Deliver.

Issue	Issue ID	Description
Deliver is not support- ed in Google's Incog- nito mode	HMA-313067	Deliver is not supported in Google's Incognito mode of Chrome browser.
SMS - Single flow- chart schedule can- not be used for email and SMS.	HMA-312518	A single campaign flowchart schedule can be used to schedule multiple email mailings but it does not work in same way with SMS. For SMS single flowchart schedule cannot be used for multiple instances.
Social media icons are not displayed for "view as webpage" functionality.	HMA-310734	Sometimes, hyperlink functionality is disabled. Users can see the link name, but are unable to click it.

Issue	Issue ID	Description
Document editor throws locking issue sporadically.	HMA-307315	A locking issue is sporadically observed in the Message editor. Workaround: Copy the content / mailing and continue.
Partition2Admin is unable to add base content.	HMA-311117	The application throws an exception when the user logs in as Partition2Admin and creates mailings. Users must first create folder and then create mailings.
Continuous RCT restart attempts on UNIX™ systems	HMA-312474	On UNIX <sup>™</sup> systems, if the RCT is running as a daemon and you then issue the rct.sh start command, the system continues to attempt to start the RCT. The expected behavior is that rct start should exit when it detects that the RCT is already running. This does not happen on Windows <sup>™</sup> systems.
Email addresses can- not exceed 64 char- acters	HMA-312476	Deliver will not send email messages that con- tain a <b>To:</b> address that exceeds 64 characters (excluding the domain name). If a mailing contains email with addresses over 64 characters long, the individual email mes- sages will fail pre-execution validation when you run the mailing. Deliver will mark the failed emails as having invalid email addresses and send the rest of the mailing.
Navigating away from the Document Com- poser ends the ses-	HMA-312477	When you are editing an email or landing page document in the Deliver Document Compos- er, navigating to another page (for example, to view a mailing tab) ends the Document Com-

Issue	Issue ID	Description
sion without saving		poser session. The system prompts you to
changes		confirm that you want to leave the page, but it
		does not prompt you to save your changes. You
		changes are lost if you do not save the page
		before you navigate away from the Document
		Composer.
		To avoid this issue, save your changes before
		you navigate away from the Document Com-
		poser.