

Unica Campaign V12.1.9 Release Notes



Contents

- Chapter 1. Release Notes for version 12.1.9..... 3**
 - System requirements and compatibility.....3
 - Prerequisites for using Unica Campaign..... 3
 - Unica Campaign documentation roadmap..... 4
 - Google Chrome and Microsoft Edge configuration..... 7
 - New features and changes in version 12.1.9..... 8
 - Fixed defects in Unica Campaign..... 10
 - Known issues in Unica Campaign..... 11
 - Known issues in Optimize.....20
 - Known limitations in Unica Campaign..... 23
 - Known limitations in Unica Optimize.....31

Chapter 1. Release Notes for version 12.1.9

Contains information about new features, defect fixes, and known issues in Unica Campaign and Optimize that HCL releases as part of a scheduled software release.

System requirements and compatibility

Unica Campaign is part of the Unica suite of products. Unica Campaign version 12.1.9 requires Unica Platform 12.1.9

Where to find complete system requirement and compatibility information

For a list of Unica product versions compatible with this product and a list of third-party requirements for this product, see the *Recommended Software Environments and Minimum System Requirements* document.


You can also access this document by selecting **Help > Product documentation** when you are logged in to Unica.

Prerequisites for using Unica Campaign

Before you begin using Unica Campaign, confirm that your environment meets the following requirements.

- For an improved user experience, use at least a 21" screen.
- For an improved user experience, set your screen resolution to 1600 x 900. Lower resolutions can result in some information not being properly displayed. If you use a lower resolution, maximize the browser window to see more content.
- A mouse is best for navigating in the user interface.
- Do not use the browser controls to navigate. For example, avoid using the Back and Forward buttons. Instead, use the controls that are in the user interface.
- If pop-up blocker (ad blocker) software is installed on the client machine, Unica Campaign might not function properly. For best results, disable pop-up blocker software while running Unica Campaign.
- Ensure that the technical environment meets the minimum system requirements and the supported platforms.*
- The correct browser and versions must be used.*
- Clear the browser cache after upgrading or applying any fix pack. This only needs to be done once, after the application is updated.
- If you use Internet Explorer (IE) with Unica Campaign or any module that uses Unica Campaign flowcharts (Unica Deliver, Unica Optimize, Unica Interact, Unica Collaborate): To log in multiple times to view side-by-side information,

open IE and log in to Unica. Then select **File > New Session** in the IE menu bar. In the new IE browser window, log in to Unica as the same or a different user.

 **Important:** Do not use any other method to open multiple sessions. For example, do not open a new tab; do not open another browser session from the **Start** menu or desktop icon; and do not use **File > New Window** in IE. These methods can corrupt information that is shown in the application.

*For details on the items indicated by an asterisk, see the *Unica Recommended Software Environments and Minimum System Requirements*.

Unica Campaign documentation roadmap

Unica Campaign provides documentation and help for users, administrators, and developers.

Table 1. Get up and running

Task	Documentation
Find out about new features, known issues, and limitations	Unica Campaign Release Notes
Learn about the structure of the Unica Campaign system tables	Unica Campaign System Tables and Data Dictionary
Install or upgrade Unica Campaign	One of the following guides: <ul style="list-style-type: none"> • Unica Campaign Installation Guide • Unica Campaign Upgrade Guide
Unica Insights Reports for Unica Campaign	Unica Insights Installation and Configuration Guide
Implement the IBM Cognos® reports provided with Unica Campaign	Unica Reports Installation and Configuration Guide

Table 2. Configure and use Unica Campaign

Task	Documentation
<ul style="list-style-type: none"> • Adjust configuration and security settings • Prepare Unica Campaign for users • Run utilities and perform maintenance • Learn about integrations 	Unica Campaign Administrator's Guide

Table 2. Configure and use Unica Campaign (continued)

Task	Documentation
<ul style="list-style-type: none"> • Create and deploy marketing campaigns • Analyze campaign results 	Unica Campaign User's Guide
Improve flowchart performance	Unica Campaign Tuning Guide
Use Unica Campaign functions	Macros for HCL Unica

Table 3. Integrate Unica Campaign with other HCL products

Task	Documentation
Integrate with Acoustic	Campaign and Acoustic Integration Guide for IBM Marketing Cloud
Integrate with Coremetrics	<p><i>Unica Campaign Administrator's Guide</i>: How to configure the integration</p> <p><i>Unica Campaign User's Guide</i>: Targeting IBM Digital Analytics segments in Campaigns</p>
Integrate with Unica Plan	Unica Plan and Unica Campaign Integration Guide
Integrate with Opportunity Detect	<p><i>Unica Campaign Administrator's Guide</i>: How to configure the integration</p> <p><i>Opportunity Detect Administrator's Guide</i> and <i>Opportunity Detect User's Guide</i>: How to administer and use the product</p>
Integrate with Unica Deliver	<p><i>Unica Campaign Installation and Upgrade guides</i>: How to install and prepare Deliver components in the local environment.</p> <p><i>Unica Deliver Startup and Administrator's Guide</i>: How to connect to the hosted messaging resources.</p> <p><i>Unica Campaign Administrator's Guide</i>: How to configure offer integration.</p>
Integrate with IBM SPSS Modeler Advantage Enterprise Marketing Management Edition	<i>Unica Campaign and IBM SPSS Modeler Advantage Enterprise Marketing Management Edition Integration Guide</i>
Integrate with IBM WeatherFX.	You can integrate IBM WeatherFX with Campaign so that you can pull weather events into your marketing campaigns. Unica Campaign version 9 and version 10 users can integrate with WeatherFX by using the UBX toolkit.

Table 3. Integrate Unica Campaign with other HCL products (continued)

Task	Documentation
Integrate with Unica Director.	<i>Unica Director Installation Guide</i> : You can integrate Unica Director with Campaign so that you can get status of all the running/completed/failed flowcharts, migrate Campaigns from one Unica Campaign environment to other, download/delete flowchart logs etc.
Integrate with Journey	Unica Campaign can integrate with Journey so that a continuous communication with users can be established based on the inputs from Campaign. Refer Campaign Administrators guide > Unica Campaign and Unica Journeys integration
Integrate with Link	Unica Campaign uses Link capabilities of connectors which include the configuration and provisioning to connect to any delivery channel. Refer Campaign Administrators guide > Unica Campaign and Unica Link integration
Integrate with Segment Central	Unica Campaign can integrate with Segment Central so that a segments can be created and managed based on the inputs from Campaign.
Integrate with Audience Central	Unica Campaign can integrate with Audience Central so that a audiences can be identified and managed based on the inputs from Campaign.



Note: Additional integrations may be available that are not listed in this table.

Table 4. Develop for Unica Campaign

Task	Documentation
Use the REST API	See the Unica Campaign REST API
Use the SOAP API	<ul style="list-style-type: none"> • See the Unica Campaign SOAP API Specification • JavaDocs in devkits\CampaignServicesAPI

Table 4. Develop for Unica Campaign (continued)

Task	Documentation
Develop Java™ plug-ins or command-line executables to add validation to Unica Campaign	<ul style="list-style-type: none"> • See the Unica Campaign Validation PDK Guide • Java-docs in <code>devkits\validation</code>

Table 5. Get help

Task	Instructions
Open online help	<p>When using the Unica Campaign application:</p> <ol style="list-style-type: none"> 1. Choose Help > Help for this page to open a context-sensitive help topic. 2. Click the Show navigation icon in the help window to display the full help. <p>You must have web access to view context-sensitive online help. Contact Support for more information about accessing and installing Knowledge Center locally for offline documentation.</p>
Get PDFs	<p>When using the Unica Campaign application:</p> <ul style="list-style-type: none"> • Choose Help > Product documentation to access Unica Campaign PDFs. • Choose Help > All Unica documentation to access all product PDFs. • Click the links for PDFs during the installation process.

Google Chrome and Microsoft Edge configuration

Recently, the browsers Google Chrome and Microsoft Edge updated a security fix and this security fix affects the access of Unica applications. We have received some issues from our customers like:

- issues with UI
- getting logged out from Unica

These issues are observed due to the change of behavior in browsers after applying the security fix. Applying the security fix automatically enables **Origin-keyed Agent Clusters by default**. If the setting **Origin-keyed Agent Clusters by default** is enabled automatically, it prevents changes in document referrer and domain values so that malicious websites cannot execute any type of impersonation. The setting **Origin-keyed Agent Clusters by default** existed earlier as well, but was not enabled by default.

If you update Google Chrome or Microsoft Edge to the latest version, you will observe the earlier mentioned issues. Because of how Unica is designed and because the Unica suite is deployed over multiple JVMs, it is essential that you disable the **Origin-keyed Agent Clusters by default** setting for Unica to function correctly and to provide a good user experience.

As a solution, we recommend that you perform the steps mentioned in the following Knowledge Base article: https://support.hcltechsw.com/csm?id=kb_article&sysparm_article=KB0107185.



Note: The update to Microsoft Edge browser is very recent and the Knowledge Base article is not yet updated for the Microsoft Edge browser.

The CliffsNotes solution is as follows:

1. Open your browser and navigate to one of the following URLs based on your browser:
 - **Google Chrome:** <chrome://flags/#origin-agent-cluster-default>
 - **Microsoft Edge:** <edge://flags/#origin-agent-cluster-default>
2. From the dropdown of the highlighted parameter **Origin-keyed Agent Clusters by default**, select `Disabled`.
3. At the bottom of the page, click the **Apply Changes** button.
4. Log out of Unica applications, log back in, and verify if everything is working as expected.

New features and changes in version 12.1.9

Unica Campaign 12.1.9 includes a number of new features and changes. These are listed underneath.

For a list of newly supported and discontinued platforms, see the Recommended Software Environments and Minimum System Requirements guide.

Upgrade Paths

Unica Campaign supports the following upgrade paths:

- 12.1.x → 12.1.9
- 12.1.0.x → 12.1.9

Customers on versions earlier than 8.6.x must:

- perform a Fast Upgrade from existing version to version 8.6.0 (for more information, see *HCL Unica 8.6.0 Fast Upgrade Guide*).
- perform a Fast Upgrade from version 8.6.0 to version 12.1.0 (for more information, see *HCL Unica 12.1.0 Fast Upgrade Guide*).
- perform an in-place upgrade from version 12.1.0 to version 12.1.9.

Customers on versions earlier than 11.1.x.x can:

- perform a Fast Upgrade from existing version to version 12.1.0 (for more information, see *HCL Unica 12.1.0 Fast Upgrade Guide*).
- perform an in-place upgrade from version 12.1.0 to version 12.1.9.

Customers on versions 11.1.x.x/12.0.x.x can use one of the following options for upgrade:

- **Option 1**
 - perform an in-place upgrade from existing version to version 12.1.0.
 - perform an in-place upgrade from version 12.1.0 to version 12.1.9.
- **Option 2**
 - perform a Fast Upgrade from existing version to version 12.1.0 (for more information, see *HCL Unica 12.1.0 Fast Upgrade Guide*).
 - perform an in-place upgrade from version 12.1.0 to version 12.1.9.

Campaign Instrumentation

We have integrated OpenTelemetry with Campaign which helps us to continuously observe and analyze the health status of all individual components involved in the campaign. This helps identify potential failures or bottlenecks across different parts of the system.

Ability to mention mailing name through Deliver PB configuration

Previously, when running the Deliver PB with the "Create New Mailing" option, the mailing name was automatically generated with default names like mailing1, mailing2, and so on. Now, users have the flexibility to specify their desired mailing name directly through the Deliver PB configuration.

Apache Superset Support

Apache Superset is an open-source data visualization and exploration tool for business intelligence. It enables users to query, analyze, and visualize data from diverse sources through interactive dashboards and SQL Lab. With features like drag-and-drop chart building and embedding dashboards via SDK or iframe, it simplifies data-driven decision-making.

Support for Querying Multiple Datasets in BigQuery via ODBC

Enhance ODBC connection functionality to support querying tables across multiple datasets within a BigQuery project.

Replacing a third party paid library with an open source alternative

Campaign has 3D charts to represent data in the Reports section. Similarly Optimize has 3D charts in analytics. Earlier we were using a paid third party charting library - Syncfusion, now we have replaced this paid library with a more robust and open source alternative Apache E charts library.

Campaign TimeZone Enhancement

This update enhances timestamp accuracy across logs and UI components by allowing users to configure timezones, ensuring consistent and localized timing for all campaign-related activities.

Fixed defects in Unica Campaign

The following defects were fixed in Unica Campaign 12.1.9.

Issue ID	Description
HMA-369798	Callout process does not spool anything.
HMA-371102	Count Mismatch while Executing in Process Boxes.
HMA-369718	Not able to profile table on audience ID field when tables loaded from catalog.
HMA-366754	SQL query causing error when mapping Postgres SQL database.
HMA-369501	Unica function causes flowchart failure. (dataSource based on the BigDataODBCHiveTemplate)
HMA-366930	Chinese Words should be Vertical.
HMA-366743	ID is appearing instead of schema name in system formed SQL query causing error.
HMA-369516	10404 Error when Mailist or dotted line connected to CallOut processes is tried to delete.
HMA-365460	ERROR: Numeric data overflow while using RedShift table as input & Output to Redshift.
HMA-364838	Malformed date for parameterized Offer attribute
HMA-357705	In 12.1.6, the new "Flowchart Version/History" bar situated on the right side of a flowchart buries the scroll bar for that flowchart behind it.
HMA-365206	Can't see a new field added to a general table in track process box
HMA-360864	Maillist process box fails on first run with constraint error
HMA-367243	While using a custom attribute the exported field value in contact history table is truncated one.
HMA-373637	Superset Reports : Getting an error on opening few reports under dashboard for DB2
HMA-374185	Superset Reports : Response Rate value mismatched when compared to Campaign Reports
HMA-360444	After adding nosniff header cancel button not working in Optimize.

HMA-367183	Cell Variable Crosstab report in Campaign not returning for View Table Mode
HMA-371932	Process box hang when selecting data from segment table.
HMA-353457	Customer ran security scan against our included jre directory. They have found vulnerability issues.
HMA-322379	12.1 DOCUMENTATION DEFECT -- Need to include more specifics on how to configure Listener for SSL in 12.1
HMA-320165	Documentation: Campaign schema guide reference to absolute path for triggers
HMA-331115	Doc: Loader is supported for Amazon Redshift as user db.
HMA-355220	DOCUMENTATION DEFECT -- Need definition for Error code 11426 added to Campaign admin guide
HMA-341345	documentation for using RAW SQL in extract process box
HMA-369314	Unica Custom Attributes are not accepting any dates beyond year 1970
HMA-373443	Snowflake DB : Snapshot PB is giving error when trying to export timestamp related field into DB table.
HMA-351173	Synchronous trigger is successful even if exit code 1 is passed.
HMA-374501	UNICA campaign snapshot boxes display is empty

Known issues in Unica Campaign

Unica Campaign 12.1.9 includes the following known issues.

Issue ID	Description
HMA-375078	Superset Reports: In the "Offer Campaign Listings" Report Initiative column is blank not mentioned NA or '-' .
HMA-375102	Superset Reports: UI level,"add one more filter for the campaign details in "campaign detailed offer response breakout report"
HMA-373903	Superset Reports: Titles missing in Campaign Performance Summary By Offer Report as compared to Campaign report
HMA-375384	Superset Reports: "Best Offer Lift Over This", "Lift Over Worst Offer" columns need to be hide

HMA-375827	Superset Reports: DB2_Data mismatched and offer given values axis not available in the DASHBOARD report "Offer responses for last 7 days"
HMA-374646	Superset Reports: received unexpected error in the Campaign Performance Summary by cell .
HMA-374855	Superset Reports: "What if" offer financial summary" report not available
HMA-375504	Superset Reports: SQL_DB Received unexpected error in the Report "Campaign Performance Summary by Offer"
HMA-373443	Snowflake DB : Snapshot PB is giving error when trying to export timestamp related field into DB table
HMA-374928	Deliver PB: The title 'All Mailing' doesn't display to user after opening 'Select Mailing' window to search mailing.
HMA-362779	PRE - Deliver_PB: If user changes communication channel from Email/SMS to select channel option and clicks on dropdown then the previous option shows selected.
HMA-362807	Deliver_PB: If user create and run flowchart and changes the name of the mailing generated while running flowchart then the updated name is not visible in the "Select mailing name and execution" field.
HMA-363195	Segment Process Configuration Popup Glows Each Time While Selecting Segments
HMA-341415	HCL OneDB Datatype mismatch issue between Unica system tables and temp tables
HMA-359362	Weblogic 14 :Lock/Unlock & Concurrent user features might not work with real time due to request time out
HMA-354628	Show Decimal Separator According To Locale In Campaign Fusion
HMA-353806	Time required to open any campaign or flowchart is increased.
HMA-353697	Tooltip Fluctuations On New UI
HMA-352709	Flowchart lock/unlock not reflecting if user is already in view mode.
HMA-353535	FC run label is not updated with current fc run status when FC run triggered through Collaborate

HMA-344732	Flowchart Running Icon on toolbar keeps spinning even when flowchart is in Paused state
HMA-344476	Search optimize session not working 2nd time
HMA-343764	Weblogic : partial Error messages are displayed for Campaign Error messages
HMA-342778	Publish Offer - Campaign- Contact are not getting generated as per package id in Campaign table for multiple offers
HMA-327170	For Docker environment, getting a "Failed to load data" error on Schedule management page if user continuously clicks on pagination (Next button).
HMA-338254	BigQuery database : Cell size limit causing the Flowchart to hang
HMA-337564	BigQuery : table mapping, default string size is taken as Maximum
HMA-330433	User is not able to login to platform after upgrade to 12.1.1 in case Deliver is configured.

Resolution

Execute below query on Platform database :

```
select * from usm_role_role_map where role_id = (select
ID from usm_role where name='Deliver_admin' and
application=101 and partition_id=<>)
```

Specify actual partition id in above query , default for partition1 , partition id =1 , it varies for multiple partitions.

If above result in more than one row , contact HCL support to help in executing below delete query - delete one of the duplicate record of *D*eliver_admin role by running below query :

```
delete from usm_role_role_map where role_id =
(select ID from usm_role where name='Deliver_admin'
and application=101 and partition_id=<>) and
parent_role_id=<partition_id>
```

For example , for partition id =1 ,

	<p>delete from usm_role_role_map where role_id = (select ID from usm_role where name='Deliver_admin' and application=101 and partition_id=1) and parent_role_id=1</p>
HMA-306095	<p>Production documentation links on Campaign installer are broken. See the documentation available along with product installers.</p>
HMA-310126	<p>eMessage instances in Campaign uninstall folder – these can be ignored. Unica no longer support eMessage.</p>
HMA-312231	<p>Campaign swagger APIs will not work only on swagger page when marketing platform login method is set to Web Access control.</p>
HMA-13460	<p>When the Export to File option is unchecked on the Fulfillment tab of the Mail List process, the Summary File option is enabled but should not be.</p>
HMA-175825	<p>When <code>defaultBehaviorWhenOutputToFile</code> is set to <code>Create New File</code>, it works only when you select a new output (export) file for the first time. If you try to change the existing output file and select a new output file, then the option <code>Append to Existing Data</code> gets selected by default. It can be changed manually to <code>Create New File</code>.</p>
APAR 198495, PO05293, 198494	<p>For a custom macro, if a user account has assigned as Not Granted permission for a stored object (Custom Macros, Flowchart Templates, Stored Derived Fields, etc.), the custom macro can be used to edit, delete, add, move all stored objects regardless of permissions.</p>
HMA-204347	<p>LARGE_DATA: Browser Crash - Mail List process box with 700 segments - Save with 512 offers to each segment.</p>
HMA-211253	<p>File-based input with multiple columns containing date in different format does not read the date correctly.</p>
HMA-212890	<p>Boolean type column on Amazon Redshift is recognized as 'Test' field type in table mapping.</p>
HMA-220474	<p>When the column name of the source table contains Non-ASCII characters and is long (probably longer than 10 x 3bytes characters in UTF8), the Snapshot process does not run because the temp table is not created.</p>

HMA-220705	Profiling count for Dimension table fields is incorrect and profiling percentage is displayed as 100% even if profiling is in progress.
APAR 222047, PO06172, 222049	Unica Campaign extract process does not write to DB2 database when flowchart is configured with two extract processes and the second extract process contains a derived field that uses French accented characters in the name of the derived field.
APAR 225568, PO06304, 225572	<code>temptablepostexecutionsql</code> is not run when selecting coremetrics segment.
HMA-230340	Inconsistent behavior for the Mail list process is observed when the data filter is assigned to Effective date on the Parameters tab in a new Mail list process when compared to an edited existing Mail list process. The Mail list process does not output a datetime derived field in the output log file. Changing the effective date parameter values might cause execution failure of the Mail list.
HMA-230606	In a flowchart where fields are extracted and used in a Mail list process, the fields under Extract Node on the Personalization tab of the Mail list process are different before and after running the process.
HMA-231859	While using the Chrome browser, it takes around 20 seconds to respond while loading the Personalization tab of the Mail list process if it contains large number of treatments and offers assigned. For example, a Mail list process with 250 cells, each cells with multiple offers, each offer having multiple attributes.
HMA-232502	A Mail list performance issue occurs when the user changes the input in any way and there is a delay when initially switching tabs. After the user changes the input and switches to the Treatment or Process tab for the first time, there is a delay of around 10-15 seconds depending on the number of inputs selected. After this initial delay, there is no delay until the input is changed.
HMA-232835	The Campaign application performance is affected and sometimes an exception error message is displayed on the Campaign pages when the application is used for a longer time (some days) with continuous usage. You must restart your Campaign web application and Campaign Listeners.

HMA-238789	While using the Chrome browser, when a user opens a Mail list with 600 cells having multiple offers assigned to each cell, the application stops responding. While using the Internet Explorer 11 browser, nothing is displayed in the Mail list process box.
HMA-239142	When the Audience process fails because of an incorrect Count filter expression, and the user removes the filter expression, adds a Condition, and runs the Audience process again, the process fails. The Condition is not considered and instead the previous Count filter expression is used resulting in the failure. To run the Audience process successfully, you must re-open the Audience process configuration window, click the Condition, Save and Close. The Audience process now considers the Condition and runs successfully.
HMA-271642	A "Please wait....." message is displayed multiple times in console mode installation while upgrading from version 10.1 and also for new Installation
HMA-271676	The Extract table on the DB2 and Oracle databases is not deleted when In-DB optimization is unchecked.
HMA-272253	The Campaign application performance is affected when a user opens the Table mapping window and more than 500 tables are mapped.
HMA-2968	Hot keys are not implemented on most of the windows. In the Dojo implementation it is not possible to use keyboard shortcuts to activate certain functions. Instead the user must click buttons.
HMA-PMR 266519, 75262	Clicking Return to previous page distorts the user interface in some cases. Use the links within the products to navigate, rather than the browser controls.
N/A	When Unica Campaign is deployed in an application server cluster environment with 80 port, the Campaign navigation URL should not contain this port number. For example: <code>http://<host>.<domain>:80/ Campaign</code> should be changed to <code>http://<host>.<domain>/Campaign</code> . Change the value of the serverURL property under Campaign navigation on the Settings > Configuration page.
N/A	Mail List process box gets unconfigured with error "31606: History table are changed" on Flowchart run.

1. There is no issue if the history tables are mapped prior to building a flowchart and adding a Mail List process.
2. If you do not follow step 1, you can still map the history tables after the error appears. If you edit the flowchart and configure the process box, the process will run.

N/A

After migrating non-ASCII data to Campaign, in some cases you cannot open Campaign flowcharts on the target system. Session flowcharts open successfully. To work around this issue, remigrate the campaigns in overwrite mode. You can then open the flowcharts.

TT 062333

Information related to associated products does not appear in offer on Marketing Operations. When an offer created in Campaign with products associated with it is imported in Marketing Operations, information about the associated products is not available in Marketing Operations.

HMA-270655

Table Mapping : Table name containing @ is supported while mapping a table, special characters like @ are should not be supported in Table names. Since Table name containing @ is supported since some time, this functioning is not updated now.

HMA-283637

When user has one maillist PB configured in the flowchart and he adds another maillist PB in the same flowchart, it is observed that All the values from already configured in treatment tab, Parameters tab, Personalisation tab of new Maillist PB appear automatically in any new dragged maillist PB.

HMA-281389

While running Campaign in the Upgrade mode, the installer should read the installation properties files from the previous version response files as we had that response available at the install location from the previous installation. However, it does not read the installation properties files from the earlier version response files.

HMA-280623

In Sample PB if we specify '3' in "# of Samples/Output Cells" field and Configure [sample1] with 3 samples having sample sizes as 50%, 50% and "All remaining records" respectively based on "Random Sample method" then after running

	<p>Flowchart if we reopen the Sample PB "Process run results will be lost. Continue?" message is displayed in sample PB when remaining All check boxed is check.</p>
HMA-283101	<p>CHROME: "Unable to notify roles/permission changes to Campaign, Deliver OD may be out of sync". On clicking save changes for the Security Policy displays the following pop-up, this happens just first time after user logs in and changes anything in the policy and clicks save changes. Also, this is reproducible just on CHROME. Tested on Chrome V64 and V65.</p>
HMA-282844	<p>Campaign Offer doesn't sort on 'Channel' & 'Eff./Exp.Dates'. After clicking on every column the offers below it should be sorted in ascending order. If you click on the same column the second time, the offers beneath it should be sorted in the descending order.</p>
HMA-283695	<p>Segment process box execution failed with extract enabled to User database for the IMPALA user DB. This error does not reproduce when extracting to Unica Campaign server.</p>
HMA-284436	<p>Platform.war and campaign.war in ear file deployment will not work in Weblogic 12.2.1, work around is to deploy campaign.war and unica.war separately.</p>
HMA-288228	<p>If the date field uploaded to IMC side is not in mm/dd/yyyy format, the email process box fails to execute. This data format is required by IMC Importlist API. It works accurately if DELIM_M_D_YYYY(mm/dd/yyyy) format is used for date while uploading to IMC using importlist API.</p>
HMA-289135	<p>TOMCAT : Occasionally Unica Platform or Campaign does not gets started after deploying in tomcat application server. Workaround : delete Campaign and Platform directory available inside Tomcat webapps directory and delete the content of work directory from the path where Tomcat is installed.</p>
HMA-304945	<p>Refresh command does not refresh the master listener priority or weight, if you need to make changes in priority or weight you require to take a downtime and restart the application.</p>
HMA-312445	<p>Link Process box - sending data only for the first input cell selected to link.</p>

UL-285	Connection Salesforce - Subsequent Salesforce actions are failing for Update (Lead/Contact) intermittently.
UL-250	Connection Mandrill - Intermittently stop sending emails to targeted audiences.
UL-281	Connection Mandrill - Subject line with non english characters - mandrill not sending email to user.
UL-259/UL-242	Connection Mailchimp/Mandrill - results would be available for 1000 users only.
UL-214	MailChimp/Mandrill - Audience value is getting changed to id field after selection or reopening process box.
UL-194	MailChimp/Mandrill - In Mandrill template if merging field added as localized character - personalization is not working.
UL-257	Link Connections page takes time to load in the Campaign process box.
UL-231	Twilio Connection - Only 5 fields are supported for personalization in SMS body/text area.q
UL-279	Connection MailChimp - Branch run or single link process box run is not supported with Link process box with Mailchimp connection. You will need to execute complete flowchart.
UL-287	Link process box fails when no output data.
NA	Unica Campaign and Unica Link applications urls should be having same domain names. Unica Campaign and Link applications deployed on different domains will not work.
UL-189	Connection Mandrill/MailChimp- Emojis are not working in Mandrill and MailChimp connector Mail Subject line.
HMA-313650	Platform Scheduled flowcharts are not getting executed after upgrade. Use the quartzjobtool to update scheduler jobs. This is a required step. If this upgrade tool is not run, any existing scheduled job will fail to start. The quartzjobtool is in the tools\bin directory under Unica Platform installation. Run this utility from the tools \bin directory. Example command (Windows): quartzjobtool.bat Example command (Unix): ./quartzjobtool.sh

HMA-306383	UBX registration utility is failing with error Caused by: java.lang.ClassNotFoundException: org.jboss.logging.BasicLogger error
HMA-316802	MariaDB]:CODE 704: File write error. while extracting extracted fields and table fields to database server through Segment PB
HMA-338395	v12.1.3: Campaign : Selecting export to Kafka makes Snapshot PB unconfigured. Needs workaround to run
HMA-338387	For version 12.1.3, the copyright year is incorrect in the Fed Response File <code>ResponseFiles.tar.gz</code> .

Known issues in Optimize

The following are the Known Issues for Optimize in V12.1.9

Issue	Issue ID	Description
Scores entered manually in the score matrix are not considered while optimizing the contact list.	Defect 194109	Scores entered manually should be considered for calculation in the Customer Capacity rule. However, while applying the Customer Capacity rule, scores in the PCT are considered, and all customer records are removed in the optimized list.
Campaign Optimize summary report is incorrect.	Defect 176368	If offer versions are used in a rule, the report that shows pre-optimization versus post-optimization counts will always report the pre-optimization count of records as 1. The post-optimization counts will be correct.
After upgrading Campaign to 9.1, Optimize listener can no longer be stopped via <code>ACOServer.sh</code> .	Defect 81245	Users must upgrade Unica Campaign and Unica Optimize together. If they cannot, they will need to stop the Unica Optimize listener manually through the task manager/kill command.
Error messages for the <code>ACOOptAdmin</code> utility do not display according to non-English locales.	DEF051284	When you run the <code>ACOOptAdmin</code> command line utility in a locale other than English, error messages do not display according to the specified

Issue	Issue ID	Description
unprocessables_sessionid.csv might contain some customers who receive offers.	DEF054841	locale. The error messages display only in English. In some scenarios, a few of the customers who get offers might be present in the unprocessables_sessionid.csv file.
Incorrect optimization result with Custom Capacity rule in specific circumstances.	DEF058362	A customer that satisfies the following criteria might receive fewer offers than wanted: <ul style="list-style-type: none"> • The customer has an even number of proposed transactions. • Each of these transactions has the same score. • This score is a low value.
Some labels display incorrectly in Japanese, Chinese, and Korean.	DEF059595	Some translated labels are displaying incorrectly. For example, when you edit the score matrix manually, the vertical label on the right side of the table displays upside down. Also, for optimization rules that contain customers in the segment , the segment label displays on two lines.
Offer filtering summary report displays an incorrect count of Proposed Contacts that are removed by each Custom Capacity rule.	DEF059805	The Offer Summary Report displays incorrect counts in the "Removed By This Rule" column for Custom Capacity rules if the participating Flowchart for this Unica Optimize session contains multiple contact dates and multiple offers that are made to each customer on different channels.
Issues with offer version query builder.	DEF060676	There are several minor issues with the offer version query builder:

Issue	Issue ID	Description
Offer version rules that contain dates do not provide expected optimization results.	DEF061554	<ul style="list-style-type: none"> • For custom attributes with the Form Element Type of Select Box, the offer version query builder does not use the select box. You must enter the value manually. • When the group level is removed, the subgroup conditions are added to the parent condition, and vice versa. • All arithmetic operators are displayed for a string variable, but only equal and not equal apply. • Defined length validations for attributes are not verified upon input for conditions.
Rule exceptions that span calendar years give incorrect results.	DEF061639	<p>If you create an offer version condition that includes a date, such as the offer parameter "valid end date" equals "12/31/2011", the rule containing offer version condition might not be satisfied; however, the rest of the rules will work as expected.</p>
<unica_svradm> refresh command does not reflect the change.	HMA-304945	<p>If you create a rule exception to a Min/Max # Offers capacity rule that spans calendar years, such as 07/01/2011 to 06/30/2012, the rule containing rule exception condition will not be satisfied; however, the rest of the rules will work as expected.</p>
<unica_svradm> refresh command does not delete the node from cluster.	HMA-305764	<p>On a running environment, after changing the master listener priority, <unica_svradm> refresh command does not reflect the change.</p> <p>If you delete a listener node from existing cluster, <unica_svradm> refresh command does not delete the node</p>

Issue	Issue ID	Description
Users are still able to manually interfere in the running flowchart when flowchart execution is in progress through SVRADMIN utility.	HMA-306037	<p>from cluster. Execution requests are still observed going to the deleted node. Restarting the listener solves this issue. Will be fixed in upcoming fixpack.</p> <p>When flowchart execution is in progress through SVRADMIN utility or using scheduler, user is still able to manually interfere in the running flowchart. Will be fixed in upcoming fixpack.</p>

Known limitations in Unica Campaign

Unica Campaign 12.1.9 includes the following known limitations.

Issue ID	Description
305764	For any reason, if users delete the Campaign listener node configuration from listener cluster configuration in Unica Platform, while the application is up and running then users connected to this listener node are not redirected to another listener. You must restart the Campaign web application. If you require to delete the listener node, take a downtime and restart Campaign web and listener components.
17202	Error 19024: Cannot delete segment folder if the segment was deleted from the folder. A segment that is deleted from a folder remains as an inactive segment in the folder. Folders with inactive segments cannot be deleted. This is working as intended.
185854	Big data: Campaign integration with Hadoop-based Hive big data as a user data source is not tested on MS Windows operating system.
190621	Big data: Campaign with Hive big data as a user database does not support user table mapping with Base and Dimension levels up to the fourth level hierarchy. If you map a Base record table with four levels of dimension tables in a Select process box, then build a query based on the fourth level Dimension table, the query fails with Error 11528. This issue should not affect big data users because multiple dimensions should not be needed. By definition, a big data

	<p>source has a large table of records split across Hadoop nodes (such as HDFS).</p>
194095	<p>For Redshift database, the error message "Unsupported type timestamps with time zone" is displayed when exporting data from a Snapshot process box. Timestamp with timezone is an unsupported PostgreSQL data type on Amazon AWS.</p>
195581	<p>While running a Campaign flowchart, if listener crashes or is stopped, user is not able to access the running flowchart from the UI. Requests are being served by another node of the cluster but while accessing the flowchart, a pop-up message says "listener failover occurred..." It may be necessary to restart the master listener.</p>
232032	<p>User can start only one Campaign listener on one server (machine) in case of Listener clustering.</p>
PMR 243195, 244148	<p>When a column that has the Greek Letters A and B is profiled in Campaign, the system returns only A along with the count of all the records. After the fix, some of the non-English characters, which differ only in case (like é and É in French), are counted as two different values in profiling. English language characters are not counted as case sensitive.</p>
244482	<p>Deep search lists all the Campaigns that are created through Marketing Operations projects when Campaign - Marketing Operations integration is on. Campaigns that are created through Marketing Operations projects when Marketing Operations - Campaign integration is enabled) are not listed on Campaign list page and are only available on the Marketing Operations project listing page. Users who do not have the permission to access Marketing Operations are able to access campaigns which are created through Marketing Operations projects through Deep search results.</p>
248943	<p>If the user profile database is changed (change in the table column values of audience record) for fields other than sync fields and the user runs the Email process again, a negative count is returned for the DUPLICATES parameter from Engage in the Campaign flowchart log.</p>
N/A	<p>Big data: To perform the UPDATE operation on any process boxes in a flowchart, ensure that your HIVE tables are configured as transactional tables such that they support</p>

	the ACID property. This is a key feature introduced in HIVE version 0.14.
N/A	Interact when configured with IBM WebSphere Application Server: You must configure IBM WebSphere JVM to use JDK 1.7. When IBM WebSphere Application Server 8.5.5.x is configured with JDK 1.7 and HTTPS communication, you must use IBM JAVA SDK version 7.0.8.10 or higher.
N/A	Using multiple SQL statements for raw SQL queries is not currently supported on big data user datasources. For related information, search the IBM Knowledge Center for Hive query language conformance.
N/A	Dialog behavior: In certain cases, it is necessary to click twice in order to activate a field or change a field value.
N/A	The <code>monitorEnabledForDeliver</code> configuration property in <code>Campaign monitoring</code> is not currently used.
N/A	Relevant products limitation: When offer management is performed from Unica Plan, the "relevant products" functionality, which relates product IDs to offers, is not available.
N/A	Blank or incorrect results from derived fields in a Mail List process. This can occur in a process box that uses a derived field that calls a Generated field (UCGF) that changes value. Do not use a UCGF in a Mail List derived field if the UCGF is not constant. Also, from the Parameters tab, do not create a derived field to call a UCGF to populate offer attributes.
N/A	Profiling a Campaign Generated Field (UCGF) does not yield correct results. Some UCGFs have a value according to the cell or the offer being processed. For cell-related UCGFs, only the value associated with the first cell appears during profiling.
N/A	The default value for a custom cell attribute does not appear when you open the target cell spreadsheet. Although the default value is not initially displayed, it will be used. The value can be displayed or changed by clicking or opening and editing the custom cell attribute in the target cell spreadsheet.

N/A

The `UA_UsrResponseType.Name` field cannot contain a left parenthesis followed by a single quote.

N/A

Use unique `TempTablePrefix` for each data source when mapping multiple data sources to same physical database.

If you mapped multiple data sources in Unica Campaign to the same physical database, and you use the same `TempTablePrefix` for more than one of the data sources, when you use the cleanup utility to delete orphaned temp tables, it may falsely identify temp tables as orphaned, when they are in fact legitimate temp tables defined from a different Unica Campaign data source.

Any deleted temp tables will automatically be recreated when you rerun affected flowcharts, but as a best practice, use a unique `TempTablePrefix` for each data source when mapping multiple data sources to the same physical database.

If the data sources defined in Unica Campaign map to different schemas in the database, another solution is to ensure that the database user who runs the cleanup utility does not have privileges to drop tables in other schemas in the same database.

161323

The error "Login failed. Error 10553" can occur if you try to log in to the Campaign utilities when the **Unica Platform | Security | login** method is set to **Windows integrated login** or **Web access control**. To avoid this issue, change the login type to **LDAP** or **Platform** prior to using the Campaign utilities..

176377

DB2 10.5 BLU for user DB: No indexing requirement for temp tables in Unica Campaign datasource. DB2 10.5 (with BLU feature ON) does not require indexing in Unica Campaign. Unica Campaign has certain properties for datasources, such as `TempTablePreTruncateRunScript`, `TempTablePostExecuteSQL`, and `PostTempTableCreateRunScript`, where you can provide SQL or scripts to create indexes on user database tables. If you are using DB2 10.5 as a customer database, with the BLU

201,968,200,241	<p>feature ON, you do not need to configure any of these temp table properties.</p>
211293	<p>If two process boxes are moved very close together in a flowchart, the direction of the connection arrow changes. This limitation affects the visual representation of the arrow. The process data flow is not affected. The workaround is to move the process boxes farther apart so the arrowhead changes back to the correct direction.</p> <p>In Unica Campaign, the built-in macro <code>Current_Date()</code> results in an error when executed against a Hive 1.2 based Big Data instance. The Hive ODBC driver does not support the <code>Current_Date</code> macro to obtain interval values. For example, executing the following query results in a Hive error:</p> <pre>SELECT DISTINCT customerid FROM Customer_date WHERE ((Customer_date.my_date_mmdyyyy - CURRENT_DATE()) >= 7)</pre> <p>Error: Hive 2 Internal error: unsupported conversion from type: interval_day_time</p> <p>Workaround: To use the <code>Current_Date</code> function in a RAW SQL query on Hive with Hortonworks, execute SQL in the following format:</p> <pre>SELECT DISTINCT customerid FROM Customer_date WHERE (current_date() - my_date_mmdyyyy) = interval '0 0:0:0' day to second</pre>
310769	<p>In Unica Campaign, the built-in macro <code>Current_Date()</code> results in an error when executed against Impala data source. The Impala ODBC driver does not support the <code>Current_Date</code> macro to obtain interval values. For example, executing the following query results in an error:</p> <pre>INSERT INTO TABLE UAC_133824_5 SELECT DISTINCT store_id, d_customer_key FROM srvacammo.bast_segment WHERE (srvacammo.bast_segment.ba_last_trans_date > (CURRENT_DATE - 2))</pre> <p>Error: Error while executing a query in Impala: [HY000] : AnalysisException: Could not resolve column/field reference: 'current_date'</p>

Workaround: In raw SQL query, the `Current_Date` would not work with Impala, so instead of `current_date`, users can use `now()` or `current_timestamp()`.

213088

If Campaign is installed in a secured environment but IBM Cognos is in an unsecured environment, Cognos reports will not display when you use Microsoft Internet Explorer 11. Workaround: If Unica Campaign is configured with HTTPS, also configure IBM Cognos on HTTPS.

217488

IBM can support the Database Loader for Redshift until the moment Campaign triggers the Loader Script. Any problems in execution of the loader script are not supported by IBM.

223716

Authentication Bypass Using HTTP Verb Tampering

Instead of applying the `HttpVerbFilter.class` patch, you can use the following workaround to ensure application security.

Complete the following steps to update `web.xml`.

1. Update the web app tag and set the xsd version to 3.0.

```
<web-app
  xmlns:xsi="http://
www.w3.org/2001/XMLSchema-instance"
  xmlns="http://java.sun.com/xml/ns/javaee"

  xsi:schemaLocation="http://
java.sun.com/xml/ns/javaee

  http://java.sun.com/xml/ns/javaee/web-app_3_0
.xsd"
  id="Platform" version="3.0"
  metadata-complete="true">
```

2. Add the following in `web.xml`.

```
<!--[start] WhiteList Http Verbs -->
<security-constraint>
  <web-resource-collection>

  <web-resource-name>Unica_WhiteList_Http_Verbs</web-resource-name>
  <url-pattern>/*</url-pattern>

  <http-method-omission>GET</http-method-omission>

  <http-method-omission>POST</http-method-omission>
```

```

<http-method-omission>TRACE</http-method-omission>

<http-method-omission>PUT</http-method-omission>

<http-method-omission>DELETE</http-method-omission>

<http-method-omission>PATCH</http-method-omission>

<http-method-omission>OPTIONS</http-method-omission>

<http-method-omission>HEAD</http-method-omission>
</web-resource-collection>
<auth-constraint/>
</security-constraint>
<!--[end] WhiteList Http Verbs -->

```

283805

IBM Websphere Application Server 8.5.5 Fix Pack 12 requires IFPI85892 to run HCL Unica application.

283544

On Oracle 12.2 database server following parameters needs to be added in sqlnet.ora file located under ORACLE_HOME/network/admin/SQLNET.ALLOWED_LOGON_VERSION_SERVER

User will need to consult with DBA to provide appropriate value to this parameter. Please refer this link for details: <https://docs.oracle.com/database/121/NETRF/sqlnet.htm#NETRF2016>

N/A

Campaign Integration with Watson Marketing Assistant is not supported on Internet Explorer.

286705

Two events get generated on the Campaign history tab when user pauses the Campaign flowchart from Operational monitoring.

287100

History tab data remains in UA_History table even after deleting the Campaign

290172

Cutting off right contents from Relevant offers window.

Workaround: The size of text, apps and other items - under Display should be set to 100%.

312318

Campaign flowchart run - when executed as complete flowchart generates a unique runID and its executed the flowchart along with mailchimp process box.

Next time when Campaign user tries to run the single process box - it does not generate unique runID and thus process box execution failed.

312296

HTTPS(Invalid certificate) HIP instance is not supported in IE11 for Link PB and Manage Link Connections page.

312320

MailChimp - Audience value is getting changed to other format f239295fe8 (in alphanumeric format) if we re-open correctly configured Link PB. The workaround is to hit the Fetch button adjacent to the field which will refresh the value of the user-friendly string value.

312567

Campaign installer failed to update Insights report files when installed using non-root user on Unix environment. To overcome this user would need to update Insights report file manually after installation is completed.

1. Navigate to <PLATFORM_HOME>/Insights/tools/bin/

2. For UNIX:

- Grant read, write, and execute permissions to `-bPath=<Report folder path>` for the installation user.
- Grant execute permission to the installation user using the following command.

```
chmod 755 insightsDBUtil.sh
```

3. Execute command to update the Campaign Insights report files.

```
./insightsDBUtil.sh -ds=CampaignDS -bPath=<Report folder path> -DBType=<databasetype> -URL=JDBC connection URL -user=<database user> -pwd=<database password>
```

For more details refer

UnicaInsights12_1InstallationConfigurationGuide

313216

Link: Unica application on HTTPS and unica Link on HTTP does not render the Manage links connections page.

Known limitations in Unica Optimize

Unica Optimize includes 12.1.9 includes the following known limitations.

Issue	Number	Description
Strings in the production or test pop-up window are not translated.	Defect 176920	In the case of a non-English setup, the strings in the production or test pop-up window are not translated.
The MailList process fails with the following database error: <code>ORA-00999: INVALID VIEW NAME.</code>	Defect 170951	Change the value of UseTempTablePool from <code>TRUE</code> to <code>FALSE</code> in <code>UA_SYSTEM_TABLES</code> . The MailList run will end successfully.
Unica Optimize does not terminate the <code>unica_acsvr</code> process that is opened during a run.	Defect 164875	In case of a schedule run of a Unica Optimize session by using the Unica Platform Scheduler, you observe multiple <code>unica_acsvr</code> login processes. These processes might terminate automatically after some time.
A DB2 database user change of system tables causes a Unica Optimize session to fail when the administrator has an index with the same name.	Defect 155876	To avoid having a session fail, the DB2 database administrator should remove indexes.
In a Unica Optimize report, offers by type and segment do not get printed as desired.	Defect 102889	<p>The following issues were noticed while printing the offers by type and segment in a Unica Optimize report.</p> <ol style="list-style-type: none"> 1. The preview window does not scroll, unless it is resized. 2. While printing it does not print everything, but only what fits in A4 size. Printing options do not seem to make any difference.
Negative scores cause inaccurate rules crediting.	DEF041400	<p>If you use negative scores, rule crediting in the Offer Filtering Summary report might not be accurate.</p> <p>Offers with negative scores are given to meet minimum requirements only.</p>
Cells that are linked to TCS with offer assignments do not appear in Optimize process.	DEF061355	If the Optimize process is connected to one or more cells and the upstream cells are later linked to top-down cells defined in the Target Cell Spreadsheet process (TCS), the offers that are assigned in the TCS do not automatically appear in the Optimize process. Link to any top-down cells

Issue	Number	Description
Running the ACOptAdmin utility with one-way SSL requires more setup.	DEF046832	<p>in the TCS before you connect those cells to an Optimize process. Otherwise, you must either manually assign the same offers within the Optimize process, or delete the Optimize process and re-create it.</p> <p>You cannot use the ACOptAdmin utility with one-way SSL until you register a security certificate, specify a host name and domain, and configure SSL_Options in the ACOptAdmin.bat file.</p>
Unable to run the session in first attempt when unica_acosvr process stopped.	DEF055010	<p>If you use the kill command to stop <code>unica_acosvr</code>, the next time you attempt to run a Unica Optimize session, it might fail with the following error: <code>An unknown communication failure has occurred with the Optimize server process.</code></p> <p>Workaround - Run the Unica Optimize session again to complete it successfully.</p>