

HCL Unica Supported Environments



Contents

- Chapter 1. Overview..... 1**
- Chapter 2. Environment Planning..... 2**
- Chapter 3. Installation Setup.....3**
 - Supported Locales.....3
- Chapter 4. Minimum System Requirements..... 6**
 - All HCL Unica Products..... 6
- Chapter 5. Supported Environments.....7**
 - Software Support Matrix.....7
- Chapter 6. Operating System and Databases supported with HCL Unica Journey..... 11**
- Chapter 7. HCL Unica Link Environment Support Details..... 13**
- Chapter 8. Operating System and Databases supported with HCL Unica Director..... 16**
- Chapter 9. Client Web Browser Support..... 25**
- Chapter 10. Adobe Acrobat Support.....26**
- Chapter 11. Directory Server Support.....27**
- Chapter 12. Authentication Provider Support..... 28**
- Chapter 13. Message Queue Support.....29**
- Chapter 14. Kafka Support for Unica Content Integration..... 30**
- Chapter 15. Kafka requirement for Deliver..... 31**
- Chapter 16. Redis Support for Unica Interact..... 32**
- Chapter 17. Reporting Server Support.....33**
- Chapter 18. Supported Environments Revisions..... 37**
- Chapter 19. Newly Supported Software Versions..... 38**

Chapter 1. Overview

This document lists the software environments and minimum system requirements recommended for the following HCL Unica products:

- Unica Platform
- Unica Campaign and Unica Optimize
- Unica Interact
- Unica Plan
- Unica Centralized Offer Management
- Unica Director
- Unica Journey
- Unica Deliver
- Unica Collaborate
- Unica Marketing Central
- Unica Link

Chapter 2. Environment Planning

This section provides an overview of both software and hardware prerequisites and general environment considerations required for deploying the HCL Unica products.

Product Dependencies

Several products in the HCL Unica suite require the installation of other products as prerequisites. For additional information, please see the product-specific installation guide.

Installed Product	Required Companion Installation	
If you want to install this product...	...you must also install the products marked with the ✓ in the same row	
	Unica Platform	Unica Campaign
Unica Campaign (includes Optimize)	✓	
Unica Interact	✓	✓
Unica Plan	✓	
Unica Platform	✓	
Unica Centralized Offer-Management	✓	✓
Unica Journey	✓	
Unica Deliver	✓	
Unica Collaborate	✓	✓
Unica Marketing Central	✓	✓

Lo-cale	Unica Plat-form ^(a)	Unica Cam-paign (in-cludes Opti-mize)	Unica Inter-act	Unica Plan	Unica Cen-tral-ized Offer Man-agement	Unica Jour-ney	Unica De-liver	Unica Col-labo-rate	Unica Direc-tor ^(b)	Unica Mar-keting Cen-tral
Por-tuguese (Brazil)	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Span-ish (Spain)	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Chi-nese (Sim-plied)	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Chi-nese (Tra-dition-al)	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Italian	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Russ-ian	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y



Note:



1. Unica Platform supports only limited localization of product configuration(s)

Chapter 4. Minimum System Requirements

The minimum system requirements are provided as guidance for hardware sizing for deployment of HCL Unica products in a non-production environment.

Production deployments with higher performance requirements or data volumes require thorough sizing to estimate suitable configuration. The minimum system requirements listed in this document for each HCL Unica product are typically for Windows-based systems; comparable hardware configurations are required for supported UNIX-based and LINUX-based systems.

All HCL Unica Products

	Infrastructure Element			
Hardware Configuration	Browser Client	Web Application Server	Campaign Analytical (listener) Server	System Table Database Server
Processor	2 GHz	2 GHz, 2 CPUs	2 GHz, 2 CPUs	2 GHz, 2 CPUs
RAM	512 MB	2 GB per CPU	2 GB per CPU	2 GB per CPU
Disk Space	N/A	1 GB	100 GB	100 GB

Chapter 5. Supported Environments

This section provides an overview of supported software components for deploying the HCL Unica suite of products.

Software Support Matrix

Application Server ^(a) (with embedded Web Server)	Operating System ^(e)	System Table Database ^(c)	Campaign User Table Database ^(c, f)
<ul style="list-style-type: none"> • WebLogic^(b) 12c (12.2.1.3), (12.2.1.4), 14.1.1 • WebSphere^(d) 8.5.5 FP24 • Tomcat v9.0.30^(q), v9.0.45, v9.0.73 • JBOSS 7.1.x^(l), 7.2, 7.4^(w) 	Windows Server ^(h,i) 2016, 2012R2, 2019, 2022	<ul style="list-style-type: none"> • DB2^(h) 11.1, 11.5 • Oracle 12.1.0.1, 12.1.0.2, 12.2.0.1, 19(12.2.0.3)^(o), 19.3.0.0.0, 21c (21.3.0.0.0), Oracle RAC 19c (19.0.0.0) • SQL Server^(e) 2014, 2016 SP1, 2017, 2019, 2022 • MariaDB 10.4.x^(r), 10.5.9, 10.6 	<ul style="list-style-type: none"> • DB2^(h) 11.1, 11.5, DB2 (z/OS)^(m) 10.1, 11.0 • Oracle 12.1.0.1, 12.1.0.2, 12.2.0.1, 19(12.2.0.3)^(o), 19.3.0.0.0, 21c (21.3.0.0.0), Oracle RAC 19c (19.0.0.0) • SQL Server^(e) 2014, 2016 SP1, 2017, 2019, 2022 • Netezza NPS 7.2.x

Application Server ^(a) (with embedded Web Server)	Operating System ^(e)	System Table Database ^(c)	Campaign UserTable Database ^(c, f)
		<ul style="list-style-type: none"> • PostgreSQL 13.2^(z) • HCL OneDB® V1.0, V2.0^(t) 	<ul style="list-style-type: none"> • Teradata 15.0, 15.10,16.10^(p), 16.20^(p), 17. 0 • MariaDB 10.4.x^(r) , 10.5.9, 10.6 • Amazon Redshift • dashDB 10.6 • Apache Hive, Impala based Hadoop Big Data^(g) • HCL OneDB® V1.0 , V2.0^(t) • Actian-vector-5.1.0^(v) • Singlestore 7.3^(x)
<ul style="list-style-type: none"> • WebLogic^(b) 12c,(12.2.1.4), (12.2.1.3), 14.1.1 • WebSphere^(d) 8.5.5 FP21,8.5.5 FP23 	<ul style="list-style-type: none"> • AIX 7.2 TL4, 7.1 TL5, 7.2TL5 • RHEL 7.x⁽ⁱ⁾, 8.x • SUSE 12 SP3, SUSE 12 SP5 	<ul style="list-style-type: none"> • DB2^(h) 11.1, 11.5 • Oracle 12.1.0.1, 12.1.0.2, 12.2.0.1, 19(12.2.0.3)^(o), 19.3.0.0.0, 21c 	<ul style="list-style-type: none"> • DB2^(h) 11.1, 11.5, DB2 (z/OS)^(m) 10.1,11, • Oracle 12.1.0.1, 12.1.0.2, 12.2.0.1, 19(12.2.0.3)^(o),

Application Server ^(a) (with embedded Web Server)	Operating System ^(e)	System Table Database ^(c)	Campaign UserTable Database ^(c, f)
<ul style="list-style-type: none"> • Tomcat v9.0.30^(q), v9.0.45, v9.0.73 • JBOSS 7.1- .x(l), 7.2, 7- .4^(w) 		<p>(21.3.0.0.0), Oracle RAC 19c (19.0.0.0)</p> <ul style="list-style-type: none"> • PostgreSQL 13.2^z • MariaDB 10.4.x^(r), 10.5.9, 10.6 • HCL OneDB® V1.0, V2.0^(t) 	<p>19.3.0.0.0, 21c (21.3.0.0.0), Oracle RAC 19c (19.0.0.0)</p> <ul style="list-style-type: none"> • Netezza NPS 7.2.x • Teradata 15.0, 15.10, 16.10^(p), 16.20^(p), 17.0 • MariaDB 10.4.x, 10.5.9, 10.6 • Amazon Redshift • dashDB⁽ⁿ⁾ 10.6 • Apache Hive, Impala based Hadoop Big Data^(g) • HCL OneDB® V1.0, V2.0^(t) • Actian-vector-5.1.0^(v) • PostgreSQL database 14.1-1 version

Application Server ^(a) (with embedded Web Server)	Operating System ^(e)	System Table Database ^(c)	Campaign UserTable Database ^(c, f)
			<p>Supported only for RHEL OS</p> <ul style="list-style-type: none"> • Google Big query^(x) <p>(Supported only for RHEL OS)</p> <ul style="list-style-type: none"> • HP Vertica 7.1,9.0.1^(k), 12.0.2 • Singlestore 7.3^(x) • Trino Build 399^(x)

It is recommended to use software versions that appear in bold in the above list. Starting with Unica 12.0, The end-of-service (EOS) date for HCL Unica products is 3 years after the initial release (official EOS dates are announced approximately 1 year prior to EOS). Products in bold have EOS dates that are on or beyond the EOS date of the HCL Unica product version, and thus will be supported throughout the full-service life of this release. If you use a product that does not appear in bold, be advised that its EOS date may be prior to the EOS of this release.

Chapter 6. Operating System and Databases supported with HCL Unica Journey

Operating System	System Table Database ^(c)	Kafka Server ^(s)	Application Server	Java/JRE version
Windows Server ⁽ⁱ⁾ 2016, 2012R2, 2019 , 2022	<ul style="list-style-type: none"> • Oracle 19(12.2.0.3)^(o), 19.3.0.0.0, 21c (21.3.0.0.0), Oracle RAC 19c (19.0.0.0) • SQL Server (e) 2014, 2016 SP1, 2017, 2019 • MariaDB 10.4.x^(r), 10.5.9, 10.6 • HCL OneDB® V1.0, V2.0^(t) • DB2 11.5 	Kafka Server 2.8.2, 3.4.0 Confluent Kafka 7.4.1	<ul style="list-style-type: none"> • WebSphere 8.5.5 FP22, 8.5.5 FP24 • Tomcat v9.0.30^(q), v9.0.45, v9.0.73 • JBOSS 7.1-.x^(l), 7.2, 7-.4^(w) 	Oracle JDK/JRE 1.8
RHEL ^(j) 7.x, 8.x	<ul style="list-style-type: none"> • Oracle 19 (12.2.0.3)^(o), 21c (21.3.0.0.0), Oracle RAC 19c (19.0.0.0) 	Kafka Server 2.8.2, 3.4.0 Confluent Kafka 7.4.1	<ul style="list-style-type: none"> • WebSphere 8.5.5 FP21, 8.5.5 FP24 • Tomcat v9.0.30^(q), 	Oracle JDK/JRE 1.8

Operating System	System Table Database ^(c)	Kafka Server ^(s)	Application Server	Java/JRE version
	<ul style="list-style-type: none"> • SQL Server^(e) 2014, 2016 SP1, 2017, 2019, 2022 • MariaDB 10.4.x^(r), 10.5.9, 10.6 • HCL OneDB® V1.0, V2.0^(t) • DB2 11.5 		<ul style="list-style-type: none"> v9.0.45, v9.0.73 • JBOSS 7.1- .x^(l), 7.2, 7- .4^(w) 	
AIX 7.2 TL5	DB2 11.5	Kafka Server 2.8.2, 3.4.0 Confluent Kafka 7.4.1	<ul style="list-style-type: none"> • Web-Sphere 8.5.5 FP21, 8.5.5 FP24 • Tomcat v9.0.30^(q), v9.0.45, v9.0.73 • JBOSS 7.1- .x^(l), 7.2, 7- .4^(w) 	Oracle JDK/ JRE 1.8

It is recommended to use the latest version of the supported software versions highlighted in bold. Products appear in bold are actively supported with HCL Unica Journey.

Chapter 7. HCL Unica Link Environment Support Details

HCL Unica Campaign and Journey v12.1.7 supports the following HCL Unica Link versions:

HCL Unica Link components	Installable packages and Version
HCL UNICA Link Framework V12.1.7 Multiplatform Multilingual e-Assembly	
HCL Link v1.1.6.1 for Linux	Ink_1.1.6.1_linux_c32.tar.gz
HCL Link v1.1.6.1 for Windows	Ink_1.1.6.1_32_win64.exe
HCL Unica JDBC Connector V12.1.7	HCL_Unica_JDBC_connector_12.1.7.zip
HCL Link Connector DevKit v3.0.1	LNK_Connector_DevKit_v3.0.1.zip
HCL UNICA MailChimp Connector V12.1.7 Multiplatform Multilingual e-Assembly	
HCL Unica MailChimp Connector V12.1.7	HCL_Unica_Mailchimp_connector_12.1.7-.zip
HCL UNICA Facebook Connector v12.1.7	
HCL Unica Facebook Connector V12.1.7	HCL_Unica_Facebook_Ads_connector_-12.1.7.zip
HCL UNICA LinkedIn Connector v12.1.7	
HCL Unica LinkedIn Connector V12.1.7	HCL_Unica_LinkedIn_Ads_connector_-12.1.7.zip
HCL UNICA Mandrill Connector V12.1.7 Multiplatform Multilingual e-Assembly	
HCL Unica Mandrill Connector V12.1.7	HCL_Unica_Mandrill_connector_12.1.7.zip
HCL UNICA Salesforce Connector V12.1.7 Multiplatform Multilingual e-Assembly	

HCL Unica Link components	Installable packages and Version
HCL Unica Salesforce Connector V12.1.7	HCL_Unica_Salesforce_connector_12.1.7-.zip
HCL UNICA Twilio Connector V12.1.7 Multiplatform Multilingual e-Assembly	
HCL Unica Twilio Connector V12.1.7	HCL_Unica_Twilio_connector_12.1.7.zip
HCL UNICA Google Connector v12.1.7	
HCL Unica Google Connector V12.1.7	HCL_Unica_Google_Ads_connector_12.1-.7.zip
HCL_UNICA_Twitter_Connector_V12.1.7 e-Assembly	
HCL Unica Twitter Connector V12.1.7	HCL_Unica_Twitter_Connector_12.1.7.zip
HCL Unica BATCH PUSH Connector V12.1.7	
HCL Unica BATCH PUSH Connector V12.1.7	HCL_Unica_Batch_Push_Messaging_connector_24112023.zip

The following table describes all the supported version for Unica Link.

Applica- tion Server	Operat- ing System	System Ta- ble Database	Kafka Server	Java/JRE version
<ul style="list-style-type: none"> • Apache Tomcat 9.0.14 or later • Node.js 10.15.1 or later • Redis 5.0.3 or later 	<ul style="list-style-type: none"> • Windows 10 Enterprise • Windows 10 Pro • Windows Server 2016 • Windows Server 2019 	Not applicable	Kafka Server 2.0.x and later	Open JDK 11.0.8/JRE

Applica- tion Server	Operat- ing System	System Ta- ble Database	Kafka Server	Java/JRE version
<ul style="list-style-type: none"> • Mongo-DB 4x. (and later), 5.0.5 	<ul style="list-style-type: none"> • Linux RedHat 7.3 or later • Linux RedHat 8.x or later • Ubuntu 18x or later 			

Application Server	Operating System
HCL OneDB 2.0.0	<ul style="list-style-type: none"> • Windows 10 Enterprise • Windows 10 Pro • Windows Server 2016 • Windows Server 2019

Application Server	Operating System
HCL OneDB 2.0.1	<ul style="list-style-type: none"> • Linux RedHat 7.3 or later • Linux RedHat 8.x or later • Ubuntu 18x or later

Chapter 8. Operating System and Databases supported with HCL Unica Director

Operating System (e)	System Table Database (c)	Active MQ	Java/JRE version
<ul style="list-style-type: none"> Windows Server^(h,i) 2016, 2012R2 	<ul style="list-style-type: none"> DB2^(h) 11.1, 11.5 Oracle 12.1.0.1, 12.1.0.2, 12.2.0.1, 19(12.2.0.3)^(o), 19.3.0.0.0 SQL Server^(e) 2014, 2016 SP1, 2017 MariaDB 10.6 	Apache Active MQ version 5.15.7	Oracle JDK/JRE 1.8
<ul style="list-style-type: none"> AIX 7.2 TL4, 7.1 TL5 RHEL 7.x^(j), RHEL 8^(u) SUSE 12 SP3 	<ul style="list-style-type: none"> DB2^(h) 11.1, 11.5 Oracle 12.1.0.1, 12.1.0.2, 12.2.0.1, 19(12.2.0.3)^(o), 19.3.0.0.0 MariaDB 10.6 	Apache Active MQ version 5.15.7	Oracle JDK/JRE 1.8 AIX - IBM JDK/JRE 1.8

It is recommended to use the latest version of the supported software versions highlighted in bold. Products appear in bold are actively supported with HCL Unica Director.



Note:



- a. The following are the HCL Unica –JRE/JDK requirements for different application servers. Director 12.1.0.4 is supported with Unica 12.1.7.
- Oracle WebLogic Application Server is required to be running Oracle/Java JDK 1.8 with update 112 onwards. Other JDKs are not supported (for example, JRockit JDK).
 - The support for JRE or JDK 1.8 is available from version 11.1 onwards.
 - Oracle JRE/JDK 1.8.281 version is supported by Unica Campaign from 12.1.1 release.
- b. Please find below considerations for WebLogic deployments.
- Clustering of HCL Unica products is not supported on WebLogic.
 - For Plan deployment in WebLogic patch number 26923558 is required to be applied. For details, go to https://support.oracle.com/knowledge/Middleware/2331453_1.html.
- c. Support for system and user databases:
- The environment guide does not include supported environments/system requirements for installation of HCL Unica supported databases. Please refer to the vendor documentation for the respective databases.
 - Support for Oracle database includes both Standard and Enterprise editions.
 - DBC or ODBC drivers are neither bundled nor shipped with Unica products and the customers are required to procure and configure it.
 - The following are the supported database drivers:

Database	Supported Driver(s)
MS SQL Server 2014 SP1, 2016 SP1, 2017, 2019, 2022	<ul style="list-style-type: none"> ◦ Version 6.4 (mssql-jdbc-6.4.0.jre8.jar) ◦ Version 7.0 (mssql-jdbc-7.0.0.jre8.jar) ◦ Version 7.4 (mssql-jdbc-7.4.1.jre8.jar)



Database	Supported Driver(s)
PostgreSQL 13.2	<ul style="list-style-type: none"> ◦ PSQL ODBC 13.02 driver (postgresql-42.5.4.jar)
Oracle 12c Release (12.1.0.1,12.1.0.2, 12.2.0.1) Oracle 19c Release (12.2.0.3)	<ul style="list-style-type: none"> ◦ Oracle 12c Driver – 12.x (ojdbc8.jar) ◦ Oracle 19c Driver – 19.x (ojdbc8.jar)
IBM DB2 11.1.x,11.5	<ul style="list-style-type: none"> ◦ DB2JDBC type4 driver (db2jcc4.jar)
MariaDB 10.4.x, 10.5.9, 10.6	<ul style="list-style-type: none"> ◦ JDBC - MariaDB Connector/J is for Java 8 version 2.5.2 ◦ ODBC - MariaDB ODBC Connector 3.1.6 for RHEL and WINDOWS ◦ ODBC - MariaDB ODBC Connector 3.1.7 (for RHEL 8.x) ◦ ODBC - MariaDB ODBC Connector 3.1.9 for SUSE
Amazon Redshift	<ul style="list-style-type: none"> ◦ Amazon Redshift ODBC driver (1.4.11.1000 – 64-bit) ◦ Amazon Redshift ODBC driver version 2.0.0.3 ◦ Unix ODBC driver manager-2.3.7



Database	Supported Driver(s)
HCL OneDB® V2.0 ^(u)	<ul style="list-style-type: none"> ◦ HCL OneDB JDBC Driver - onedb-jdbc-8.1.0.0- complete.jar ◦ HCL OneDB ODBC Driver - HCL OneDB Client SDK 1.0.0.0
Action Vector 5.1.0 ^(w)	Linux - action-vector-client-6.0.0-129-free-linux-ingbuildx86_64.tgz Windows - same version as of linux
Google BigQuery ^(x)	SIMBA ODBC Driver – Version 2.1.23, 2.5.2.1004
Cloudera Impala	ODBC Driver 2.6.13
Singlestore	Singlestore ODBC Connector Driver 1.1.1
Trino Build 399 ^(x)	SIMBA ODBC Driver – Version 2.1.0

- d. Unica products are certified with WebSphere 8.5.5 FP20 - Base, Express, and Network Deployment (ND) 64-bit editions. For WebSphere - HCL Unica product clustering support is certified with WebSphere Network Deployment (ND) 64-bit edition only. Unica product clustering support is also certified with Tomcat and JBOSS. WAS 8.5.5 FP20 is now supported from 12.1.2 onwards. Interim Fix PH42762 (For log4j vulnerability fix) on Webshpere 8.5.5 FP20 is supported for Unica 12.1.4. WAS 8.5.5.22 is supported for Unica 12.1.7.
- e. Support for SQL Server database is available only for installations on 64-bit versions of operating system. SQL Server 2012 and 2014 are supported for SP1 and higher. The SQL Server support for Unica Journey is available from version 12.1.0.3 and higher.



- f. This column is applicable for the Unica Campaign family of products. Unica Interact do not support Netezza, Teradata, Amazon Redshift, dashDB, HP Vertica, Databricks or Hadoop for customer profile tables. While using Interact, Campaign and Interact DBs must be of same type, for example, if Campaign system tables are in Oracle, all Interact DBs must also be in Oracle.
- g. Support for Unica Campaign uses data sources on Big Data platforms:
- Hive based Hadoop Big Data user data source is supported only on RHEL Operating Systems.
 - Hadoop Big Data instance running on Hive version 0.14 or higher is supported for the following vendors:
 - IBM BigInsights
 - Cloudera CDH
 - MapR
 - Apache HortonWorks
 - Connections to Hive based Hadoop Big Data instances are supported using select type of drivers and the drivers should be procured directly from the vendor. Following are the supported drivers:
 - a. Cloudera Hive ODBC Driver version 2.5.16 for Cloudera CDH
 - b. HortonWorks Hive ODBC Driver for Hadoop (Driver version compatible with Hadoop version)
 - c. Progress DataDirect Connect64(R) for ODBC Release 7.1.5 for other supported Big Data vendors
 - d. Progress DataDirect Connect64(R), ODBC Release 7.1.5 version on AIX Operating System for HortonWorks Big Data based on Hive
 - e. Cloudera Impala ODBC Driver 2.5.41 or higher for Cloudera Big Data based on Impala
 - The listed drivers are neither bundled nor shipped with Unica Campaign and the customer has to purchase/download and configure them.
 - Unica Campaign supports only "TextFile" format with Hive/Impala based Bigdata user data source.
 - Kerberos authentication is supported for Unica Campaign data sources on Hive/Impala based Cloudera Big Data platform and requires



Campaign Analytical Server (listener) to be running on RHEL Operating system. Please refer to Unica Campaign installation guide for more details.

- h. Unica Campaign requires a 64-bit driver for DB2 on Windows. IBM DB2 11.1,11.5 is supported for system tables and for Campaign user tables only with BLU turned off.
- i. Windows Server x86-64 is supported for Standard and Datacenter Edition of 2012R2, 2016.
- j. HCL Unica version 12.1.6 supports all versions of RHEL 7.x and RHEL 8.x. HCL Unica does not support RHEL running on IBM PowerSystems.
- k. Unica Campaign supports HP Vertica with the following caveats:
 - HP Vertica is supported only on RHEL operating system.
 - Users must install the same version of HP Vertica client as the database version.
- l. JBoss application server versions 7.1.x, 7.2.x, 7.4.x are supported with the following caveats:
 - JBOSS EAP 7.1.x is supported on Windows and RHEL Operating systems only. (https://access.redhat.com/articles/2026253#EAP_71)
 - Oracle JDK/JRE v1.8 is required for JBOSS application servers running on Windows and RHEL operating systems.
- m. IBM DB2 on z/OS is supported only as user data source with the following caveats:
 - DB2 10.1 z/OS and 11.0 z/OS with RSU1205 and PUT1205 are supported only with “New Function” mode
 - There is no out-of-the-box approach for Loaders on z/OS. Manually, the following procedure can be followed:



- Set up USS Pipes on z/OS.
 - Write a stored procedure to invoke the DSNUTILU and a script to invoke the stored procedure.
 - Configure the loader to invoke the script.
 - When leveraging temp tables, you must set the parameter “DB2NotLoggedInitially” to “FALSE” in the datasource properties for the database.
- n. IBM dashDB for Analytics is now known as IBM DB2 Warehouse on Cloud.
- o. Oracle database connectivity is also supported with ODBC connection, refer to Campaign Install guide for more details. Oracle Database versions 12.2.x and 19c with native client connectivity are supported with following caveats:
- On Oracle database server the following parameter needs to be added in “sqlnet.ora” file located under ORACLE_HOME/network/admin/:
- ```
SQLNET.ALLOWED_LOGON_VERSION_SERVER
```
- Consult with your DBA for configuring an appropriate value for this parameter. Please refer to below link for more details: <https://docs.oracle.com/database/121/NETRF/sqlnet.htm#NETRF2016>
  - Oracle 19c is also supported with ODBC connectivity, User would not be required to edit the sqlnet.ora parameters as mentioned above while connecting with ODBC.
- p. Teradata Database versions 16.10, 16.20 and 17.0 are supported for Unica Campaign user data source with the following caveat:
- The client and the database version of Teradata needs to be the same.
- q. Tomcat Application Servers 9.0.30, 9.0.45 are supported with the following caveats:
- Oracle JDK/JRE v1.8 on Windows is required for deployments on RHEL and SUSE operating systems.
  - IBM JDK / JRE v1.8 is required for deployments on AIX.
- r. MariaDB support has below considerations:





- MariaDB is not supported as system tables or user tables on AIX operating system.
  - Unica Deliver supports MariaDB from v12.1.0.3 (FP3) onwards.
  - Unica Journey supports MariaDB from version 12.1.0.3 (FP3) onwards.
- s. Unica Journey installer lays down Kafka Server 2.8.2, 3.4.0. Installation of Kafka instance bundled with Unica Journey is now supported on windows operating system. Please refer to tech note
- [https://support.hcltechsw.com/csm?id=kb\\_article&sysparm\\_article=KB0085551](https://support.hcltechsw.com/csm?id=kb_article&sysparm_article=KB0085551)
- Unica Journey 12.1.6 installer will lay down kafka 2.8.2, 3.4.0.
  - If you are using external kafka please use the supported kafka version mentioned in above table.
  - Unica Campaign , Unica Interact and Unica Deliver can also use this kafka
- t. For OneDB database installation and OneDB Client SDK installation, the following OS versions are supported
- Linux OS version: Kernel: 3.10.0 required.
  - AIX OS version: Operating system version: 7.2 required, OS Version, Patch: 7200-02 required
  - Unica Collaborate not yet support OneDB as system and user database.
  - Unica Journey v12.1.0.3 (FP3) onwards supports OneDB as system database
- u. RHEL8 support is available from 12.1 FP4 onwards. Supported for RHEL & windows OS
- v. Unica Campaign supports Actian vector v5.1.0 database as user database from version 12.1.0.4 onwards for RHEL and Microsoft Windows.
- w. Unica products (including Journey) supports JBOSS 7.2 from 12.1.0.4 (FP4) onwards.
- x. Unica Campaign supports Google BigQuery and Trino as user database, only on RHEL OS (versions 2.1.23, 2.5.2.1004). Unica Campaign supports Singlestore as as user database, only on Microsoft Windows and RHEL OS.



- y. Unica Campaign supports PostgreSQL version – 14.00.0000 as user database.
- z. PostgreSQL 13.2 Community PostgreSQL Edition is supported as system database for all Unica products except Journey, Interact, and Insight reports.

# Chapter 9. Client Web Browser Support

| <b>Browser<sup>(a,c)</sup></b>                                        | <b>Operating System</b>                  |
|-----------------------------------------------------------------------|------------------------------------------|
| Safari <sup>(b)</sup> Version 15.0 (15612.1.29.41.4, 15612)           | MacOS: BigSUR 11.4                       |
| Google Chrome for Business edition 119 or higher (32-bit and 64-bit). | Windows 7 SP1, Windows 8 SP1, Windows 10 |
| Microsoft Edge version 109.0.2151.44 (official build) (64-bit)        | Windows 10                               |

# Chapter 10. Adobe Acrobat Support

Annotations using the Adobe Acrobat markup feature in Unica Plan are supported only on the following browsers:

| Browser <sup>(a)</sup>                   | Operating System                         | AdobeAcrobat           |
|------------------------------------------|------------------------------------------|------------------------|
| Internet Explorer 11 (32-bit and 64-bit) | Windows 7 SP1, Windows 8 SP1, Windows 10 | Adobe Acrobat Pro 2022 |



**Note:** For an improved user experience, set your screen resolution to 1600 x 900 and set “Size of the text, apps, and other items” under “Display Setting” > “Scale and layout” to 100%. Lower resolutions can result in some information not being properly displayed. If you use a lower resolution, maximize the browser window to see more content.

# Chapter 11. Directory Server Support

| Directory Server                                                                  | Host Operating System |
|-----------------------------------------------------------------------------------|-----------------------|
| Microsoft Active Directory <sup>(a)</sup> 2012, 2012R2, <b>2016</b>               | Windows               |
| Oracle(Sun) ONE Directory Server Enterprise Edition 11gR2                         | All OS                |
| IBM Security Directory Server (formerly known as Tivoli Directory Server) 6.4.0.8 | All OS                |



**Note:**

Windows Integrated Login is available only for HCL Unica products installed on Windows systems through IIS deployment. For details, contact HCL Support.

# Chapter 12. Authentication Provider Support

| Authentication Provider                                                                                                          | Host Operating System |
|----------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| Windows Active Directory Server 2012, 2012R2, <b>2016</b>                                                                        | Windows               |
| CASingle Sign On (formerly known as Siteminder) <sup>(b)</sup><br>12.5                                                           | All OS                |
| IBM Security Access Manager (Formerly known as Tivoli Access Manager for e-Business) <sup>(a)(b)</sup> <b>9.0.4</b> ,<br>8.0.1.3 | All OS                |
| Federated Single Sign-On based on SAML 2.0 standards <sup>(c)</sup>                                                              | All OS                |



**Note:**

1. IBM Security Access Manager (formerly known as Tivoli Access Manager for eBusiness) v8.0.1.3 is compatible with HCL Unica as authentication provider.
2. Unica Centralized Offer Management, Unica Interact, and Unica Plan work with HTTP methods such as `GET`, `PUT`, `POST`, `PATCH`, and `DELETE`. By default, these HTTP methods are not enabled on ISAM and Siteminder. For these Unica products to work with ISAM and Siteminder enable these methods.
3. Unica Journey does not support Federated Single Sign-On based on SAML 2.0.

# Chapter 13. Message Queue Support

For Interact Triggered Messages and Activity orchestrator, Apache Kafka 2.2.2, Kafka 3.4.0, or later is supported.

If Apache Kafka is deployed in a cluster, then Apache ZooKeeper 3.5.5, 3.6.3, or higher is supported.

# Chapter 14. Kafka Support for Unica Content Integration

Optionally, in addition to in-memory mode, the Autosync feature for Content Integration framework can work with Kafka version 2.13-2.8.1 and Kafka 3.4.0.



# Chapter 15. Kafka requirement for Deliver

Optional. For Campaign 12.1.2 and higher, Kafka version 2.13-2.8.1 is required for RCT to start and process responses. Refer Unica Deliver V12.1.7 Startup and Admin Guide on how to configure Kafka for Response and Contact tracker utility.

Kafka version 3.4.0 is also supported for Deliver RCT.

# Chapter 16. Redis Support for Unica Interact

Optionally, in addition to Distributed Ignite caching mechanism, the distributed caching feature on the Cloud-native environment for Unica Interact works with Redis version 6.0.

# Chapter 17. Reporting Server Support

| Product                                                                                                                                                               | ReportingTool                                          | SupportedSystem tables                                                                                                                                                                                                                                                                                   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Unica Campaign<br>Unica Interact<br>Unica Plan<br>Unica Deliver                                                                                                       | IBM Cognos Analytics<br>11.0.9 <sup>(a)</sup> , 11.2.3 | <ul style="list-style-type: none"> <li>• DB211.1, <b>11.5</b></li> <li>• Oracle12.1.0.1,<br/>12.1.0.2,<br/>12.2.0.1 ,19(12.2.0.3),<br/>19.3.0.0.0</li> <li>• SQLServer 2014,<br/>2016 SP1, 2017,<br/>2019</li> </ul>                                                                                     |
| Unica Campaign <sup>(b,c)</sup> , Uni-<br>ca Interact <sup>(b,d)</sup> , Unica De-<br>liver <sup>(b,c)</sup> , Unica Centralized<br>Offer Management <sup>(b,c)</sup> | Insight 4.8.0                                          | <ul style="list-style-type: none"> <li>• DB2 11.1, 11.5</li> <li>• Oracle 12.1.0.1,<br/>12.1.0.2, 12.2.0.1,<br/>19(12.2.0.3),<br/>19.3.0.0.0</li> <li>• SQL Server 2014,<br/>2016 SP1, 2017,<br/>2019</li> <li>• MariaDB 10.4.x,<br/>10.5.9, 10.6</li> <li>• HCL OneDB® V1.0,<br/><b>V2.0</b></li> </ul> |
| Unica Plan                                                                                                                                                            | Insight 4.8.0                                          | <ul style="list-style-type: none"> <li>• DB2 11.1, <b>11.5</b></li> <li>• Oracle 12.1.0.1,<br/>12.1.0.2, 12.2.0.1 ,<br/>19(12.2.0.3) ,<br/>19.3.0.0.0</li> </ul>                                                                                                                                         |

| Product                                                    | ReportingTool | SupportedSystem tables                                                                                                                                                                                       |
|------------------------------------------------------------|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                            |               | <ul style="list-style-type: none"> <li>• SQL Server 2014, 2016 SP1, 2017, <b>2019</b></li> <li>• MariaDB <b>10.4-x(b)</b>, 10.5.9, 10.6</li> </ul>                                                           |
| Unica Collaborate                                          | Insight 4.8.0 | <ul style="list-style-type: none"> <li>• DB2 11.1, <b>11.5</b></li> <li>• Oracle 12.1.0.1, 12.1.0.2, 12.2.0.1 , 19(12.2.0.3) , 19.3.0.0.0</li> <li>• SQLServer 2014, 2016 SP1, 2017, <b>2019</b></li> </ul>  |
| Unica Campaign <sup>(d)</sup> Unica-Deliver <sup>(d)</sup> | Open Insights | <ul style="list-style-type: none"> <li>• DB2 11.1, <b>11.5</b></li> <li>• Oracle 12.1.0.1, 12.1.0.2, 12.2.0.1 , 19(12.2.0.3) , 19.3.0.0.0</li> <li>• SQL Server 2014, 2016 SP1, 2017, <b>2019</b></li> </ul> |

**Note:**

1. IBM Cognos Analytics 11.0.9 and 11.2.3 is supported with the following caveats:
  - IBM Cognos Analytics 11.0.9 and 11.2.3 server requires 32-bit Oracle client libraries to connect to Oracle database server (32-bit or 64-bit).
  - IBM Cognos Analytics 11.0.9 and 11.2.3 server requires 32-bit DB2 client libraries to connect to DB2 database server (32-bit or 64-bit).



- IBM Cognos Analytics 11.0.9 and 11.2.3 server requires 32-bit SQL Server client libraries to connect to SQL Server database server (32-bit or 64-bit).
- A separate reporting server is required and the minimum system requirements can be found in the IBM Cognos Analytics 11.0.9 Installation and Configuration Guide. IBM Cognos Analytics also requires a web server. For full compatibility information for IBM Cognos Analytics 11.0.9, see:

<http://www-01.ibm.com/support/docview.wss?uid=swg27047186>

2. Unica Insights reports are supported with MariaDB for Unica Campaign, Unica Plan, Unica Deliver, Unica Interact, and Unica COM.
3. Multilingual Unica Insights reports are supported for Unica Campaign and Unica Deliver.
4. From Unica 12.1.2 release, Google Looker on-premises version 21.4.22 is supported for Campaign and Deliver Open Insights Offering. Please note, Unica does not support Google Looker Cloud version. Unica supports Oracle, IBM DB2, and SQL Server databases Open data model for Campaign and Deliver products.

## Virtualization Software Support

With every HCL Unica release, HCL Unica products are certified for a specific set of operating systems as listed in this guide. HCL Unica also recognizes the growing presence of hardware virtual machine software and OS-level virtualization software (for example, VMWare, Microsoft Virtual Server, Solaris Containers) in customer environments. Following sections, outline our support policy on the same.

### Support of Virtualization Environments

HCL supports customers who run its products on any of the listed operating systems, irrespective of whether they are running a virtual machine in their environment. HCL supports any product-specific issues that occur while running within a virtual machine;

however, HCL does not rigorously test our products inside of any virtual machine. As a result, virtual machines are supported as a compatible environment.

Virtualization software vendors support a set of certified operating systems and hardware. The customer and the virtual machine vendors are responsible for any interactions and/or issues that arise at the hardware or operating system layer as a result of their use of the virtualization software.

## **Performance**

The use of a virtual machine adds software overhead that may affect performance and/or scalability. Any statements on expected product performance on a hardware platform cannot be interpreted to apply to a virtual machine running on the same hardware platform.

## **Troubleshooting Issues**

HCL Technical Support is unable to accept virtual images from customers as troubleshooting tools due to licensing concerns with respect to third-party software products, which might be included in those images.

Should HCL customers who use its products inside a virtual machine experience issues, HCL customers will not be required to recreate and troubleshoot every issue in a non-virtualization environment. However, HCL does reserve the right to request our customers to diagnose certain issues in a supported operating system environment without the virtual image. HCL will make this request only when there is reason to believe that the virtual environment is a contributing factor to the issue.

# Chapter 18. Supported Environments Revisions

This section provides an overview of changes in the supported software for this version of HCL Unica products.

# Chapter 19. Newly Supported Software Versions

HCL Unica version 12.1.7 has added support for the following new versions of third-party software.

| <b>Supporting Software Entity</b> | <b>Supporting Software Version(s)</b>                                                                                                                    |
|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Application Server                | <ul style="list-style-type: none"><li>• IBM WebSphere 8.5.5.24</li><li>• Oracle WebLogic 14.1.1</li></ul>                                                |
| Database                          | <ul style="list-style-type: none"><li>• Microsoft SQL Server 2022</li><li>• Oracle 21c</li><li>• Oracle RAC 19.3.0.0</li><li>• PostgreSQL 13.2</li></ul> |
|                                   | Cognos 11.2.3                                                                                                                                            |
|                                   | Confluent Kafka                                                                                                                                          |
|                                   |                                                                                                                                                          |