

**Unica Link V12.1.2 Twitter
Connector User Guide**



Contents

Chapter 1. Twitter connector overview.....	1
Chapter 2. Prerequisites.....	2
Chapter 3. Configuration.....	3
Chapter 4. Test connection.....	5
Chapter 5. Configure a Touchpoint or Process box.....	6
Chapter 6. Event tracking.....	9

Chapter 1. Twitter connector overview

Use the Twitter connector to upload contact information into an existing audience or new audience in Twitter.

Chapter 2. Prerequisites

To use the Twitter connector, you must have an Ad account with Twitter.

Chapter 3. Configuration

To use the Twitter connector, the Unica administrator must configure a connection.

The connection properties are as follows:

Connection property	Description
Base URL	The Twitter API base URL. Example: <code>https://ads-api.twitter.com/9</code>
Consumer Key	The consumer key for Twitter's app. It is a read-only field and is auto-populated.
Consumer Secret	The consumer secret for Twitter's app. It is a read-only field and is auto-populated.
Get Request Token label	Displays the message <code>Press the Get Request Token button to get the request token.</code>
Get Request Token	Press to get a request token from Twitter.
Token	The <code>Oauth</code> token received from Twitter via request token. It is a read-only field and is auto-populated.
Token Secret	The <code>Oauth</code> token secret received from Twitter. It is a read-only field and is auto-populated.
Get Oauth Verifier label	Displays the message <code>Press the Get Oauth Verifier button to redirect the browser to an HCL Software page. Then copy and paste the URL from that page into the Redirect URL Response field to get the oauth verifier.</code>

Connection property	Description
Get Oauth Verifier	Press to get an Oauth verifier from Twitter. It redirects the browser to HCL Software page. Copy-and-paste the URL from the page to the Redirect URL response field.
Redirect URL Response	The redirect URL pasted from the HCL Software webpage.
Get Access Token label	Displays the message Press the Get Token button to get the authorization token.
Get Token	Press to get an access token from Twitter.
Oauth Verifier	The Oauth verifier provided by Twitter. It is a read-only field and is auto-populated.
Oauth Token	The token used for Twitter APIs. It is a read-only field and is auto-populated.
Oauth Token Secret	The token secret used for generating Oauth signature along with consumer secret. It is a read-only field and is auto-populated.
Number of Retries	The total number of retries for an API if its execution fails.

Chapter 4. Test connection

Before defining a connection, you must check the connection. To check the connection, press the Test button.

The Test function invokes a query operation on Twitter to check if the server is reachable and that the connection parameters are valid.

Chapter 5. Configure a Touchpoint or Process box

When you configure a Twitter connector from a Touchpoint in Journey or a Process box in Campaign, you will see the following properties:

Property name	Description
Ad Account ID	The Twitter Ad account ID.
Contact Action	The actions to perform on the custom audience list of Twitter. The possible options in the dropdown are "Upload users to a new Audience" and "Upload users to an existing audience".
Audience	The Twitter audience to populate. This field would be a dropdown field and it would be enabled if contact action is selected as "Upload users to an existing audience".
Audience Name	The custom audience list name. It would be enabled if contact action is selected as "Upload users to a new Audience".
Audience Description	The custom Audience description. It would be enabled if contact action is selected as "Upload users to a new Audience".

The following fields are available on the field mapping screen as per Twitter specifications:

Field name	Description
Email Address	The Email Address.

Field name	Description
	<p>Use all lowercase and remove leading and trailing spaces.</p> <p>Example: support@twitter.com</p>
Twitter Username	<p>The Twitter Username.</p> <p>Use all lowercase, do not include @, and remove leading and trailing spaces.</p> <p>Example: jack</p>
Twitter UserID	<p>The Twitter UserID.</p> <p>Use standard integers (0-9) only.</p> <p>Example: 143567</p>
iOS Advertising ID (IDFA)	<p>The IDFA ID.</p> <p>Use all lower-case letters with dashes.</p> <p>Example: 4b61639e-47cc-4056-a16a-c8217e029462</p>
Google Advertising ID (AdID)	<p>The Ad ID.</p> <p>Original format on device is required, not capitalized with dashes.</p> <p>Example: 2f5f5391-3e45-4d02-b645-4575a08f86e</p>
Android ID	<p>The Android ID.</p> <p>Original format on device is required, not capitalized without dashes or spaces.</p> <p>Example: af3802a465767e36</p>
Partner UserID	<p>The User's ID in the partner's system.</p>



Note:

- The maximum request body size of the Custom Audiences' Users API is `5,000,000` bytes.
- The data provided in the users field of the request, except Partner UserID, must be hashed using `SHA256`.
- Additionally, the final output hash must be in lower case. For example:
`49e0be2aeccfb51a8dee4c945c8a70a9ac500cf6f5cb08112575f74db9b1470d`.

Chapter 6. Event tracking

The response from the Twitter connector contains the following fields:

- Audience_id
- Session_id
- Num_received
- Num_invalid_entries
- Num_valid_entries
- Status
- Errormessage
- Timestamp